Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Marsh 122 2 1944

WM. FLEMER'S SONS, INC.

PRINCETON NURSERIES


PRINCETON, N.J.



RETAIL

Fall 1943 Spring 1944

CONTROL OF THE PROPERTY OF THE PARTY OF THE





NASSAU HALL

The first college building on the Princeton campus, erected in 1756. Here the first legislature of the State of New Jersey met in 1776, and here also the Continental Congress was in session from June to November 1783

Table of Contents

	PAGE
Highway Map showing location of Nurseries	over
Foreword	2
How to reach Princeton Nurseries by auto or train	6
Terms of Sale, Prices, Liability, and Claims	3
B. & B. Schedule	4
Truck Delivery Service and Charges	5
Notes in explanation of Catalogue	6
Alphabetical listing of nursery stock, by botanical names	7
Alphabetical index of Common Plant Names	130
Fruiting Apples	124
What to plant and where to plant it	125

TELEPHONE PRINCETON 1776-7 All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

EXTRA CHARGE FOR BALLING

We recommend that all varieties marked with an asterisk(*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

SCHEDULE OF B & B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

with the A.A.N. "Horticultural Standards" recommendations. These charges are based on a *carefully dug*, solid ball of earth, *laced* with rope or wire, and handled according to the best nursery practice.

SHRUBS AND SMALL TREES

	Each		100 rate 25 or more
10 in. diam. 18-24 in. 12 in. diam. 2-3 ft. 13 in. diam. 3-4 ft. 15 in. diam. 4-5 ft. 16 in. diam. 5-6 ft. 18 in. diam. 6-8 ft.	.45 .60 1.05 1.40 1.80 2.30	.37 .52 .90 1.25 1.65	.30 .45 .75 1.10 1.50
21 in. diam. 8-10 ft	3.75	3.35	3.00

TREES

	Each	10 rate 5 to 24	100 rate 25 or more
15 in. diam. 1 in. cal. 18 in. diam. 1 1/4 in. cal. 20 in. diam. 11/2 in. cal. 22 in. diam. 13/4 in. cal. 24 in. diam. 2 in. cal. 28 in. diam. 2 in. cal. 32 in. diam. 3 in. cal. 36 in. diam. 31/2 in. cal. 40 in. diam. 4 in. cal. 41 in. diam. 4 1/2 in. cal. 48 in diam. 5 in. cal. 54 in. diam. 60 in. diam.	1.80 2.30 3.35 4.10 5.60 7.50 9.75 13.50 17.25 22.50 30.00 39.00 51.00	1.65 2.10 3.00 3.75 5.00 6.75 9.00 12.00 16.00 21.00 27.75 36.00 48.00	1.50 1.90 2.60 3.40 4.50 6.00 8.25 10.25 15.00 19.50 25.50 33.00
	31.00	46.00	45.00

TRUCK DELIVERY SERVICE

With a fleet of trucks of various sizes we are in a position to get our fresh dug material delivered to you with minimum delay and handling. The following schedule of charges allows free delivery on quantity orders within a limited area and a minimum percentage charge to cover the additional cost in other cases.

CARLOADS

We have our own railroad siding and are equipped to load and forward carload lots to all points.

BOXING CHAI	R(GES	ŝ
-------------	----	-----	---

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	-75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.70	2.50	2.75	3.25	3.50	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

Princeton Truck Delivery



SCHEDULE OF TRUCK DELIVERY CHARGES							
VALUE OF ORDER	ZONE 1 1 to 25 mi.	ZONE 2 25 to 50 mi.	ZONE 3 50 to 75 mi.	75 to	ZONE 5 100 to 125 mi.	ZONE 6 125 to 150 mi.	ZONE 7 150 to 175 mi.
\$500 to \$1000 \$200 to \$500 \$100 to \$200	FREE FREE FREE 3%	FREE FREE 4% 5% \$8.00 \$	FREE 5% 6% 9% 13.00	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

SPECIAL SELECTIONS-25% ADDITIONAL

A charge of 25 per cent additional on our regular listed price will be made for the special selection and marking in the nursery of extra heavy or specimen plants. We invite inspection of our material and on quantity orders will, if requested mark an average sample to assist our diggers in the selection of the grade wanted.

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

3

How to Reach Princeton Nurseries by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.


The office of Princeton Nurseries is located on Lake Road, in the town of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.



When in Princeton for a football game or track meet in the Stadium, why not run out and take a look at the Princeton Nurseries?

———— A 脸——

	Unit P	rice in Qua	ntities
	1-4		25-249
ABELIA-Edouard Gouchet			Abelia
12 to 15 in., pots or B. & B	.80	.65	
	.00		.52
grandiflora, '3-4'	1.1	Glossy	
Evergreen. Choice small shrub flowers, produced throughout the			
15 to 18 in., pots or B. & B	1.05	.90	.70
18 to 24 in., pots or B. & B	1.30	1.05	.85
2 to 3 ft., pots or B. & B	1.50	1.25	1.00
longituba (schumanni), 5'			
Semi-evergreen with rose pink tu	bular i	flowers pro	oduced
6 to 9 in., 3-in. pots	-75	.60	
9 to 12 in., 5-in. pots	.90	-75	
ABIES balsamea, 60'-70'			m Fir
Good variety with lustrous, dark	green		
18 to 24 in., B. & B	2.00		
2 to 21/2 ft., B. & B	3.00		
2½ to 3 ft., B. & B.	3.75		
3 to 4 ft., B. & B	4.50		
—cephalonica, 60'-70'	. 1		ek Fir
Interesting specie with broad rig		iles.	
2 to 2½ ft., B. & B	2.25 3.40		
3 to 4 ft., B. & B	5.00		
4 to 5 ft., B. & B	6.75		-
—cilicica, 50'-60'		Cilici	an Fir
A native of Asia Minor. Very lar	ge cone	es.	
12 to 18 in., B. & B	.90	.75	
18 to 24 in., B. & B	1.75	1.50	
2 to 2½ ft., B. & B	2.75 4.00	2.30 3.25	
concolor, 70'-80'	4.00		te Fir
Evergreen. Perhaps the most be	antiful		
thriving in most locations and	formin	g a symm	etrical
tree which is maintained even	when	it is old.	Large,
gray-green needles.			
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25 3.40	1.90 2.80	2.25
3 to 4 ft., B. & B	5.00	4.00	3.40
4 to 5 ft., B. & B	6.75	5.50	4.50
5 to 6 ft., B. & B	10.15	8.45	6.75
	@ 2.25		
firma, 60'-75'	inid d		mi Fir
Native fir of Japan. Has large a Fine accent and specimen tree.	igid de	cp green	icaves.
18 to 24 in., B. & B	1.90		
2 to 2½ ft., B. & B	2.25		
2½ to 3 ft., B. & B	3.50 4.50		
4 to 5 ft., B. & B	6.00		-

ABIES—continued	1-4	rice in Qua	
	1-4		er Fir
fraseri, 50'-60'	- Count		
This variety is also known as th It is hardy north and a very satis	factory	tree.	ım Fii.
2 to 2½ ft., B. & B	1.75 2.70	1.50 2.25	
3 to 4 ft., B. & B	3.75	3.00	
nordmanniana, 80'-100'		Nordman	ın Fir
Handsome, desirable species for densely-branched tree with dark			ımidal,
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B	2.70 3.40	2.25 2.80	1.80 2.25
2½ to 3 ft., B. & B	4.25	3.55	2.85
3 to 4 ft., B. & B	5.60	4.75	3.75
pectinata, 60'-80'		Silv	er Fir
Silvery white on under side of ne	edles.		
18 to 24 in., B. & B	3.00		
2 to 3 ft., B. & B	4.00 5.00		
4 to 5 ft., B. & B	7.50		
5 to 6 ft., B. & B	10.00		
veitchi, 60'-80'		Veit	ch Fir
A broad pyramidal tree, hardy, some while young.	and pa	ırticularly	hand-
18 to 24 in., B. & B	1.35	1.10	.90
2 to 3 ft., B. & B	1.80	1.50 2.50	2.00
4 to 5 ft., B. & B	3.00 3.60	2.85	2.40
douglasi (See PSEUDOTSUGA	dougl	asi)	
Spruce (See PICEA)			
ACANTHOPANAX pentaphyllus	m. 7'-8	,	
		Fiveleaf	Aralia
Graceful, arching habit; splendid able; good foliage for smoky ex			adapt-
18 to 24 in	.30	.25	.20
2 to 3 ft		.38	.30
3 to 4 ft	.55 .80	.47 .65	-37
4 to 3 ft	.00	.03	.52
ACER campestre, 25'-30'		Hedge	Maple
Useful for dry locations in under grows slowly.	growth	; has cork	y bark;
6 to 8 ft	3.90	3.30	
8 to 10 ft	5.50	4.50	
10 to 12 ft	7.90 9.00	6.55 7.50	
12 10 14 11	9.00	7.50	

	Unit P	rice in Qu	antities
ACER—continued	1-4	5-24	25-249
dasycarpum, 60'-80'		Silver	Maple
Quick-growing, graceful shade tre	e; leave	s silvery	under-
neath.		·	
6 to 8 ft	.90	-75	.60
8 to 10 ft	1.35	1.10	.90
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in 10 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in	1.80	1.50	1.20
10 to 12 ft.—13/4 to 2 in	2.85	1.90 2.30	1.50 1.90
12 to 13 ft.—2 to 2½ in	3.90	3.25	2.60
13 to 14 ft.—2½ to 3 in	5.00	4.25	3.50
14 to 16 ft.—3 to 3½ in	6.75	5.50	4.50
14 to 16 ft.—3½ to 4 in	7.75	6.50	5.60
		al Silver	Maple
A very desirable subject for scre	een plai	nting.	
12 to 14 ft.—2½ to 3 in	4.90	4.05	3.25
14 to 16 ft.—3 to $3\frac{1}{2}$ in	6.7 <i>5</i> 9.00	5.50	4.50 6.00
14 to 10 ft.— 3/2 to 4 m	9.00	7.50	0.00
—wieri, 60'-80'	Wier	Cutleaf	Maple
Graceful, drooping form; very d	esirable		
8 to 10 ft.—11/4 to 11/2 in	2.25	1.90	1.50
10 to 12 ft.—1½ to 1¾ in	2.90	2.40	1.95
11 to 12 ft.—13/4 to 2 in	3.75	3.00	2.50
12 to 13 ft.—2 to 2½ in	4.50 5.60	3.75	3.00
13 to 14 ft. 2/2 to 3 m	3.00	4.75	3.75
ginnala, 10'-12'		Amur	Maple
Graceful and valuable for brigh twiggy habit of growth.	t red a	utumn co	loring;
3 to 4 ft	.70	-55	-45
4 to 5 ft	1.10	.95	-75
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90 2.35	1.50
0 to 10 It	2.03	2.33	1.90
negundo, 60'		Во	xelder
Will grow where other trees fail;	especial	lly good i	or dry,
barren places and seashore.			
6 to 8 ft	.75 1.20	.60 1.00	.50 .80
0 to 10 it	1.20	1.00	.00
japonicum aureum, 15'	Gold	lenmoon	Maple
Similar in growth to palmatum.	Foliage	golden.	
18 to 24 in., B. & B	3.90		
2 to 3 ft., B. & B	4.50		
palmatum (polymorphum), 12'-1	5'	apanese	Manle
Develops into a splendid specimen			
2 to 3 ft., B. & B	4.00		
3 to 4 ft., B. & B	6.00		
4 to 5 ft., B. & B	8.00		

	Unit P	rice in Qu	antities
ACER—continued	1-4	5-24	25-249
-atropurpureum, 6'-8' Purpl	leleaf J	apanese	Maple
A good, dwarf tree with rich purmer. Best in sun. These plants are strain imported, being carefully stant color.	grafted	d from th	e finest
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.65 2.25 3.40 4.50 5.60 8.00	1.35 1.90 2.80 3.75 4.75 6.50 8.45	1.10 1.50 2.25 3.00 3.75 5.25 6.75
——nigrum, 6'-8'			
A selected strain of the purple darker leaves.	e Japan	ese Mapl	e with
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	2.85 3.90 4.50 6.75	2.35 3.25 3.75 5.50	1.90 2.60 3.00 4.50
— —novum, 6'-8' Similar to the above.			
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	2.25 2.85 3.90 5.25	1.90 2.35 3.25 4.40	1.50 1.90 2.60 3.50
dissectum, 4'-6' Purple C	utleaf]	Tapanese	Maple
More dwarf than the above wit leaves, giving the plant a very gr for rock work.	h finely aceful a	y cut pur ppearance	ple-red e. Good
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.80 2.85 4.05 6.00	1.50 2.35 3.40 5.00	1.20 1.90 2.70 4.00
-dissectum, 4'-6' Green Cu	ıtleaf 1	ananese	Maple
A good, dwarf tree with finely cu attractive throughout the summ fall when frost tints the leaves in	t, green er and	leaves. It beautiful	is very
12 to 15 in., B. & B	1.80 2.85 4.00 6.00	1.50 2.35 3.40	_
——crispum Small leaves. Distinct upright gro	owth. A	fine acce	nt tree.
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	2.25 3.90 5.60	1.90 3.25 3.50	1.50 2.60 2.75
pennsylvanicum (striatum), 20'-3 Green bark, striped with white; t		Striped n wet soil	_
5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	2.50 3.00 4.00 5.25	2.00 2.50 3.50 4.40	

	Unit P	rice in Qu	antities
ACER—continued	1-4	5-24	25-249
platanoides, 50'-75'		Norway	Maple
The most popular street tree; runtil late autumn.	retains	its green	leaves
NOTE—These trees are Princeton heads, heavier caliper and well- far superior to western, irrigated what we ask for them.	-develo	ped roots	, being
6 to 8 ft. 8 to 10 ft. 10 to 11 ft., 1½ to 1½ in. 10 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2½ in. 12 to 14 ft., 2 to 2¼ in. 13 to 15 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 16 to 18 ft., 4 to 5 in.	2.25 2.85 3.40 3.90 4.50 5.60 6.75 8.00 8.00	1.90 2.35 2.80 3.25 3.75 4.75 5.50 6.50 7.00 9.50	1.50 1.90 2.25 2.60 3.00 3.75 4.50 5.25 6.00 7.50
—columnare	371		
True columnar form of Norway 6 to 8 ft	3.00	2.50	2.00
0 10 0 11	3.00	2.50	2.00
—globosum, 10'	Globe	Norway	Maple
Dwarf form of the above. Forms	_	e shaped	head.
5 year, 6 ft. stem, $1\frac{1}{2}$ to 2 in 5 year, 6 ft. stem, 2 to $2\frac{1}{2}$ in	7.00 9.00		
-schwedleri, 40'-60'	S	chwedler	Maple
Probably the best, large-growing			
Probably the best, large-growing as lawn specimen.	purple	eleaf tree.	Useful
Probably the best, large-growing as lawn specimen. 6 to 8 ft	purple 3.40	eleaf tree. 2.80	Useful 2.25
Probably the best, large-growing as lawn specimen. 6 to 8 ft	3.40 4.50 5.25	eleaf tree.	2.25 3.00 3.50
Probably the best, large-growing as lawn specimen. 6 to 8 ft	3.40 4.50 5.25 5.60	2.80 3.75 4.40 4.75	2.25 3.00 3.50 3.75
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 11 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in.	3.40 4.50 5.25 5.60 6.00	2.80 3.75 4.40 4.75 5.00	2.25 3.00 3.50 3.75 4.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in	3.40 4.50 5.25 5.60 6.00 7.50	2.80 3.75 4.40 4.75 5.00 6.25	2.25 3.00 3.50 3.75 4.00 5.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 11 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in.	3.40 4.50 5.25 5.60 6.00	2.80 3.75 4.40 4.75 5.00	2.25 3.00 3.50 3.75 4.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50′-75′	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2 to 2½ in 12 to 14 ft.—2½ to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50′-75′	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2 to 2½ in 12 to 14 ft.—2½ to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft.	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding he	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. 15 pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring.	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 2.25 Red o	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2½ to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft.	3.40 4.50 5.25 5.60 6.00 7.50 11.00 ding hore. 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and a 1.90 or Scarlet upland; 1	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2 to 2½ in 12 to 14 ft.—2½ to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft. 8 to 10 ft.	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding hoore. 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 or Scarlet upland; 1	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2 to 2½ in 12 to 14 ft.—2 to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 12 to 1½ to 1½ in 13 to 1½ to 1½ in 14 to 1½ in 15 to 16 ft. 16 to 8 ft. 17 to 1½ to 1½ in	3.40 4.50 5.25 5.60 6.00 9.00 11.00 Siding harder. 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 or Scarlet upland; 1	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrired autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1½ in	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 Siding hater the constraint the constrai	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1 1.90 2.35 3.25 4.40	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2 to 2½ in 12 to 14 ft.—2½ to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrired autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	3.40 4.50 5.25 5.60 6.00 9.00 11.00 Siding harder. 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1 1.90 2.35 3.25 4.40 5.85	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrired autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1½ in	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 8 ding hater the control of the control	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1 1.90 2.35 3.25 4.40	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding hater the control of	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and abit and abit and abit and abit and abit and abit appears abit abit abit abit abit abit abit abit	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————

	Unit I	Price in Qu	antities
ACER—continued	1-4	5-24	25-249
saccharum, 50'-75'		Sugar	Maple
Most popular in northern states; has rich yellow autumn coloring		lanted in	spring;
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
10 to 11 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	3.40	2.80	2.25
11 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	3.75	3.00
12 to 14 ft.—134 to 2 in	5.25 6.00	4.40	3.50 4.00
12 to 14 ft.—2 to $2\frac{1}{4}$ in	7.15	5.00 5.85	4.00
14 to 16 ft.—2½ to 3 in	8.00	6.75	5.50
16 to 18 ft.—3 to 3½ in	9.40	7.80	6.25
spicatum, 20'-30'		Mountain	
Small tree with nice yellow and a	carlet	autumn c	oloring.
2 to 3 ft	.90	.75	
3 to 4 ft	1.45	1.20	
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.25		
ACTINIDIA arguta, 20'-30'		Bower A	
Greenish-white, July. Rich, dark berries.	green	foliage.	Yellow
2 yr., 2 to 3 ft	-55	-47	·37
3 yr., 3 to 4 ft	.70	-55	-45
AESCULUS glabra, 25'		Ohio B	
Makes a small tree of handsome flowers in May. Foliage turns yel	low in	early fall	yellow l.
3 to 4 ft	1.10	.95	
4 to 5 ft	1.50	1.25	
6 to 8 ft	2.25	1.90	
8 to 10 ft	3.00		
10 to 12 ft	5.25		
hippocastanum, 60'-80'		TT 1	
A beautiful, symmetrical shade to		Horsech	
panicles of white flowers against a 3 to 4 ft.	the dar	k green le	eaves.
4 to 5 ft	1.10	.95	.75
5 to 6 ft	2.25	1.25 1.90	1.00
6 to 8 ft.—1½ to 1½ in	2.85	2.35	1.50
8 to 10 ft	3.60	2.85	2.40
	0.00	2.0)	2140
	Dwari	Horsech	estnut
15 to 18 in., 5 in. pot gr	1.90		
18 to 24 in., 6 in. pot gr	2.25		
AILANTHUS glandulosa, 50'-60'		Tree of F	
Succeeds under most adverse city leaves and grows rapidly.		itions. Ha	s large
5 to 6 ft	1.45	1.20	
6 to 8 ft	1.80	1.50	
0.10.10.11	2.85	2.35	

7	Jnit I	Price in Q	uantities
	1-4		25-249
AKEBIA quinata, 15'-20'		Fiveleaf	Akehia
Dainty, beautiful vine, purple flow leaves persisting till winter.	wer.		
2 yr	-33	.27	.22
ALNUS glutinosa, 70'-80'		European	
A rapid-growing tree with dark gromoist situations.	een f	oliage ada	apted to
2 to 3 ft	.60	.50	.40
3 to 4 ft	•75 1.00	.60 .80	.50 .65
AMELANCHIER canadensis (botry	yapit D	1m), 20'-3 owny Sh	adblow
White flowers in early spring bef			uits are
relished by birds. Also called June	berry	•	
	-55	47	•37
2 to 3 ft	.90 1.10	.75 .95	.60 .75
		gheny Sh	
Unfolding leaves are smooth and Large drooping flowers with purple			sh hue.
	2.25	1.90	
0 0	2.70 3.50	_	
stolonifera, 3'-4'	Ru	nning Sh	adblow
18 to 24 in	-55	-47	-37
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	. 75
AMORPHA canescens, 2'-3'			adplant
Long spikes of blue flowers in July.	A ch	oice, dwai	f plant.
15 to 18 in	.55 .80	.65	-37
fragrans, 3'-4'	Scen	ited Indi	gobush
Purple blue racemes six inches lon	g in	July.	
18 to 24 in	-33	.27	
2 to 3 ft	.50	40	
3 to 4 ft	.60	.50	
fruticosa, 8'-10'			gobush
Deep purple flowers in June; sprea			
2 to 3 ft	.30	.25	.20
4 to 5 ft	.45 .55	-37 -47	.30
5 to 6 ft	.70	.55	45
6 to 8 ft	.90	.75	.60
AMPELOPSIS aconitifolia, 15'-20'	M	lonkshoo	d Vine
Attractive foliage; bright blue b			
2 yr	-55	-47	-37

AMPELOPSIS—continued	Unit Pr	rice in Qu 5 - 24	
heterophylla, 25'-30'		oin Amp	25-249
A good, sturdy vine with good			
tive, turquoise-colored fruit.	1011ugt i	and very	attrac-
2 year	-55	-47	-37
humulifolia, 25'-30'	Н	ор Атр	elopsis
Similar to above, not quite so rol	oust. Goo	d green	foliage.
2 year	•55	-47	-37
3 year	.70	.55	-45
quinquefolia, 30'-50'		rginia C	_
Valuable for rich, fiery autumn 1 year			
2 year	.15	.12	.10 .15
3 year	-37	.30	.25
quinquefolia engelmanni, 30'-40'	Enge	lmann C	reeper
A good, self-clinging woodbine;	very ha	rdy. Goo	d fall
coloring.			
1 year 2 year	.15	.12	.10
3 year	•37	.30	.15 .25
tricuspidata (veitchi), 40'-50'		Bosto	n Ivy
Brilliant autumn coloring, blue	berries,	turning	black:
closely self-clinging. Also called	Japanes	e Creeper	ř.
1 year, 12 to 18 in	.22 -37	.20	.15
3 year, 2 to 3 ft	·45	.30 •37	.25 .30
—lowi, 6'-8'	rf Cutle	af Bosto	n Ivv
A good variety of the type, with			
age. Very graceful and distinct. 3 in. pots	6 -		
	.65	•55	45
AMYGDALUS nana (See Prunus			
persica alba (Prunus), 8'-10' —Clara Meyer, 8'-10'		ite Flg.]	
—rosea, 8'-10'		nk Flg.]	
		nk Flg. 1	
rubra, 8'-10'	Dbl. R	ed Flg. I	Peach
2 to 3 ft	. 45	·37	.30
4 to 5 ft	•55 •80	.47 .65	•37 •52
ANDROMEDA arborea (See OX	YDENI	ORUM)	
catesbaei (See LEUCOTHOE)			
japonica (See PIERIS)			
ARALIA pentaphyllum (See ACA	NTHOE	PANAX)
spinosa, 18'-20']	Hercules	-club
Useful for tropical effects and sl	hadows.	white flo	wers,
July. Also called Devils-walkingst 2 to 3 ft		077	00
3 to 4 ft	-45 -70	•37 •55	.30 -45
4 to 5 ft	.90	.75	.60

	Unit Pri	ice in Qua 5 - 24	
ARCTOSTAPHYLOS uva-ursi		Bear	berry
A most excellent ground cover, Forms a low, dense growth. Pink, scarlet berries.	thriving bell-shap	in sandy ped flowe	soils.
2½ in. pots	45	-37	.30
ARISTOLOCHIA sipho		utchman	
A vigorous and rapid-growing clinght green leaves which retain entire season. Has curious, bresembling a pipe in shape.	their col	or throug	gh the
1 year	•75	.62	.50
ARONIA arbutifolia, 6'-8'	Re	d Choke	berry
Valuable because of its red bern fall.	ries; ver	y handso	me in
12 to 18 in	.22	.20	.15
18 to 24 in	•33 • 45	.27 ∙37	.22 .30
-brilliantissima, 6'-8' Bri	lliant Re	ed Choke	berry
Improved form of the Red Choke	berry wi	th bright	er red
fruits. 12 to 18 in	25	.20	.15
18 to 24 in	.2 <i>5</i> .33	.27	.22
2 to 3 ft	·45	•37	.30
3 to 4 ft	-55	-47	-37
atropurpurea, 6'-8'	Purp	le Choke	berry
Intermediate form between Aronic melanocarpa with black fruits. Th			
3 to 4 ft	1.10	.95 1.25	
5 to 6 ft	1.65	1.35	
melanocarpa (nigra), 8'-10'	Plac	k Choke	haren
Delicate, white flowers in May; b			
late.	IACK DCII	ics persis	t until
12 to 18 in	.22	.20	.15
18 to 24 in	•33 •45	.27 .37	.22
3 to 4 ft	.70	.55	45
4 to 5 ft	.90	-75	.60
AZALEAS			
AZALEA amoena, 3'-4'	A	moena A	zalea
Evergreen. Conspicuous, purple- Leaves turn a rich, bronze-green			l-May.
9 to 12 in., B. & B	.90	•75	.60
12 to 15 in., B. & B	1.20 1.65	1.00	.80 1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	2.85	2.35	1.90
2½ to 3 ft., B. & B	3.75	3.00	2.50

Unit Price in Quantities

	Unit P	rice in Qu	antities
AZALEA—continued	1-4	5-24	25-249
arborescens, 10'-12'		Sweet	Azalea
Fragrant, white flowers in June.			-124100
18 to 24 in., B. & B	3.00	2.50	
2 to 2½ ft., B. & B	3.80	3.15	
2½ to 3 ft., B. & B	5.25	4.40	
calendulacea, 4'-5'		Flame	Azalea
The great Flame Azalea of Carshowy, burnt orange flowers.	rolina N	Mountains	; very
15 to 18 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	2.85	2.35	1.90
2½ to 3 ft., B. & B.	3.40 4.50	2.80	2.25
3 to 4 ft., B. & B.	6.75	3.7 <i>5</i> 5.50	3.00 4.50
4 to 5 ft	9.00	7.50	6.00
5 to 6 ft	12.00	10.00	8.00
Hinodegiri, 3'-4'	Hin	odegiri .	Azalea
Evergreen. Larger leaves and loose flowers very bright carmine-pink with Rhododendron.	er growt ; effecti	h than Ar	moena; sses or
8 to 10 in., B. & B	.90	-75	.60
10 to 12 in., B. & B	1.35	1.10	.90
12 to 15 in., B. & B.	2.00	1.70	1.35
15 to 18 in., B. & B.	2.85	2.35	1.90
18 to 24 in., B. & B	3.40	2.80	2.25
kaempferi, 4'-5'		Torch A	
Warm brick-red flowers, May. Ver	y hardy	y and des	irable.
12 to 15 in., B. & B.	1.90	1.50	1.25
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B.	4.50	3.75	3.00
AZALEA KAEMPFERI	НҮВБ	RIDS	
Carmen—Rose-pink flowers.		-	
Cleopatra—Lilac-rose flowers.			
Fedora—Salmon-rose flowers.			
ouigo Light man 0.			

Louise-Light-rose flowers.

Othello-Brick-red flowers.

12 to 18 in D % D			
12 to 15 in., B. & B	2.00	1.70	1.35
15 to 18 in., B. & B	3.40	2.80	2.25
18 to 24 in., B. & B.	3.90	3.25	2.60
2 to 2½ ft., B. & B	5.25	9)	
/ - /	3.43	4.40	3.50

KURUME AZALEAS—EVERGREEN

Benigeri-Bright red flowers; compact growth. 9-12, 12-15, 15-18, 18-24

Flame-Brilliant red flowers; borne in profusion. 15-18, 18-24, 2-21/2, 21/2-3

Hatsugiri-Bright purple flowers; compact growth. 9-12, 12-15, 15-18


	Unit Pr	ice in Qua	ntities
AZALEA—continued	1-4	5-24	25-249
Pink Beauty—Single soft-pink flow 9-12, 12-15, 15-18	vers.		
Pink Pearl—Salmon-rose flowers; 9-12, 12-15, 15-18, 18-24	heavy	bloomer.	
Salmon Beauty—Large salmon-pin 9-12, 12-15	ık flowe	ers.	
9 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	.90 1.35 2.40 3.00 3.60 4.90	.75 1.10 2.00 2.50 2.85	
—Snow, 3'			
Evergreen. Large pure white flow			0.0
9 to 12 in., B. & B	1.35 1.80	1.10	.90 1.25
—Yayegiri, 3'	1 .1		
Salmon-red flowers. Of exceptions 18 to 24 in., B. & B			
2 to 2½ ft., B. & B	2.75 3.40	2.30 2.80	
2½ to 3 ft., B. & B	4.50	3.75	
3 to 3½ ft., B. & B.	5.75	4.90	
ledifolia alba, 4'-6'		Snow A	Azalea
Evergreen. Large, single, white fl Makes a striking background to blooming at the same time.			
12 to 15 in., B. & B	1.65 2.85	1.35 2.35	1.10
—Fujimoyo, 4'-6'			
Large double pale pink-lilac flow	ers.		
15 to 18 in., B. & B	3.00	2.50	2.00
18 to 24 in., B. & B	3.75 4.50	3.00 3.75	2.50 3.00
—lilacina, 4'-6'	4.50	3.73	3.00
Single lilac flowers.			
12 to 15 in., B. & B	2.25 3.00	1.90 2.50	2.00
18 to 24 in., B. & B	2.70	2.25	
macrantha, 21/2'-3'	Red :	Salmon A	Azalea
Evergreen. A beautiful plant, wit pear at intervals, and not at one Single and double varieties.			
15 to 18 in., B. & B	3.40	2.80	
18 to 24 in., B. & B	4.25 5.00	3.55 4.00	
mollis, 4'-6'		Chinese A	172102
Large, showy flowers in shades o			
June. Large, hairy leaves. Likes	sun.	100	
12 to 15 in., B. & B	1.65 2.25	1.35 1.90	1.10

	Unit Pr	rice in Qua	antities
AZALEA—continued	1-4	5-24	25-249
mucronulatum (See RHODOD mucronulatum)	ENDRO	N	
nudiflora, 6'-8'		Pinxter	bloom
Flowers pale rose or pink before rocky woodlands and swamps.	or with	leaves. Ir	habits
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40 3.90	2.80 3.25	2.25
3 to 4 ft., B. & B.	5.60	4.75	3.75
phoenicea var. Omurasaki, 2'-3'			
Purple to magenta flowers. Early	7•		
15 to 18 in., B. & B	3.60	2.85	
18 to 24 in., B. & B	4.50	3.75	
poukhanensis, 1'-3'		Korean A	
Single, purple-lilac flowers are preciously very hardy.	profusely	borne in	May;
12 to 15 in., B. & B	2.25	1.90	1.50
15 to 18 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B.	3.90 5.60	3.25 4.75	2.60 3.75
rosea, 6'-8'	Downy	Pinxter	bloom
Rose-pink flowers in late May. (and useful native variety.	Quite fra	grant. Be	autif u l
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40 3.90	2.80 3.25	2.25
3 to 4 ft., B. & B	5.60	4.75	3.75
schlippenbachi, 3'-5'		Royal A	Azalea
Blooms pale rose color, May-June	; decidu	ous, very	hardy.
12 to 15 in., B. & B	2.25	1.90	1.50
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	4.10 4.90	3.50 4.05	2.75 3.25
vaseyi, 5'-6'	Pi	nkshell A	Azalea
Delicate pink, April and May. Ve	ry attrac	tive, one	of the
best hardy azaleas.			
18 to 24 in., B. & B	3.40	2.80	2.25
2½ to 3 ft., B. & B.	3.90 5.25	3.25 4.40	2.60 3.50
3 to 4 ft., B. & B	7.15	5.85	4.75
viscosa, 4'-5'		Swamp A	Azalea
White, very fragrant, June and J	uly.		
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40 3.90	2.80 3.25	2.25
3 to 4 ft., B. & B	5.60	4.75	3.75

AZALEA—continued	Unit P	rice in Qu 5-24	antities 25 - 249
yodogawa, 3'-4'	Yo	dogawa .	Azalea
Double, pinkish-lavender flowers, of exceptional merit.	May.	Very har	dy and
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40	2.80	2.25
2½ to 3 ft., B. & B	3.90	3.25	2.60

NEW AZALEA VARIETIES

We have built up a stock of choice new introductions that will be offered after this year's trials.



Unit Price in Quantities 1-4 5-24 25-249

BACCHARIS halimifolia, 9'-10' Groundselbush Conspicuous, fluffy seed pods in September. Good for sea-

Conspicuous, fluffy seed pods in September. Good for seashore planting.

18 to 2	4 in	. 33	.27	.22
2 to 3	ft	.45	-37	.30
	ft	-55	47	-37
4 to 5	ft	.70	-55	45

BENZOIN aestivale (LINDERA benzoin), 10'-12'

Spicebush

Flowers yellow, April. Scarlet berries, beautiful autumn coloring, leaves aromatic.

18 to 24 in	•33	.27	.22
2 to 3 ft	-45	·37	-30
3 to 4 ft	-55	-47	•37
4 to 5 ft	.85	.70	-55
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.65	1.35	1.10



THE WASHINGTON STREET BRIDGE OVER LAKE CARNEGIE

The lake, the gift of Andrew Carnegie in 1906, is used by

Princeton crews and is also a favorite resort of canoeists in

the summer

BERBERIS NEW HARDY EVERGREEN TYPES

We have a good assortment of these new varieties which are very attractive in both dark green, holly-like foliage and showy flowers. We consider this class of stock one of the most valuable additions to the broad-leaved evergreens. As a class nearly all have large thorns, spined leaves, and color beautifully in the winter months. Under favorable conditions most of them will attain a height of about six feet.

chenaulti. Deep, green lustrous	foliag	ge.	
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B	1.50	1.25	1.00
gagnepaini. Has long and very na	rrow,	holly-like	leaf.
9 to 12 in., 4 in. pots	-75	.60	.50
12 to 15 in., 4 in. pots	1.10	.95	.75
15 to 18 in., 5 in. pots	1.50	1.25	1.00
julianae. Fairly rapid growth with	broad	er, spined	leaves.
9 to 12 in., B. & B	-55	-47	-37
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	2.25	1.90	1.50
triacanthophora. Rapid grower, d	ense	habit and	small,
lightly-spined leaves.			
9 to 12 in., B. & B	-55	-47	-37
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
verruculosa		Warty Ba	
Distinctive in character. Of dwa			
habit. Shiny foliage. Fragrant yello		wers. Black	fruits.
6 to 9 in., 4 in. pots	.75	.80	
9 to 12 in., 5 in. pots	1.00		
12 to 15 in., 6 in. pots	1.50	1.25	
BERBERIS—DECIDUO	US 7	YPES	
thunbergii, 4'-5'	Jai	oanese Ba	rberrv
A splendid, low hedge plant, or			_
autumn coloring; scarlet berries.	101 1	industries, b	111110111
9 to 12 in	.08	.06	.05
12 to 15 in	.12	.10	.08
15 to 18 in	.18	.15	.12
18 to 24 in	.20	.17	.14
2 to 2½ ft	.27	.22	.18
2½ to 3 ft	.45	-37	.30
		panese Ba	
A very desirable, new, red-leaved			
Should be planted in sun for best unusually deep color and symme			
			· _
9 to 12 in	.12	.10	.08
12 to 15 in	.18	.15	.12
15 to 18 in	.27	.22	.18
2 to 2½ ft	·37	.30 -37	.30
2½ to 3 ft	.70	.55	.30
, , , , , , , , , , , , , , , , , , , ,		.,,,	77

	Unit P	rice in Qua	ntities
ERBERIS—continued	1-4	5-24	
minor, 2'-3'	•	Box Ba	
A dwarf, compact form of Jap	anese		
sparingly. Used for edging where	Box is	not hardy.	
9 to 12 in	.22	.20	.15
12 to 15 in	•33 •45	.27 •37	.22
18 to 24 in	•55	.47	•37
BETULA alba, 30'-50'	Europe	an White	Birch
Known by its white bark.			
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	2.00	1.70	1.35
8 to 10 ft	2.85	2.35	
8 to 10 ft.—1½ to 1½ in 10 to 12 ft.—1½ to 1¾ in	3.40	2.80	
	3.75		
	-	dal White	
Columnar form of the European heavy formal effects are desired.	Birch.	Excellent	where
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.85	2.35	
6 to 8 ft	3.75	3.00	
		Weeping	Rical
			BILCI
Excellent tree for lawn planting 5 to 6 ft.	2.00	1.70	1.3
6 to 8 ft	2.85	2.35	1.9
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.50		
*lenta, 40'-50'	4.5		t Bircl
Has attractive, smooth, reddish	bark		
catkins in spring.	Dull	una com	predod
6 to 8 ft	1.90	1.50	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.85	2.35	
10 to 12 ft., 1½ to 2 in	3.75	3.00	
12 to 14 ft., 2 to 2½ in	4.50	3.75	
Specimens up to 4 in. caliper.			
*lutea, 50'-70'		Yellov	Bircl
Makes fine windbreak.			
6 to 8 ft	1.90	1.50	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	
10 to 12 ft., 1½ to 2 in	3.75	3.00	_
12 to 14 ft., 2 to 2½ in	4.50	3.75	-
*nigra, 50'-60'		Rive	r Birc
Thrives in moist places; its ton unique.	rn, rag	ged bark	is quit
10 to 12 ft.—1½ to 1¾ in	345	2.80	
10 to 12 ft.—13/4 to 2 in	4.50	3.75	
12 to 14 ft.—2 to 2½ in	5.25	4.40	-
*papyrifera, 40'-50'	Pape	er or Cano	e Birc
Picturesque paper bark, very wh	ite who	en older.	
6 to 8 ft	2.25	1.90	
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in	3.40		_
10 to 12 ft.—1½ to 1¾ in	4.50		3.0
			3.7
	0.75	5.50	4.
10 to 12 ft.—1¾ to 2 in	5.60 6.75	4.75	

BETULA—continued		rice in Qua	
	1-4	5-24	25-249
*populifolia, 30'-40'	1. ~		Birch
Will grow in poor soil and dry parties in New Jersey.			
6 to 8 ft 8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.25 2.85	1.90 2.35	1.50
10 to 12 ft., 1½ to 1¾ in	3.40	2.80	2.25
10 to 12 ft., 13/4 to 2 in	4.50	3.75	3.00
12 to 14 ft., 2 to 2½ in	5.60 7.00	4.75 5.50	3.75
BIGNONIA grandiflora, 25'-40'	: m		
One of the handsomest of flow		rumpetc	
trusses of orange-yellow flowers	in July	and Au	gust.
2 year, grafts		-55	•45
Mad. Gallen, 25'-40'			
An improved variety of a darker	orange t	han grand	diflora.
2 year, grafts	.70	-55	-45
3 year, grafts	.90	-75	.60
radicans, 25'-40'	T	rumpetc	reeper
Showy, trumpet-shaped flowers, s Roots as it climbs.	carlet an	nd orange	, July.
1 year	.12	.10	.08
2 year, heavy	.22	.20	.15
BUDDLEIA alternifolia, 10'-12'			
Alternate			
Hardiest member of this genus. I summer and continuing into the f		neavily in	n mid-
18 to 24 in	·33	.27	.22
2 to 3 ft	.45	•37	.30
3 to 4 ft	-55	-47	•37
Hartwegi H	lartweg	Butterfl	ybush
12 to 18 in	.22	.20	.15
18 to 24 in	-33	.27	.22
Ile de France, 4'	В	utterfly S	Shrub
Dark purple flowers—fragrant.			
12 to 18 in	.22 •33	.20 .27	.15
magnifica, 8'-10')x-Eye	Butterfly	ybush
Large rose-purple flowers.			
18 to 24 in	.22 .33	.20	.15
veitchiana, 5'-6'		Butterfly	rheigh
Mauve-colored flowers with brigh			
bloom early in August.	6	. cj c. sta	
1½ to 2 ft	.22	.20	.15
2 to 3 ft	. 33	.27	.22

BUXUS		rice in Qu 5-24	
buxus koreana 6'		Japane	se Box
Dwarf often prostrate form.			
6 to 9 in., B. & B	.65		
9 to 12 in., B. & B	.90		
sempervirens (bush form), 12'-15	5′	В	oxwood
Evergreen. Useful for formal he	dges.		
12 to 15 in., B. & B	.90	-75	
15 to 18 in., B. & B	1.35	1.10	
18 to 24 in., B. & B	1.80	1.50	
—suffruticosa, 3'-4'	Dwa	arf Box	Edging
Evergreen. Extensively used for lot to offer this season. Also call			
4 to 6 in	-33	.27	.22
6 to 8 in	-55	-47	·37
8 to 10 in., B. & B	1.10	.95	.75



BLAIR HALL

One of the Princeton dormitories. Its tower is a famous landmark

——≪| C |>>>

	Unit Price	in Quanti	ties
	1-4	-24 25-	249
CALLICARPA japonica, 4'-5'	-	Beautybu	ish
Pink flowers, followed by violet	fruit in Au		
18 to 24 in	.30	.25	.20
2 to 3 ft	.45 .50	·37 .40	.30
			•33
purpurea, 3'-4'		Beautybei	
Lilac-violet berries, especially Graceful habit.			ıst.
18 to 24 in	.22	.20	.15
2 to 3 ft	•33 •45	•	.30
CALLUNA vulgaris, 1'-2'	-15	Heath	
Evergreen. These excellent everg	reen nlant		
masses and may be planted to adv slopes. Plants offered are first-cla	vantage on	well-drain	ed
-alba, white flowers.			
-alporti, bright green foliage, redd	lish-purple	e flowers.	
-aurea, yellow green foliage, flower			
-compacta, compact form			
-cuprea			
-humilis, bright green foliage, wh	ite flower	s.	
-rosea, bright green foliage, rose	-colored	flowers.	
-rosea, bright green foliage, rose -rubra, spreading habit, purplish-r			
-rubra, spreading habit, purplish-r			
—rubra, spreading habit, purplish-researlei, white flowers in Fall		S.	.30
—rubra, spreading habit, purplish-researlei, white flowers in Falletenella alba	ed flowers	·37	
-rubra, spreading habit, purplish-researlei, white flowers in Fall -tenella alba 2 year	ed flowers	37 Sweetshri	ub
—rubra, spreading habit, purplish-researlei, white flowers in Falletenella alba	ed flowers	37 Sweetshri	ub
—rubra, spreading habit, purplish-r—searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in.	ed flowers	37 Sweetshri	ub
—rubra, spreading habit, purplish-r—searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in	-45	37 Sweetshri ark reddis	ub sh-
-rubra, spreading habit, purplish-researlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	45 ragrant, d .27 .37 .45	Sweetshru reddis	ub sh- .18 .25
—rubra, spreading habit, purplish-rusearlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with further brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	45 ragrant, d .27 .37 .45 .55	37 Sweetshrr reddis	18 25 30 37
-rubra, spreading habit, purplish-researlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12'	.27 .37 .45 .55 Siberia	Sweetshru reddis	18 25 30 37
—rubra, spreading habit, purplish-researlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with for brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May-	.27 .37 .45 .55 Siberia	Sweetshriark reddis	ub sh- .18 .25 .30 .37 ee
-rubra, spreading habit, purplish-researlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in.	45 ragrant, d .27 .37 .45 .55 Siberi: June.	Sweetshriark reddis .22 .30 .37 .47 .an Pea-tr	18 .18 .25 .30 .37 ee
—rubra, spreading habit, purplish-r —searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in. 2 to 3 ft.	-45 ragrant, d -27 -37 -45 -55 Siberi: June27 -33	Sweetshriark reddis .22 .30 .37 .47 .47 .22 .22 .27	18 .25 .30 .37 ee
—rubra, spreading habit, purplish-r —searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	-45 ragrant, d -27 -37 -45 -55 Siberia June27 -33 -45	37 Sweetshriark reddis .22 .30 .37 .47 .47 .22 .27 .35	ub sh- .18 .25 .30 .37 eee
—rubra, spreading habit, purplish-researlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.27 .37 .45 .55 Siberia June. .27 .33 .45	37 Sweetshriark reddis .22 .30 .37 .47 .47 .22 .27 .35 .47	ub sh- .18 .25 .30 .37 ee
-rubra, spreading habit, purplish-researlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70'	45 ragrant, d .27 .37 .45 .55 Siberi: June27 .33 .45 .55	37 Sweetshri ark reddis .22 .30 .37 .47 .47 .22 .27 .35 .47 .47 .47	ub sh- .18 .25 .30 .37 ee
—rubra, spreading habit, purplish-researlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but stron	-45 ragrant, d .27 .37 .45 .55 Siberia June27 .33 .45 .55 European ger growe	37 Sweetshri ark reddis .22 .30 .37 .47 .47 .22 .27 .35 .47 .47 .47	ub sh- .18 .25 .30 .37 ee
—rubra, spreading habit, purplish-researlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f brown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but stron 8 to 10 ft.	45 ragrant, d .27 .37 .45 .55 Siberi: June27 .33 .45 .55	37 Sweetshri ark reddis .22 .30 .37 .47 .47 .22 .27 .35 .47 .47 .47	ub sh- .18 .25 .30 .37 ee

	Unit Pr	rice in Qua	antities
CARPINUS—continued	1-4	5-24	25-249
caroliniana, 30'-40'	Ameri	can Hori	nbeam
Bushy, low and often pendulous green foliage with fine autumn of			bluish-
3 to 4 ft. 4 to 5 ft. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B.	1.65 2.25 4.50 6.75 10.15 13.00	1.35 1.90 3.75 5.50 8.45 10.50	1.10 1.50 3.00 4.50 6.75 8.50
japonicum 40'	Japan	ese Hor	nbeam
Very graceful species. Leaves refolding.			en un-
2 to 3 ft	2.00		
CARYOPTERIS incana (mastaca	antha),		Spirea
Lavender-blue flowers, Septembe massing. Requires protection. Als			
12 to 15 in	•33	.27	.22
CATALPA bungei, 10'-15'	Un	ibrella C	atalpa
Useful in formal planting.	. 6 .		
1 yr. heads, 5 to 6 ft. stem 2 yr. heads, 5 to 6 ft. stem	1.65 2.25	1.35	1.10
speciosa, 30'-35'	W	estern C	atalpa
Makes a very picturesque tree v leaves and long, bean-like seed p transplanted and with straight, s	ods. Ou:	r stock is	shaped heavy,
6 to 8 ft	.70	-55	-45
8 to 10 ft	1.10 1.65	.95 1.35	1.10
CEANOTHUS americanus, 3'-4'		Jers	ey-tea
Very attractive, dwarf, native shi		ite flower	8.
12 to 18 in	-45	-37	.30
CEDRUS atlantica glauca, 35'-50'	B1	ue Atlas	Cedar
Large pyramidal tree with upright rigid habit giving unique appe foliage.	it leadin arance.	g shoots. Handsom	Leaves e blue
10 to 12 ft., B. & B	15.00 18.00 22.00		
deodara, 35'-50'		I	Deodar
Tall tree of pyramidal habit needles-more graceful in appear	ance, no		
2 to 3 ft., B. & B 6 to 8 ft., B. & B	3.50 12.00		

	Unit I	Price in Qua	ntities
CEDRUS—continued	1-4	5-24	
libani, 35'-50'	Ce	edar of Le	banon
A large tree with wide spreadi forming broad head. Dark or bluis	ng hor sh-gree	rizontal bra n foliage.	anches
6 to 8 ft., B. & B	10.00	8.00	
8 to 10 ft., B. & B	12.00	10.00	
10 to 12 ft., B. & B	15.00	12.50	
12 to 14 ft., B. & B	18.00	15.00	
CELASTRUS orbiculatus, 15'-20'			
High-climbing shrub with orange son seeds.	e-yellov	w fruit and	crim-
2 year 18 to 24 in	.22	.20	.15
2 year 2 to 3 ft	•33	.27	.22
3 year 3 to 4 ft	.45	•37	.30
scandens, 20'-25'	Ameri	can Bitter	sweet
Most adaptable vine with orang retain color when cut and dried.	ge and	red berrie	s that
2 year 18 to 24 in	-37	.30	.25
3 year 2 to 3 ft	-45	•37	.30
CELTIS occidentalis, 50'-60'		Hack	berry
Similar foliage and habit as Elm	, but o	f slower g	rowth.
3 to 4 ft	-55	.47	-37
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90 2.35	1.50
10 to 12 ft., 1½ to 2 in	3.90	3.25	2.60
12 to 14 ft., 2 to 2½ in	4.50	3.75	
CEPHALANTHUS occidentalis,		Button	
Round heads of creamy-white for Good foliage; likes moisture.	lowers,	July-Septe	mber.
18 to 24 in	.30	.25	.20
2 to 3 ft	-37	.30	.25
3 to 4 ft	.50 .70	.40 .55	·33
5 to 6 ft	.80	.65	.52
CERASUS (See Prunus)	,,,,	,	-5-
*CERCIDIPHYLLUM japonicum	1, 20'-3	o' Katsur	a-tree
Develops into a nice symmetrical and autumn colors.	tree;	beautiful s	pring
4 to 5 ft., B. & B	3.40	2.80	2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
6 to 8 ft., B. & B	6.35	5.30	
8 to 10 ft., B. & B	8.50	7.00	
10 to 12 ft., B. & B	11.00	9.50	
12 to 14 ft., B. & B	15.00	12.50 15.00	
	10.00	13.00	

What to plant and where to plant it. See notes and suggestions, pages 125-129

	Unit P	rice in Qua	antities
	1-4	5-24	25-249
CERCIS canadensis, 12'-15'		ierican R	
Rosy-pink, April, very effective w wood; good foliage. Also called	vhen pla Judas T	anted wit	h Dog-
3 to 4 ft	.90	-75	.60
4 to 5 ft	1.30	1.00	.85
5 to 6 ft	1.65 2.25	1.35	1.10
8 to 10 ft	2.85	2.35	1.90
10 to 12 ft	3.15	2.60	2.10
chinensis, 10'-12'		hinese R	
Flowers a little larger and darke compact habit of growth.	r than :	above, bu	t more
18 to 24 in	.70	-55	.45
2 to 3 ft	.90	•75	.60
4 to 5 ft	1.10	.95 1.25	.7 <i>5</i>
CHAMAECYPARIS lawsoniana,			
	La	wson's C	ypress
Pendulous branches. Interesting.			
3 to 4 ft., B. & B	4.50	3.75	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	5.00 6.00	4.50 5.00	
lawsoniana alumi, 20'-25'	5	Scarab C	ypress
Evergreen. Best columnar type; metallic hue.	foliage	with a	bluish,
5 to 6 ft., B. & B	7.50 9.00	6.2 <i>5</i> 7.50	
obtusa compacta, 4'-6'	Fo	otball C	ypress
Evergreen. Almost spherical in			
throughout winter. Very useful is work.	n found	lation or	formal
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.50 3.15	2.05 2.60	1.05 2.10
3 to 3½ ft., B. & B	3.90	3.25	2.60
3½ to 4 ft., B. & B	5.25	4.40	
4 to 5 ft., B. & B	6.00 7.00	5.00 6.00	
	•		
gracilis, 12'-15' Narrow, irregular pyramid, rich, o		Hinoki C	
grower-picturesque.		cus ronnig	. DIOW
3 to 4 ft., B. & B	6.00		
4 to 5 ft., B. & B 5 to 6 ft., B. & B	7.50 9.00		_
nana, 2½'-4'	Owarf I	Hinoki C	ypress
Evergreen. Low form, of slow green foliage.	owth, w	with short	t, deep
15 to 18 in., B. & B	3.40	2.80	2.25
18 to 24 in., B. & B	4.50	3.75	3.00
2 to 2½ ft., B. & B	5.60 7.90	4.75 6.55	3.75 5.25

	** *. **		
CHAMAECYPARIS—continued		rice in Qu	
CHAMAECIPARIS—continued	1-4	5-24	25-249
—youngi, 15'-20'	Young (Golden (vpress
Young foliage golden on pendul			
18 to 24 in., B. & B	2.00	AICHEU.	
2 to 3 ft., B. & B.	3.00		
2 00 3 00 , 21 00 21 1111111111	3.00		
pisifera, 25'-35'	Sawa	ra Retin	ospora
Evergreen. Quick grower. Loosel	v pyran	nidal.	
15 to 18 in., B. & B	.90	-75	.60
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B.	1.65	1.35	1.10
2½ to 3 ft., B. & B.	2.00	1.70	1.35
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B 5 to 6 ft., B. & B	5.60	4.75	
6 to 7 ft., B. & B	7.90 10.50	9.00	
—aurea, 25'-35' Golde	n Sawa	ra Retin	ospora
Evergreen. Foliage bright yellow	especia	lly in sp	ring.
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.35	1.10	.90
2 to $2\frac{1}{2}$ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B 5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 7 ft., B. & B	8.00	6.7 <i>5</i> 9.00	5.60 7.00
7 to 8 ft., B. & B	13.00	11.25	8.75
			• •
filifera, 15'-20'	Thre	ad Retin	ospora
filifera, 15'-20' Evergreen. Has long, stringy,	Thre droopin	ad Retin	ospora
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an	Thre droopin	ad Retin	ospora
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	Thre droopin	ad Retin	ospora
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	Thre droopin d decor	ad Reting branch ative.	ospora es and .75
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	Thre droopin d decor 1.10 1.50 2.25	ad Reting branch ative. .95 1.25 1.90	ospora les and
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	Thre droopin d decor 1.10 1.50 2.25 3.40	ad Reting branch ative. .95 1.25 1.90 2.80	ospora es and .75
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60	ad Reting branch ative95 1.25 1.90 2.80 4.75	ospora es and .75
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55	ospora es and .75
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60	ad Reting branch ative95 1.25 1.90 2.80 4.75	ospora es and
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00	ospora es and .75
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00	ad Reting branch ative. 95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50	.75 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golden	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Threa	ad Reting branch ative. 95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin	ospora es and .75 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde: Evergreen. Very bright, consp	Three droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 m Three siccous,	ad Reting branch ative. 95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin	ospora es and .75 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. Golde: Evergreen. Very bright, consp. Grows more slowly than preceding	Thre droopin d decor 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Thres oicuous,	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting golden-	ospora 1.00 ospora yellow.
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde: Evergreen. Very bright, consp. Grows more slowly than preceding 12 to 15 in., B. & B.	Three droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 m Three siccous,	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden-	ospora es and .75 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. Grows more slowly than preceding to 18 in., B. & B. 18 to 24 in., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Thre sicuous, ng. 1.10	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting golden-	ospora 1.00 ospora yellow.
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. To 8 ft., B. & B. 15 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 m Threspicuous, ng. 1.10 1.80	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting olden-	ospora 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. Golde: Evergreen. Very bright, consp. Grows more slowly than preceding to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Thre: oicuous, nng. 1.10 1.80 2.70 3.40 4.50	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75	ospora 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. Golde: Evergreen. Very bright, consp. Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 m Threspicuous, ng. 1.10 1.80 2.70 3.40 4.50 6.75	ad Reting branch ative. 95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting olden- 95 1.50 2.25 2.80 3.75 5.50	ospora 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde: Evergreen. Very bright, consp. Grows more slowly than preceding to 15 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Thre droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 m Thresicuous, ng. 1.10 1.80 2.70 3.40 4.50 6.75 11.00	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting olden95 1.50 2.25 2.80 3.75 5.50 9.50	ospora es and .75 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Three droopin, d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 in Three incuous, ing. 1.10 1.80 2.70 3.40 4.50 6.75 11.00 13.50	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	ospora .75 1.00
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde: Evergreen. Very bright, consp. Grows more slowly than preceding to 15 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Three droopin, d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 in Three incuous, ing. 1.10 1.80 2.70 3.40 4.50 6.75 11.00 13.50	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting olden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	ospora .75 1.20 1.80
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Three drooping decore 1.10 1.50 2.25 3.40 5.60 7.90 12.00 14.00 in Three incuous, ing. 1.10 1.80 2.70 3.40 4.50 6.75 11.00 13.50 d Three	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00 ad Reting	ospora .75 1.20 1.80
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. To 8 ft., B. & B. Grows more slowly than preceding to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. variegata, 10'-12' Variegate	Three drooping decore 1.10 1.50 2.25 3.40 5.60 7.90 12.00 14.00 in Three incuous, ing. 1.10 1.80 2.70 3.40 4.50 6.75 11.00 13.50 d Three	ad Reting branch ative. 95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting golden- 95 2.25 2.80 3.75 5.50 9.50 11.00 ad Retingle w.	ospora .75 1.20 1.80
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 15 to 18 in., B. & B. 4 to 5 ft., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 15 to 18 in., B. & B. 2½ to 5 ft., B. & B. 2½ to 5 ft., B. & B. 2½ to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Three droopin, d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 m Three incuous, ng. 1.10 1.80 2.70 3.40 4.50 6.75 11.00 13.50 d Three with yel.	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00 ad Reting	ospora ospora yellow.
filifera, 15'-20' Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. 12 to 15 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. variegata, 10'-12' Variegate Evergreen branchlets variegated	Three droopind decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 in Three incuous, ing. 1.10 1.80 2.70 3.40 4.50 6.75 11.00 13.50 d Three with yell 1.65	ad Reting branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Reting golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00 ad Retinglew. 1.35	ospora es and .75 1.00 ospora yellow. .75 1.20 1.80

		ice in Qua	ntities
CHAMAECYPARIS—continued	1-4	5-24	25-249
plumosa, 25'-35'	Plun	ne Retino	spora
Evergreen. Forms a dense cone of	fine tex	ture. Use	ful for
shearing into formal shapes.	0		
12 to 15 in., B. & B	.80	.65	.52
15 to 18 in., B. & B	1.10 1.65	.95	.75
2 to 2½ ft., B. & B	2.25	1.35 1.90	1.10
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	6.00	5.00	4.00
5 to 6 ft., B. & B	8.00	6.75	-
Larger specimens to 14 ft.			
plumosa aurea, 20'-25' Gol	denplun	e Retino	ospora
Evergreen. A very showy plant	of golde	n-yellow	color.
12 to 15 in., B. & B	.90	•75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80 2.25	1.50 1.90	1.20
2½ to 3 ft., B. & B	2.60	2.20	1.50
3 to 4 ft., B. & B	3.00	2.50	
4 to 5 ft., B. & B	4.50	3.75	
5 to 6 ft., B. & B	6.75	5.50	-
6 to 7 ft., B. & B	8.00	6.50	
	9.00	7.50	
plumosa lutescens, 2½'-3'	11	D	
Dwarf Yel Evergreen. Forms a low, broa			
bright yellow-tipped branchlets.	a, roun	a-toppea	busn;
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.40 4.50	2.80 3.75	2.25
	4.50	3.13	
squarrosa nana, 2½'-3'		Moss C	ypress
Dwarf dense growth. Light blue-		ves.	
9 to 12 in., B. & B	1.25		
12 to 15 in., B. & B	1.75		
—sulphurea, 20'-25' Sulp Has light yellow tips.	hur Mo	ss Retine	ospora
18 to 24 in., B. & B	1.35	1.10	.90
2 to 2½ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90 2.35	1.50
3½ to 4 ft., B. & B	3.90	3.25	1.90
			200000
—veitchi, 25'-30' Evergreen. Foliage blue-gray, fe		ss Retino	
soft woolly appearance. Broad young.			
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90 2.35	1.50
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	6.00	5.00	

	Unit Pi	rice in Qua	ntities
CHAMAECYPARIS—continued	1-4	5-24	
-thyoides andelyensis		Andel	y Ret.
An ornamental variety of White	Cedar.		
6 to 7 ft., B. & B	7.50	6.00	
7 to 8 ft., B. & B 8 to 9 ft., B. & B	8.50 10.00		
CHAMAEDAPHNE calyculata, 3			erleaf
Compact growing evergreen shru	ıb cover	ed with v	vhitish
flowers April-May; prefers peaty 18 to 24 in., B. & B		2.50	
CHIONANTHUS virginica, 15'-18	3' W	hite Frin	getree
Fragrant, tassel-like white flower			
plum-like fruits follow.			,
18 to 24 in	-45	-37	.30
2 to 3 ft	•55	47	-37
3 to 4 ft	.80 1.30	.65 1.05	52 .85
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.75	2.30	
CLADRASTIS lutea (tinctoria),	30'-40'	Yellow	wood
A striking tree with long panicles ers in June.	of fragi	rant, white	e flow-
4 to 5 ft	2.85	2,35	1.90
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft	4.50	3.75	3.00
8 to 10 ft	5.60	4.75	3.75
10 to 12 ft	7.00	5.50	
CLEMATIS paniculata, 20'-25' S			
White, fragrant flowers. Septem also attractive.	ber. Wo	olly seed	pods
2 year	.30	.25	.20
3 year	-45	·37	.30
virginiana, 12'-15'		Virgin I	Bower
White flowering; medium size.			
2 year	.30 .45	.2 <i>5</i> .37	.20
CLEMATIS, large flowered hybrid		3,	
henryi—white flowers, 6 to 8 in.			
jackmani—velvety, violet-purple	flowers	3	
Mme Edouard Andre—purplish-			
Ramona—lavender-blue flowers			
2 yr., 6 in. pots	1.00	.80	
CLERODENDRON trichotomum		in Glassi	- Our or
Flowers white with conspicuous	, reddis	in Gloryl h-brown	calyx.
Bright blue fruit.	50		
-2 00,19 1111 1111111111111111111111111111	.50		

	Unit Pri	ce in Qua 5-24	ntities 25 - 249
CLETHRA alnifolia, 4'-5'		Summer	sweet
Spikes of very fragrant flowers. moist, shady places. Also called	July-Sep Sweet Pe	tember. I pperbush	refers
18 to 24 in	·45	-37	.30
2½ to 3 ft	.55 .80	.47 .65	•37 •52
3 to 4 ft	1.10	.95	.75
COLUTEA arborescens, 8'-10' Co	mmon	Bladder-	senna
Yellow flowers. June-August. Usef	ul for d	lry places	В.
2 to 3 ft	45	•37	.30
3 to 4 ft	.55 .80	.65	·37
5 to 6 ft	1.05	.90	.70
COMPTONIA asplenifolia, 3'-5'		Sweet	Fern
Leaves are fern-like. Have punge Splendid in masses for covering neglect. Stands severe exposures a	slopes. long Atl	Thrives	under
18 to 24 in., collected clumps 2 to 3 ft., collected clumps	.60	.50	40
2 to 3 ft., confected clumps	.90	.75	.60
CORNUS alba (sibirica), 8'-10' Re	d Branc	ched Dog	gwood
Bright red bark, porcelain blue useful for winter effect.	fruits.	Quick g	rower;
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45 .55	•37 •47	.30 •37
		otch Dog	
Leaves are edged with creamy wh	ite.		
18 to 24 in	-33	.27	.22
2 to 3 ft	.45	-37	.30
3 to 4 ft	.90 1.20	•55 1.00	45
4 10 3 11	1.20	1.00	
alternifolia, 15'-18'		Blue Dog	
Branches spread horizontally; r black fruit. Also called Pagoda D	ogwood.		
2 to 3 ft	.70 .90	-55 -75	.60
4 to 5 ft	1.10	•95	.75
5 to 6 ft	1.35	1.10	.90
6 to 7 ft	1.65	1.35	
amomum (sericea), 8'-9'		Silky Dog	
Pale blue fruits; young twigs places.	purple.		
2 to 3 ft	.30	.25	.20
3 to 4 ft	·45	•37 •40	.30 -33
5 to 6 ft	.60	.50	•33 •40
6 to 7 ft	.85	.70	

	** '. * '		
CORNUS—continued	Unit Pric	se in Qua 5-24	
*florida, 15'-25' Whi	iteflower	ing Dog	wood
Among the best of the spring- Nursery grown, well-formed stoo		small	trees.
2 to 3 ft	.70	-55	45
3 to 4 ft	1.10	.95	.75
4 to 5 ft., B. & B 5 to 6 ft., B. & B	2.85 4.50	2.35	1.90
6 to 8 ft., B. & B.	6.75	3.75 5.50	3.00 4.50
8 to 10 ft., B. & B	11.00	9.50	7.50
10 to 12 ft., B. & B	16.50	13.75	11.00
Extra heavy, bushy specimens 50%			
*—plena Doubl	le-flower	ing Dog	wood
Double-flowering form of the natiteresting accent tree.	ive White	Dogwood	d. In-
4 to 5 ft., B. & B	6.00		
5 to 6 ft., B. & B	9.00	7.50	
	edflower	-	
The pink flowers are more persiste	ent than t	he white	
2 to 3 ft	1.65	1.35	1.10
3 to 4 ft	2.85	2.35	1.90
4 to 5 ft., B. & B	5.60	4.75	3.75
5 to 6 ft., B. & B 6 to 8 ft., B. & B	7.90	6.55	5.25
8 to 10 ft., B. & B	10.15	8.45	0.75
10 to 12 ft., B. & B	21.75	18.35	14.50
12 to 14 ft., B. & B	26.00	22.00	
Extra heavy, bushy specimens 50%			
*kousa, 16'-18'	Ko	ısa Dog	wood
White flowers in June. Conspicuo fruits, attractive to birds.	ous, cheri	ry-like, s	carlet
2 to 3 ft	1.10	.95	-75
3 to 4 ft., B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B	2.85	2.35	
5 to 6 ft., B. & B 6 to 8 ft., B. & B	3.60 5.60	2.85 4.75	
8 to 10 ft., B. & B	7.90	6.55	
10 to 12 ft., B. & B	11.00	9.50	
*chinensis	hinese F	lg. Dog	wood
Large flowering variety.			
18 to 24 in	2.00 4.00	1.75	
mas, 20'-25'	Cori	nelian-cl	herry
Handsome, large shrub. Small, yo Shining scarlet fruit in fall.	ellow flow	wers in	April.
18 to 24 in	-55	-47	-37
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	
0.00 0 11	2.85	2.35	

	TIM:4 T	miss in Our	
CORNUS—continued		rice in Qua 5 - 24	
paniculata, 10'-12'		Gray Dog	gwood
Numerous, small, white flowers white fruits on red stems.	in M	ay, follow	ed by
18 to 24 in	. 37	.30	.25
2 to 3 ft	.45	-37	.30
3 to 4 ft	.55	.47 .60	-37
4 10 3 11	.75	.00	.50
sanguinea, 8'-10' Dark blood red branches.	Bloo	dtwig Dog	gwood
18 to 24 in	.22	.20 .30	.15
3 to 4 ft	45	·37	.30
3 00 4 200 00000000000000000000000000000	-10	-07	-0-
stolonifera, 7'-8'	Red-	osier Dog	gwood
Spreading habit; dark red bark,	white	fruits. Doe	s well
in moist ground.			
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	.45	-37	.30
1	C 11		
•		ntwig Dog	gwood
Has distinct yellow bark; fine for	r winte	r effects.	
18 to 24 in	.27	.22	.18
2 to 3 ft	-45	•37	.30
3 to 4 ft	-55	47	. 37
CORYLUS americana, 8'-0'	Ame	erican Ha	zelnut
CORYLUS americana, 8'-9' One of our native, nut-bearing	shrubs	erican Ha	
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla	shrubs		
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft.	shrubs inting. .52	that mal	35 ·35
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft	shrubs inting. .52 .70	45 •45	35 45
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft	shrubs inting. .52 .70 .90	45 -55 -75	35 45 .60
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	shrubs inting. .52 .70 .90 1.30	45 -55 -75 1.05	35 45
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	shrubs inting. .52 .70 .90	45 -55 -75 1.05 1.35	35 45 .60 .85
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for our	shrubs inting. .52 .70 .90 1.30 1.65	45 -55 -75 1.05 1.35	35 45 .60 .85 1.10
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border.	shrubs anting. .52 .70 .90 1.30 1.65	45 .55 .75 1.05 1.35 Purple F	35 45 .60 .85 1.10
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form, Useful for or shrub border. 6 to 8 ft.	shrubs anting. .52 .70 .90 1.30 1.65	45 -55 -75 1.05 1.35	35 45 .60 .85 1.10
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border.	shrubs unting. .52 .70 .90 1.30 1.65 ccasion	45 .55 .75 1.05 1.35 Purple F al accents	35 45 .60 85 1.10 Silbert in the
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft.	shrubs unting. .52 .70 .90 1.30 1.65 ccasion	45 .55 .75 1.05 1.35 Purple F al accents	35 45 .60 85 1.10 Silbert in the
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft.	shrubs anting. .52 .70 .90 1.30 1.65 ccasion	45 -55 -75 1.05 1.35 Purple Fal accents 7.50 ng Cotone	35 45 .60 .85 1.10 Cilbert in the
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots	shrubs anting. .52 .70 .90 1.30 1.65 ccasion	45 -55 -75 1.05 1.35 Purple Fal accents 7.50 ng Cotone	35 45 .60 .85 1.10 Cilbert in the
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12	shrubs anting. .52 .70 .90 1.30 1.65 ccasion 10.00 12.50 Peki	45 -55 -75 1.05 1.35 Purple Fal accents 7.50 ng Cotone by black fr	35 45 .60 .85 1.10 Cilbert in the
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 2 vellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots	shrubs anting. .52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1	45 -55 -75 1.05 1.35 Purple Fal accents 7.50 ng Cotone by black fr -75	35 45 .60 .85 1.10 Silbert in the easter uits60 .75
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 2 vellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots	shrubs anting. .52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1	that male 45 .55 .75 1.05 1.35 Purple Fal accents 7.50 ng Cotone by black fr .75 .75	35 45 .60 .85 1.10 Silbert in the easter uits60 .75
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots adpressa, 2'	shrubs anting. .52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1 .90 1.10	that male 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ng Cotone by black fr .75 .95	35 45 .60 .85 1.10 Cilbert in the easter uits60 .75
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots adpressa, 2' 9 to 12 in., pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots 14 to 15 in., pots 15 to 18 in., pots	shrubs anting52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1 .90 1.10 Creepi .75 1.10	that male 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ng Cotone by black fr .75 .95 ng Cotone .60 .95	35 45 60 85 1.10 Silbert in the ———————————————————————————————————
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots adpressa, 2' 9 to 12 in., pots 12 to 15 in., pots	shrubs anting52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1 .90 1.10 Creepi .75 1.10	that male 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ng Cotone by black fr .75 .95 ng Cotone .60 .95	35 45 60 85 1.10 Silbert in the ———————————————————————————————————
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots 14 to 15 in., pots 15 to 18 in., 2 in. pots 16 to 9 in., 3 in. pots	shrubs anting52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1 .90 1.10 Creepi .75 1.10 oright 1 .52	that male 45 .55 .75 1.05 1.35 Purple Fal accents 7.50 mg Cotone by black fr .75 .95 mg Cotone .60 .95 red berries. 45	35 45 60 85 1.10 Silbert in the ———————————————————————————————————
One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots adpressa, 2' 9 to 12 in., pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots 14 to 15 in., pots 15 to 18 in., 4 in. pots	shrubs anting52 .70 .90 1.30 1.65 ccasion 10.00 12.50 2' Peki lowed 1 .90 1.10 Creepi .75 1.10	that male 45 .55 .75 1.05 1.35 Purple Fal accents 7.50 ng Cotone by black fr .75 .95 ng Cotone .60 .95	35 45 .60 .85 1.10 Cilbert in the easter uits60 .75 easter .50 .75

	Unit Price in Quantities		
COTONEASTER—continued	1-4	5-24	25-249
bacillaris, 10'-12'			
Small foliage; dark brown fruit. 12 to 15 in., pots	1.50		
dammeri (chumifusa), 1'-2'			
Good prostrate form.			
6 to 9 in., pots	. 75	.60	.50
dielsiana, 6'-8' Diels Cotoneaster			
Bright red fruit.			
9 to 12 in., 3 in. pots	.70	-55	45
12 to 15 in., 4 in. pots	.90	•75	.60
15 to 18 in., 5 in. pots	1.10	.95 1.10	.75 .90
divaricata, 5'-6'	preadi	ng Coto	neaster
Handsome shrub bearing bright	red fru	uits.	
9 to 12 in., 4 in. pots	.70	-55	45
foveolata, 6'-10' Fruits black; foliage turns bright	corle	t in the f	-11
9 to 12 in., 4 in. pots		.75	.60
		het Coto	
francheti, 5'-6'			
Evergreen. Upright-growing va branches. Leaves dark green, w neath. Berries bright orange, free	hite to ly prod	omentum luced.	under-
9 to 12 in., 3 in. pots	.60	.50	40
12 to 15 in., 4 in. pots	-75	.60	.50
15 to 18 in., 5 in. pots	1.05	.90 1.10	.70
frigida, 16'-18'			
Tall, handsome shrub or small tree, very conspicuous in			
fall and early winter with its lared berries.	arge cl	usters of	bright
9 to 12 in., 4 in. pots 12 to 15 in., 4 in. pots	1.00 1.25	.90 1.00	
horizontalis (davidiana), 2'-3'	Ro	ock Coto	neaster
Evergreen. Small, box-like leave	es: bri	ght red	berries:
effective among rocks.			
6 to 9 in., 3 in. pots	.90	.75	.60
9 to 12 in., 4 in. pots	1.10	.95	.75
12 to 15 in., 5 in. pots	1.50	1.25	1.00
—perpusilla, 2'-3'			
Smaller leaves and larger fruit the	an the	type.	
6 to 9 in., 3 in. pots	.90	-75	.60
9 to 12 in., 4 in. pots	1.30	1.05	.85
12 to 15 in., 5 in. pots	1.65 2.00	1.35	1.10
—prostrata, 8'-10'			
Evergreen shrub with long arching stems forming a low			
dense mass. Attractive foliage with red fruits.			
6 to 9 in., 3 in. pots	1.30	1.05	.85
9 to 12 in., 4 in. pots	1.65	1.35	

	Unit De	ice in Qu	ontition.
COTONEASTER—continued	1-4	5-24	25-249
lemoine			
15 to 18 in., pots	1.25		
18 to 24 in., pots	1.50		
lindleyi, 8'			
Similar to racemiflora; black fru	iit.		
15 to 18 in., pots	1.25	1.00	.80 1.00
microphylla, 1½'-2'	1.50		ksprav
Evergreen. Very small leaves, v	erv deer		
more bushy than the Rock Coton		B. C. C.	
6 to 9 in., 3 in. pots	.70	-55	.45
9 to 12 in., 4 in. pots	.90 1.10	.75 .95	.60 •75
15 to 18 in., 6 in. pots	1.35	1.10	
-congesta			
Glabrous foliage; light pink flow	wers.		
9 to 12 in., pots	1.10		
—thymifolia			
Evergreen prostrate form; very for rocks; red fruited.	small le	eaves; ex	cellent
6 to 9 in., 3 in. pots	1.00	.90	
9 to 12 in., 4 in. pots	1.25	1.00	
•		af Coto	
Grayish white on underside of fo	_	~	
9 to 12 in., pots	1.30	1.05	.85
racemiflora, 8'		C!43	0
Hardy, deciduous, white flowering the best.	ig; rea	Truited.	One or
9 to 12 in., 4 in. pots	.90	.75	.60
12 to 15 in., 4 in. pots	1.00	.90	
rotundifolia (buxifolia), 1½'-2' I			
Evergreen. Prostrate-growing. Ser small, round green foliage and br			ib with
6 to 9 in., 3 in. pots	-55	47	-37
9 to 12 in., 4 in. pots	.75	.60	.50
12 to 15 in., 5 in. pots	1.00	.90	
		af Cotor	
Hardy. Partly evergreen. Graceful Beautiful in autumn when cover	ed with		s.
9 to 12 in., 4 in pots	.90 1.10	•7 <i>5</i>	.60 •75
15 to 18 in., 5 in. pots	1.35	.95 1.10	.90
18 to 24 in., 6 in. pots	1.65	1.35	1.10
2 to 3 ft., 6 in. pots	2.25	1.90	1.50
simonsi, 5'-6'	Simoi		neaster
Almost evergreen. Good grower	_	_	f2
9 to 12 in., 3 in. pots 12 to 15 in., 4 in. pots	.80 1.10	.65 .95	.52 .75
15 to 18 in., 5 in. pots	1.35	1.10	.90
18 to 24 in., pots	1.65	1.35	1.10

	** * *		
COTONEASTER—continued		_	uantities 25-249
	* *	3 -4	~) ~49
tenuipes, 5'-6' Shrub with slender branches, leblack fruits.	ustrous	leaves	and jet
6 to 9 in., 4 in. pots	.90	-75	
9 to 12 in., 4 in. pots	1.10	.95	.75
12 to 15 in., 5 in. pots	1.35	1.10	
15 to 18 in., 6 in. pots	1.65	1.35	
	2.00	1.70	
*CRATAEGUS arnoldiana, 20'			wthorn
An open-headed tree having wh	ite flow	ers in N	May and
bright crimson fruit in August. 2 to 3 ft	1.10	0.5	7 5
3 to 4 ft	1.10	.95	.90
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.40	2.80	2.25
7 to 8 ft	4.50	3.75	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	7.50	6.00	5.00
12 to 14 ft	9.00	7.50	6.00
*carrierei, 15'-20'	Carr	iore H	wthorn
A variety of Hawthorn very seld			
large with red disc and follower			
bright orange or brick red.	a by in	150, 010	11 11 11 11 11 11 11 11 11 11 11 11 11
3 to 4 ft	1.90	1.50	
4 to 5 ft	2.25	1.90	
5 to 6 ft	2.70	2,25	-
6 to 7 ft	3.75	3.00	
7 to 8 ft	4.50	3.75	
*coccinea, 15'-20'	Thi		wthorn
Shrubby habit with long curved			
leaves. Has large, white flowers a			
in autumn.	ilu laige	, duii i	d Huits
3 to 4 ft	1.80	1.50	1.20
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.15	2.60	2.10
6 to 7 ft	4.50	3.75	3.00
7 to 8 ft	6.00	5.00	4.00
8 to 10 ft	7.90	6.55	
*cordata, 12'-15'	Vashing	ton Ha	wthorn
Berries are small, brilliant red,			
winter. Brilliant autumn foliage.	una pe	TOIDE IIC	uniy un
4 to 5 ft	3.40	2.80	2.25
5 to 6 ft	3.90	3.25	2.60
6 to 8 ft	5.25	4.40	3.50
*crusgalli, 15'	C	0.01=0.01=	Thorn
Deep green, shiny leaves make thi			
white flowers are also conspicuos	s Hawti ng	ioiii uisi	unctive;
2 to 3 ft	1.65	100	1.10
3 to 4 ft	2.25	1.35	1.50
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.40	2.80	2.25
6 to 7 ft	4.50	3.75	3.00
*ellwangeriana, 20' Tree-like, ascending branches; lar			wthorn
3 to 4 ft	ge rea : 2.00		
4 to 5 ft	2.50	2.05	-
4 60 3 16	2.50	2.05	

	Unit Pr	rice in Qu	antities
CRATAEGUS—continued	1-4	5-24	25-249
*mollis, 15'	Dov	wny Ha	wthorn
Vigorous, large leaves; red berrie	es.		
2 to 3 ft	1.10	.95	-75
3 to 4 ft	1.35	1.10	.90
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.40	2.80	2.25
7 to 8 ft	4.50	3.75	3.00
8 to 9 ft	6.00	5.00	4.00
12 to 14 ft	10.50	9.00	7.00
*oxycantha, 12'-15'	Eng	lish Hav	wthorn
Single, white flowers.			
2 to 3 ft	1.10	.95	-75
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	
5 to 6 ft	2.85	2.35	
6 to 7 ft	3.40	2.80	
7 to 8 ft	4.50	3.75	-
*—pauli, 12'-15'	aul Eng	lish Ha	wthorn
Double, scarlet flowers.			
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	2.85	2,35	1.90
6 to 8 ft	3.90	3.25	2.60
8 to 10 ft	5.00	4.20	
*—double white, 12'-15'			
6 to 8 ft	4.50		
*—double pink, 12'-15'			
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.40	2.80	2.25



THE BARRACKS

Supposed to have been used as a barracks during the Revolution, this house is possibly the oldest in Princeton

	Unit Pr	rice in Qua	ntities
CRATAEGUS—continued		5-24	
*pedicellata, 15'-20'			
Small tree having slender, spe branches, forming a symmetrical	reading head.	and asco	ending
4 to 5 ft	1.80	1.50	1.20
5 to 6 ft	2.85 3.40	2.35 2.80	1.90 2.25
*punctata, 25'-30'		tted Haw	
Broad-headed, small tree with May; dull red, spotted fruit in C	large, v October.	vhite flow	ers in
3 to 4 ft	1.75	1.50	
4 to 5 ft.	2.25	1.90 2.30	
	75	2.00	
*submollis, 15'		bec Haw	
Oval shape leaves and large wh fruit.	ite flow	ers; oran	ge-red
4 to 5 ft	1.65	1.35	1.10
6 to 8 ft	2.25 3.40	1.90 2.80	1.50 2.25
pyracantha lalandi (See PYRAC	ANTH	(A)	
CRYPTOMERIA japonica lobbi,	15'-20'	b Crypto	maria
Forms narrow, irregular columnesque, rich bronze winter color. drained location,	, comp	act and	pictur-
6 to 8 ft., B. & B	9.00	7.50	
8 to 10 ft., B. & B	12.50 18.00	10.00 15.00	
CYDONIA japonica, 4'-5'	Flo	wering C	Quince
Scarlet flowers in April, May.			
12 to 18 in	.22 -33	.20 .27	.15
-HYBRIDS, 4'-5'	•55	• /	
atrococcinea plena, double redflov Boule de Feu,	vering.		
cardinalis, redflowering.			
nivalis, large white flowers.			
pink, double appleblossom pink.			
red, clear red superba atrosanguinea, redflower	.i. ~		
vermilion, redflowering.	ing.		
18 to 24 in	.90	-75	
2 to 3 ft	1.10	.95	
CYTISUS seoparius, 4'-6'		Scotch E	Broom
Slender, arching shrub with yello	w flowe	rs.	
6 to 9 in., 3 in. pot	-33	.27	.22
9 to 12 in., 3 in. pots	.45 .75	·37 .62	.30 .50

—— D >>--

	Unit Pr	ice in Qua	
DAPHNE cneorum, 1'		Rose D	
Evergreen. Gray-green foliage, pink flowers in April-May. Deligi	low spi	reading.	-
6 to 9 in., 5 in. pots	.80	.65	.52
9 to 12 in., 6 in. pots	1.30 2.00	1.05	.85 1.35
mezereum, 4'	Feb	ruary D	aphne
Deciduous, flowers lilac purple,		nt. Very	
15 to 18 in	1.35	1.10	.90
18 to 24 in	1.65	1.35	1.10
DAVIDIA involucrata		Dov	e Tree
Rare and choice flowering tree floral bracts. Our strain not reliab York City. Makes a fine accent tree	oly hard	ry large y north o	white of New
	7.00	5.50	
2 to 3 ft., pots	_	7.50	
DESMODIUM (See LESPEDEZ	(A)		
DEUTZIA gracilis, 3'	S	lender D	eutzia
Profuse bloomer, pure white, May	. Useful	"facing"	shrub.
12 to 15 in	.30	.25	.20
15 to 18 in	45	-37	.30
18 to 24 in	.50	40	•33
2 to 2½ ft	.60 .70	.50 .55	.40 .45
	.,0		-
-rosea, 3'	.1.1	Rose I	
Similar in growth to above but w	•		
12 to 18 in	·37	.30 -37	.25 .30
2 to 3 ft	.45 .52	45	-35
3 to 4 ft	.70	-55	45
lemoinei, 4'-5'	Le	moine D	eutzia
Large, white flowers, June, grace	ful.		
15 to 18 in	.22	.20	.15
18 to 24 in	·37	.30	.25
2 to 3 ft	.45	-37 -45	.30 .35
	•) -	٠٦٧	-05
-mont rose, 4'-5'			
1 1 11 1 1 0 0		. 1	2.0
Very desirable new shrub of fo dium grower with attractive pink	flowers	•	n. Me-
dium grower with attractive pink	flowers -37	.30	n. Me-
dium grower with attractive pink 18 to 24 in	. flowers -37 -45	.30 .37	n. Me-
dium grower with attractive pink 18 to 24 in 2 to 2½ ft	flowers -37	.30	n. Me-
dium grower with attractive pink 18 to 24 in	.37 .45 .52 .75	.30 .37 .45	
dium grower with attractive pink 18 to 24 in 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	.37 .45 .52 .75	.30 .37 .45 .60	
dium grower with attractive pink 18 to 24 in	.37 .45 .52 .75	.30 .37 .45 .60	eutzia
dium grower with attractive pink 18 to 24 in	37 .45 .52 .75 Snov	30 .37 .45 .60 wflake D	 Deutzia
dium grower with attractive pink 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. scabra candidissima, 9'-10' Graceful habit, double white, Jun 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	37 .45 .52 .75 Snov	30 .37 .45 .60 wflake D .20 .22 .30	
dium grower with attractive pink 18 to 24 in	37 .45 .52 .75 Snov	30 .37 .45 .60 wflake D	 Deutzia

	Unit Pri	ice in Q	uantities
DEUTZIA—continued	1-4	5-24	25-249
-crenata fl. pl., 6'-8'	Double	Pink	Deutzia
Pink, slightly fragrant, June.			2 (4.12.14
18 to 24 in	.27	.22	.18
2 to 3 ft	•33	.27	.22
3 to 4 ft	-45	-37	.30
4 to 5 ft	.55	-47	•37
5 to 6 ft	.70	-55	-
—magnifica, 9'-10'			1
One of the most desirable newer			
and very showy panicles of larg			
18 to 24 in	.22	.20	.15
2 to 3 ft	.27 •37	.30	
4 to 5 ft	•37 •45	-37	.30
5 to 6 ft	.70	-55	45
-Pride of Rochester, 9'-10'	Large	Flwd.	Deutzia
Vigorous, large flower tinged pin	k, June.		
18 to 24 in	.22	.20	.15
2 to 3 ft	.27	.22	.18
3 to 4 ft	-37	.30	.25
4 to 5 ft	45	40	.30
5 to 6 ft	.70	-55	45
DIEDVII I A!!!(-!!- /!)	.11		
DIERVILLA sessilifolia (lutea),	4 ·5 ern Busi	h hone	27.511.01-1-
			ysuckie
Yellow, more vigorous than trific	da, June-	July.	
18 to 24 in	.27	.22	.18
2 to 3 ft	.40	-35	.27
3 to 4 ft	.52	-45	-37
trifida, 3' Dw	arf Bus	h-hone	vsuckle
Yellow, June-July. A good low sh			
			ргасся.
12 to 18 in	·37	.30	
18 to 24 in	·45 ·55	·37	
	•55	44/	
DIRCA palustris, 6'		Leath	erwood
Oblong, glaucous foliage. Will do	well in	shade.	
12 to 18 in		.40	- Contraction and
	•,,	.40	



MERCER MANOR

The columns and front of this old house were originally part of the Newkirk Mansion in Philadelphia

——≼ E >>--

	Tinit De	ioo in O	:-:
	1-4	ice in Qua 5-24	25 - 249
ELAEAGNUS angustifolia, 15'-18	3′	Russian	n-olive
Silver-gray leaves and branchlet for massing.	s, orang	e berries	; good
18 to 24 in	.30	25	.20
2 to 3 ft	.45	·37	.30
3 to 4 ft	.52	45	·3 <i>5</i>
4 to 5 ft	.70	-55	-45
5 to 6 ft	.90	.75	.60
argentea, 10'-12'		Silver	rberry
Fruits densely clothed with silve	r scales.		
18 to 24 in	.70	-55	45
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	-75
longipes, 6'-8'	Che	rry Elae	agnus
Silvery leaves, fragrant, yellow for berries ripe in July.	lowers. I	May. Larg	ge, red
12 to 18 in	45	-37	.30
18 to 24 in	.70	.55	45
annata El Oll			
—ovata, 6'-8''			
Similar to above. Fruit ripens Jul		gust.	
3 to 4 ft	1.10 1.35	.95 1.10	=
nungens refleva 8'	Bros	aze Flae	201116
pungens reflexa, 8' Evergreen. Foliage somewhat l smaller, Delightful, fragrant bloss	like the	nze Elae longipe fall.	
	like the	longipe	
Evergreen. Foliage somewhat less smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots	like the soms in 1	longipe fall.	.40
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots	like the soms in 1 .60	longipe fall. .50	40 agnus
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed	like the soms in 1 .60 Autur	longipe fall. .50 mn Elae white, fr	40 agnus
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September.	like the soms in f .60 Autur llowish- l by ova	longipe fall. .50 mn Elae white, fr l, scarlet	40 agnus agrant fruits
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	like the soms in 1 .60 Autur Illowish- l by ova	longipe fall. .50 mn Elae white, fr l, scarlet	40 agnus agrant fruits
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	.60 Auturellowish-lby ova	longipe fall. .50 mn Elae white, fr l, scarlet	45
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	Autur .60 Autur Ellowish- by ova .70 .90	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95	45 .60 .75
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	.60 Auturellowish-lby ova	longipe fall. .50 mn Elae white, fr l, scarlet	45
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Auturallowish70 .90 1.10 1.50	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95 1.25	40 agnus agrant fruits .60 .75 1.00
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr	Auturallowish70 .90 1.10 1.50	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95 1.25	40 agnus agrant fruits .60 .75 1.00
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Auturallowish70 .90 1.10 1.50	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95 1.25	40 agnus agrant fruits .60 .75 1.00
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 15 to 18 in.	Auturallowish-lessons in 1 .60 Auturallowish-lessons on 1.10 .90 1.50 Tub, den	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95 1.25	40 agnus agrant fruits 45 .60 .75 1.00 purple
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shi flowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20	Auturation of the composition of	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95 1.25	40 agnus agrant fruits 45 .60 .75 1.00 purple
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shi flowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20	Auturation of the soms in 1 .60 Auturation of the sous of the sou	longipe fall. .50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-p .37	40 agnus agrant fruits 45 .60 .75 1.00 purple .30
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Autur .60 Autur ellowish- l by ova .70 .90 1.10 1.50 .90 1.20 .70 .90 1.10 1.50	longipe fall50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-p .37	agnus agrant fruits 45 .60 .75 1.00 ourple .30 nthus Excel-
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Auturallowish-lessons in 16 .60 Auturallowish-lessons in 16 .90 .90 1.10 1.50 Tub, den .45 Y-25' Red Veignamenta with peaty so	longipe fall50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-p .37	agnus agrant fruits 45 .60 .75 1.00 ourple .30 nthus Excel-
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Autur .60 Autur Autur ellowish- l by ova .70 .90 1.10 1.50 rub, den .45 '-25' Red Vei rnamenta gs with peaty so 1.65	longipe fall50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-p .37 in Enkia il value. ericaceou	40 agnus agrant fruits 45 .60 .75 1.00 ourple .30 nthus Excels and 1.10
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Auturation of the soms in 1 .60 Auturation of the sound	longipe fall50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-p .37 in Enkia ericaceou oil. 1.35 1.90	40 agnus agrant fruits 45 .60 .75 1.00 purple .30 nthus Excels and 1.10 1.50
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots	Auturation of the soms in 16.60 Auturation of the soms in 16.60 Auturation of the sous o	longipe fall50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-j .37 in Enkia ll value. ericaceouoiil. 1.35 1.90 2.35	agnus agrant fruits 45 .60 .75 1.00 nthus Excels and 1.10 1.50 1.90
Evergreen. Foliage somewhat I smaller. Delightful, fragrant bloss 12 to 15 in., 3 in. pots umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September. 3 to 4 ft	Auturation of the soms in 1 .60 Auturation of the sound	longipe fall50 mn Elae white, fr l, scarlet .55 .75 .95 1.25 se, lilac-p .37 in Enkia ericaceou oil. 1.35 1.90	40 agnus agrant fruits 45 .60 .75 1.00 purple .30 nthus Excels and 1.10 1.50

	Unit P	rice in Qua	antities
	1-4	5-24	25-249
EUONYMUS alatus, 9'-10'	Win	ged Euo	nymus
Interesting, corky bark, warm cr Makes fine specimen shrub.	imson a	utumn co	loring.
18 to 24 in	.70	-55	.45
2 to 3 ft	.90	-75	.60
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.70	1.35
alatus compacta Dwa	rf Win	ged Euo	nymus
Dwarf, compact form of the type.	. Splend	id for hea	dge.
12 to 18 in	.70	-55	45
18 to 24 in	1.05	.90	.70
2 to 3 ft	1.35	1.10	.90
3 to 4 ft	2.00	1.70	1.35
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.75	3.00	
americanus, 7'-8'	Br	ook Euo	nymus
Pink fruits; prefers moist location	ns.		
18 to 24 in	•37	.30	.25
2 to 3 ft	.45	·37	.30
3 to 4 ft	.70	•55	45
4 to 5 ft	.90	·75	.60
4 00 3 200 111111111111111111111111111111	.90	•13	.00
atropurpureus, 20'-25'		hoo Euor	
Similar to Euonymus europaeus Purple flowers. Crimson fruits wh			
18 to 24 in	.45	•37	.30
2 to 3 ft	.52	45	-35
3 to 4 ft	·75	.60	.50
3 60 4 100 100 100 100 100 100 100 100 100	•13	.00	.,, 0
		erry Euo	
Fruits profusely. The orange and on bush for a long time. Good as			persist
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	-55	45
4 to 5 ft	.90	. 75	.60
5 to 6 ft	1.10	-95	-75
6 to 7 ft	1.50	1.25	1.00
		n Burnin	gbush
Pink fruits on long stalks, persist			
2 to 3 ft	45	-37	.30
3 to 4 ft	.52	-45	-35
4 to 5 ft	-75	.60	.50
5 to 6 ft	1.10	.95	-75
6 to 8 ft	1.50	1.25	
*patens (sieboldianus), 6'-8'	Spread	ling Euor	ymus
Evergreen. Grows vigorously, form	ning br	oad, rathe	r loose
shrub; leaves persist until lat	e wint	er. Ornan	nental
fruits. Effective among denser co	nifers.	and partic	ularly
free from all insect attacks.		pareit	Jane
12 to 15 in	. 45	.27	20
	4)	-37	.30

EUONYMUS—continued	Unit Pr 1-4	ice in Qua 5 - 24	
radicans, climbing to 15'		Winterco	reeper
Evergreen. Self-clinging vine. C walls, also useful for under plan	Good fo	r coverin	g low greens.
6 to 9 in., 1 year 9 to 12 in., 2 year	-37 -45	.30 •37	.25 .30
—carrieri, 3'-4'	Glossy	Winterco	reeper
Evergreen. Has large, shiny, poin	ted leav	es; bushy	habit,
9 to 12 in., 2 year		-37	. 30
•		Winterca	-
Evergreen. Long, narrow leav tinged purple above. Very effecti			neath,
6 to 9 in., 1 year	.27	.22	.18
9 to 12 in., 2 year	.52	45	.25
12 to 15 in., 2 year	45	-37	.30
-minimus (kewensis), 6"-12"	_	Winterco	-
Evergreen. Has tiny, evergreen le habit. Charming rock subject.	aves and	l dainty, t	railing
6 to 9 in., pots	.50	.40	
		Winterc	
Evergreen. Leaves veined and and pink. Clinging vine.	marked	yellowish	-white
6 to 9 in., 1 year	.27	.22	.18
9 to 12 in., 2 year	-37	.30	
-vegetus, 3'-4'	Bigleaf	Winterc	reeper
Evergreen. Bushy, interesting dull green; bright scarlet fruits, some among evergreens. Also sweet.	freely	produced.	Hand-
6 to 9 in., 2 year 9 to 12 in., 2 year	.45 .55	•37 •47	.30 ⋅37
yedoensis, 10'	Ye	ddo Euo	nymus
Tall upright shrubs; attractive f	fall colo	ring; pinl	k fruit.
3 to 4 ft	. 75	.60	
EXOCHORDA grandiflora, 6'-9'	Com	mon Pea	rlbush
Dazzling, white flowers, May. Is	improve	ed by pru	ning.
2 to 3 ft	45	-37	.30
3 to 4 ft	.55	47	-37
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.05	.90	.70

Visit our nurseries when Japanese Flowering Cherries are in bloom—Turn to pages 86 and 87 for varieties and prices.

— ≼ F ≽		_	
	Unit	Price in Q	uantities
	1-4	5-24	25-249
FAGUS americana, 75'-100'		Americar	
Beautiful spreading native tree Clean, smooth, gray bark. Exce windbreaks.	of inco llent as	mparable a hedge	or for
6 to 8 ft., B. & B	7.50 9.50	6.2 <i>5</i> 8.00	5.00 7.50
10 to 12 ft., B. & B	13.50	11.00	7.50
sylvatica, 75'-100']	European	Beech
Slow-growing. Makes a large, ha	ndsome	tree.	
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.65 2.85 3.90 5.00 7.50 9.00 13.50	7.50	1.10 1.90 2.60 3.40 5.00 6.75 9.00
12 to 14 ft., B. & B	20.50	16.75	13.00
-asplenifolia, 20'-30'		Fernleaf	Beech
Graceful. Slow of growth. Mak with finely cut leaves. Desirable	es a de for a s	nse shrub pecimen.	by tree
3 to 4 ft., B. & B	4.10	3.50	
4 to 5 ft., B. & B	6.00	5.00 6.75	
6 to 8 ft., B. & B 8 to 10 ft., B. & B	12.00	10.00	
-pendula, 25'-40'		Weeping	Reech
The green-leaved European W			Decen
6 to 8 ft., B. & B 8 to 10 ft., B. & B 10 to 12 ft., B. & B 12 to 14 ft., B. & B	11.00 15.00 18.75 26.25	9.50 12.50 15.65	
—purpurea, 60'-75'	urnle F	European	Reach
The purple-leaved European Beec			
8 to 10 ft., B. & B			
Riversi, 40'-60'	iver's F	European	Reach
Compact of habit. Darker purp			
2 to 3 ft., B. & B	3.75		
3 to 4 ft., B. & B	5.25	-	
5 to 6 ft., B. & B	6.7 <i>5</i> 8.00		
FORSYTHIA intermedia, 6'-8'	Во	order For	sythia
Bright yellow flowers in April be fuse and beautiful.	fore lea	ives unfol	d. Pro-
18 to 24 in	.22	.20	.15
2 to 3 ft	.30 -45	.25	.20
4 to 5 ft	.52	•37 •45	.30 .3 <i>5</i>

	Tinia Da		
FORSYTHIA—continued	1-4	ice in Qua 5-24	25-249
intermedia spectabilis, 6'-8' Sho	owy Bo	rder For	sythia
Most profuse of all, with large res.	ich gold	len yellov	v flow-
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	.45	-37	.30
4 to 5 ft	.52	45	-35
ovata, 6'-8'		rean For	
An introduction from Northern Ko Forsythias. Flowers pale primrose than the other varieties.			
18 to 24 in	.45	-37	.30
2 to 3 ft	.60	.50	40
3 to 4 ft	.80	.65	.52
4 to 5 ft	.90	.75	.60
suspensa, 4'-6'		ping For	
Graceful, drooping habit; exceller	nt for m	assing or	banks.
18 to 24 in	.22	.20	.15
2 to 3 ft	-37	.30	25
	·45	•37	.30
—fortunei, 7'-8'		tune For	sythia
Good habit; arching branches; vi	gorous ;	grower.	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30 .45	.2 <i>5</i> •37	.20
4 to 5 ft	.50	.40	•33
5 to 6 ft	.70	-55	-45
viridissima, 7'-8'	Greens	tem For	sythia
Most vigorous; has green bark leaves. Last to flower.	and thi	ck, dark	green
18 to 24 in	.22	.20	.15
2 to 3 ft	.30 -45	.25 •37	,20 ,30
	•4)	•37	-55
FOTHERGILLA major Hardy, densely branched shrub, li siderable garden merit. Fragrant autumnal foliage.	ttle kno white fl	wn and o owers. Br	f con- illiant
6 to 12 in	.90	-75	-
FRANKLINIA alatamaha (Gordon	nia)		
Choice ornamental tree. Large whe shining foliage.	nite flow	ers. Han	dsome
18 to 24 in	3.00		
FRAXINUS americana, 70'-80'		White	e Ash
Fairly rapid grower; assumes ple autumn; good in moist soils.	easing g	olden to	nes in
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70 2.35	1.35
10 to 12 ft., 1½ to 1¾ in	3.40	2.80	2.25
12 to 14 ft., 13/4 to 2 in	4.50	3.75	3.00
13 to 15 ft., 2 to $2\frac{1}{2}$ in Larger specimens up to 6 in. calip	5.60 er.	4.75	3.75

FRAXINUS—continued	Unit P1 1-4	rice in Qua	ntities 25 - 249
excelsior, 75'-100'		Europea	n Ash
Large spreading tree. A desirab prominent black buds.	le lawn	specimer	with
8 to 10 ft	2.25	,——	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.00		
10 to 12 ft., 1½ to 2 in	4.00		
10 to 12 ft., 2 to $2\frac{\pi}{2}$ in	6.00		***************************************
ornus, 35'-50'		Flowering	
Valuable small tree with intention	resting	white fr	agrant
8 to 10 ft	3.00	2.50	
10 to 12 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.00		
lanceolata, 50'-60'		Green	n Ash
Dark green foliage.			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{3}{4}$ in	2.85 3.40	2.35	1.90
12 to 14 ft., 13/4 to 2 in	4.05	3.40	2.25
13 to 15 ft., 2 to 2½ in	5.00	4.00	
	Unit Pr	ice in Qua	ntities
	1-4		25-249
GENISTA scoparia (See CYTISU	S)		
tinctoria, 3'		Woady	vaxen
Slender bright green branches. Yel	low pea		
12 to 15 in	-33	.27	.22
15 to 18 in	. 45	-37	.30
18 to 24 in	-55	47	-37
GINKGO biloba (Salisburia), 50'-7	5' M	aidenhai	r-tree
Picturesque, interesting, quite dist maidenhair fern; immune from i	tinct lea nsects.	ves shape	d like
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft		3.75	3.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in 10 to 12 ft., 1 ¹ / ₂ to 1 ³ / ₄ in	5.60	4.75	3.75
10 to 12 ft., 13/4 to 2 in	6.15 9.40	5.85 7.80	4.75 6.25
12 to 14 ft., 2 to 2 ¹ / ₄ in	12.50	10.00	8.25
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	15.75	12.15	10.50
14 to 16 ft., 2½ to 3 in	20.00	17.00	13.50
14 to 16 ft., 3 to $3\frac{1}{2}$ in	27.00	22.50	
–pyramidalis, 50'-60'			
Narrow columnar form. Distinct a	soon din	1 1	
4 to 6 ft	scending	g branche	S.

3.75 5.30 6.75

3.00

4.50

4.50

6.35 8.00

	Unit Pri	ce in Ou	antities
	1-4		
		J T	-) -4)
GLEDITSIA triacanthos, 60'-70'	' Common	Honey	vlocust
Thorny tree with fragrant, wh for gravelly soil. Not affected l		in May	; good
4 to 6 ft	1.10	.95	-75
6 to 8 ft		1.35	1.10
8 to 10 ft	. 2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	. 3.90	3.25	2.60
10 to 12 ft., 13/4 to 2 in	5.15	4.30	3.40
12 to 14 ft., 2 to 21/4 in	. 6.30	5.25	
—inermis, 60'-70'	Thornless	Honey	ylocust
Relatively free of thorns.			
4 to 6 ft	2.25	1.90	1.50
6 to 8 ft	2.40	2.00	
8 to 10 ft	. 3.60	2.85	
10 to 12 ft	4.65	3.90	
GYMNOCLADUS dioica, 40'-50'	Kentuc	ky Cof	feetre e
Light, blue-green foliage of soutline.	low growt	h; pict	uresque
4 to 5 ft	. 1.65	1.35	1.10
5 to 6 ft	2.85	2.35	1.90
6 to 7 ft		2.85	2.40

7 to 8 ft. 8 to 10 ft.

10 to 12 ft. ..



TUSCULUM

Located in the country about a mile to the north of Princeton, Tusculum was built in 1773 by John Witherspoon and here he frequently entertained Washington and other notables

	Unit Pr	ice in Qu 5-24	antities 25-249
HALESIA tetraptera, 12'-15'	•	reat Sil	
Snow-white, bell-shaped flowers along the branchlets. Can be grow massed.	in May,	profusel	y borne
3 to 4 ft	.80	.65	.52
4 to 5 ft	1.10	.95	-75
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	1.80 2.25	1.50	1.20
HAMAMELIS japonica, 20'-30'	Japanes	e Witch	n-hazel
Interesting Japanese form, blosso Lemon-yellow flowers often purp			ter.
12 to 15 in	-75	.62	.50
vernalis, 6'-8'	Verna	al Witch	-hazel
Pale yellow flowers January and	February	7.	
5 to 6 ft	2.50	2.00	
6 to 7 ft	3.00	2.50	
	Commo		
Yellow, ribbon-like flowers, Octol habit, good foliage. Succeeds be places.			
18 to 24 in	-55	-47	-37
2 to 3 ft	.70	-55	-45
3 to 4 ft	.90 2.50	•75 2.00	.60
HEDERA colchica dentata, 20'-50'	Gian	nt Engli	sh Ivy
Evergreen. Strong growing climbo heart-shaped leaves, very decora	er, with l	large eve	ergreen
12 to 15 in., 4 in. pots	-55	-47	-37
helix, 20'-50'		Englis	sh Ivy
Evergreen. Good ground cover ideal wall cover.	in shady	location	ns. An
12 to 15 in., 2 ¹ / ₄ in. pots	.22	.20	.15
—baltica, 15'-25'		y Englis	
Small-leaved form differing little in its greater hardiness.	e from t	he type	except
12 to 18 in., 4 in. pots	.60	.50	.40
-conglomerata, 15'-25'		nch Lea	
Slow growing; small foliage d stems.	lensely (crowded	along
9 to 12 in., 4 in. pots	.60	.50	
—pedata, 15'-25'			
Five lobed leaves with prominer Slow growth; hardy.	nt pointe	ed center	lobe.
9 to 12 in., 3 in. pots	-55	-47	-37

		ce in Qua	
Rather formal in outline, floweri tember. Pink, purple, red, white double. Also called Rose-of-Sharo anemonaeflorus, double pink. ardens, double rose violet. Boule de feu, double bright red. elegantissimus, double, bluish will Comte de Hainault, double pink Jeanne d'Arc, semi-double white. Lucy, double lavender-violet. Puniceus Plenus, semi-double, ropurpureus plenus, double purple. rubis, single red.	ng in A, and bl	Shrub-august and luc, single	d Sep- e and
totus albus, single white.			
W. R. Smith, single white. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 7 to 8 ft.	.30 .45 .55 .90 1.20	.25 .37 .47 .75 1.00	.20 .30 .37
coelestis, single blue 18 to 24 in	.30	.25 •37	
variegated, 6'-8' Variegated Lo			haron
Leaves striped yellow; compact g 2 to 3 ft		.30 .47 .65	.25 ·37 ·52
HYDRANGEA arborescens, 6' Large flat flower clusters, June a		th Hydr	
2 to 3 ft	.45 .55 .80	•37 •47 •65	.30 .37 .52
arb. grandiflora alba (sterilis), 4'			owhill
Large double white flower panich	es, very	showy. A	ugust.
2 to 3 ft. 3 to 4 ft.	·37 ·50	.30	.25
paniculata (type), 8'-9'		ele Hydr	_
Bears long, loose panicles of whit			18
18 to 24 in	.27 .33 .55	.22 .27 .47	.10
—grandiflora, 8'-9'	Peeg	ee Hydr	angea
Very showy, blooming in August.	.0		
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.18 .27 .45	.15 .22 .37 .40	.12 .18 .30 .33

	Unit P	rice in Qu	antities
HYDRANGEA—continued	1-4	5-24	25-249
——standard		ree Hyd	rangea
Useful for formal effects in the ga			
2 to 3 ft., medium	.90 1.30	.75 1.05	.60
petiolaris, 30'-50'	Climb	ing Hydi	rangea
Attractive, rampant-growing vin against large brick or stone build	e. Spler	idid whe	n used
2 in. pots	.60	.50	.40
quercifolia, 3'-4' Leaves shaped like an oak leaf. I ing; succeeds in shade. Very desir	Beautifu	eaf Hydi l autumn	
18 to 24 in	.70	-55	.45
2 to 3 ft	.90	.75	.60
3 to 4 ft		•95	
radiata, 6'	Silverle	eaf Hydi	rangea
Silvery foliage, large dense he Unique.	ads of	white f	lowers.
2 to 3 ft	.60		
3 to 4 ft	-75		
HYPERICUM aureum, 3'-4' Yellow. July-August. Blue-green			
18 to 24 in	.40	-35	.27
2 to 3 ft	.50	.40 .47	·33
	•))	•47	•37
densifiorum, 4'-5' Yellow, July-Sept. Free flowering;	good f	or sandy	soil.
18 to 24 in	.40 .50	-3 <i>5</i> -40	.27 .33
kalmianum, 3'-5'	Ka	lm Hype	ricum
18 to 24 in	.45	-37	.30
2 to 3 ft	.50 .70	.40 .55	•33 •45
4 to 5 ft	.90	.75	.60
moserianum, 2'		Goldf	lower
Hybrid form. Useful in the per yellow flowers over two inches ac	ross.		
12 to 15 in., 4 in. pots 15 to 18 in., 5 in. pots	.55 .70	-47 -55	-37 -45
patulum henryi, 2' Golden yellow flowers, two inche	Hen:	гу Нуре	ricum
12 to 15 in., 4 in. pots	.60	.50	40
18 to 24 in., 6 in. pots 2 to 3 ft., 6 in. pots	1.35 1.60		
prolificum, 4'-5'	rubby	St. John	swort
Strong, vigorous grower. Masses wery dry or sandy soils.	vell as g	ground co	ver in
18 to 24 in	.45	-37	.30
2 to 3 ft	.55 .80	.47 .65	-37

		rice in Qua	
ILEX crenata, 8'-10'	1-4	5 - 24	25-249
Evergreen. Box-like leaves, rich, oing, makes a good hedge. Black b	deep gr	Japanese een. Stiff l	
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	1.35 1.75 2.65 3.40 3.90 5.25	1.10 1.50 1.90 2.80 3.25 4.30	.90 1.20 1.50 2.25 2.60 3.40
—convexa (bullata), 4'-5'	Conve	x leaved	Holly
Choice evergreen form of slow foliage. Makes a distinctive specim		h. Shiny	convex
15 to 18 in., B. & B	2.60 3.90 6.35	2.20 3.25 5.30	
crenata microphylla, 6'-8' Lit Evergreen. Smaller leaves and ming.		Japanese rdy than p	_
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	1.65 2.25 3.40 4.50 5.60 6.75	1.35 1.90 2.80 3.75 4.75 5.50	1.10 1.50 2.25 3.00
glabra, 5'-6'		Inl	kberry
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun.	eaves, dy spo	purplish i ts; also su	n win- icceeds
12 to 15 in., B. & B	1.65 2.60 3.00	1.35 2.20 2.50	1.10 1.75 2.00
opaca, 45'-50'	I	American	Holly
Evergreen. Does best in moist, Rather difficult to transplant.	partial	ly shaded	place.
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B.	1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00	1.35 2.80 4.40 5.50 6.75 9.50	1.10 2.25 3.50 4.50
serrata (sieboldi) 8'-10'	F	inetooth	Holly
Small finely toothed leaves. Brigh	nt red b	perries.	
2 to 3 ft	.90 1.25 1.50	•75 1.00 1.25	.60 .85
-argutidens			
Similar to above. 12 to 18 in	.50	.40	

	Unit Pr	ice in Qu	antities
ILEX—continued	1-4	5-24	25-249
verticillata (primos), 6'-8'		Wint	erberry
Bright red berries persisting to m birds. Prefers moist soil. Also cal	id-winte lled Blac	er; not e k Alder	aten by
2 to 3 ft	.55 .80	.47 .65	·37
4 to 5 ft	1.05	.90	.70
5 to 6 ft	1.30	1.00	.85
6 to 7 ft	1.50	1.25	1.00
INDIGOFERA kirilowi		Kirilow	Indigo
INDIGOFERA kirilowi Racemes of bright rose flowers in 2 to 3 ft		Kirilow ——	Indigo
Racemes of bright rose flowers in	n June.	_	Indigo
Racemes of bright rose flowers in 2 to 3 ft.	n June. 2.00		eetspire
Racemes of bright rose flowers in 2 to 3 ft. ITEA virginica, 3'-4' Spikes of fragrant, white flower places; brilliant autumn coloring 18 to 24 in.	n June. 2.00		eetspire
Racemes of bright rose flowers in 2 to 3 ft	n June. 2.00	Sw Good f	eetspire for low



THE GRADUATE COLLEGE

This view shows the western end of Procter Hall, as seen from the garden of Wyman House, the residence of the Dean of the Graduate School

→≼ J >> —

	Unit I	rice in Q	uantities
TACMINITM Jig	1-4		25-249
JASMINUM nudiflorum, 3'	.: :	Winter	
Yellow. April-May. Needs protection one of the first to bloom in the spirit	tion in	norther	n States.
12 to 18 in	-33	.27	.22
18 to 24 in	-55	47	-37
2 to 3 ft	.80	.6 <i>5</i>	.52
stephanensis, 3' Large fragrant flowers of soft pa	1		
18 to 24 in			
2 to 3 ft	•55 •70	-47 -55	•37 •45
JUGLANS cinera, 80'-100'		Bu	tternut
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra, 80'-100'		Black	Walnut
Tall, erect native tree, with wides	preadi	ng brancl	nes. Has
compound foliage. Edible fruit.			
4 to 5 ft	.90 1.35	.75 1.10	.60
6 to 8 ft	1.80	1.50	1.20
JUNIPERUS chinensis, 15'-20'	(Chinese .	Juniper
Formal columnar outline, gray-gre	een fol	liage. A s	plendid,
hardy evergreen.	. 6 .		
2 to 2½ ft., B. & B	1.65 2.25	1.35	1.10
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B	6.7 <i>5</i> 8.50	5.50 7.00	4.50
** ** ** ** ** ** ***		~·	
		Chinese :	
Light bluish foliage intermingle branches making very distinctive idal shape.	plant o	of formal	pyram-
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B.	3.40	2.80	2.25
3 to 4 ft., B. & B	4.50	3.75	3.00
-columnaris (pyramidalis), 15'-20'	•		
		Chinese :	_
Evergreen. Grows rapidly, forming of gray-green foliage. Spire-like evergreen planting.			
4 to 5 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B	5.60	4.75	3.75
6 to 7 ft., B. & B	8.25	7.25 9.25	5.60 7.50
8 to 10 ft., B. & B	13.50	11.25	9.00
10 to 12 ft., B. & B	15.00	12.50	

	Unit P	rice in Qu	antities
JUNIPERUS—continued	1-4	5-24	25-249
chinensis columnaris viridis, 15'. Green Co		Chinese J	uniper
A light green form of the al			
growth.	DOVE SII	sittly ato	wei in
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B 6 to 7 ft., B. & B	6.7 <i>5</i> 9.00	5.50 7.50	4.50 6.00
—japonica, 6'-8'	_	ipanese J	
			_
Evergreen. Low grower, spreadi leaves. Adapted to rock planting	ng branc g. Grows	s slowly.	green
12 to 15 in., B. & B	1.00	.80	
15 to 18 in., B. & B	1.35	1.10	
10 to 24 m., b. & b	2.25	2.00	
-keteleeri, 15'-18' Ke	teleer C	hinese J	uniper
A splendid evergreen of pyramic	lal, form	al outline	e. Deep
green, scale-like leaves. Compact	habit. V	ery hard	у.
2 to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B.	3.90	3.25	2.60
4 to 5 ft., B. & B	5.25	4.40	3.50
6 to 7 ft., B. & B	6.7 <i>5</i> 9.00	5.50 7.50	4.50 6.00
0 00 / 10, B. a. B	9.00	7.50	0.00
-oblonga (sylvestris), 7'-8'			
Evergreen. Forms a broad, irregu	ıl <mark>ar</mark> pyra	mid with	feath-
ery branches. Grayish foliage.			
15 to 18 in., B. & B	1.10	.95	-75
2 to 3 ft., B. & B	1.65 2.85	1.35	1.10
3 to 4 ft., B. & B	3.60	2.35 2.85	1.90 2.40
—pfitzeriana, 5'-6'		Pfitzer J	uniner
		•	-
Evergreen. Broad, bushy habit. ing feathery appearance. A most	Gray-gre t adaptal	en foliag ble, hardy	e, giv-
green; highly recommended.			
12 to 15 in., B. & B	1.35	1.10	.90
15 to 18 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B.	3.40 4.50	2.80	2.25 3.00
2½ to 3 ft., B. & B	5.60	3.75 4.75	3.75
3 to 4 ft., B. & B	6.75	5.50	4.50
4 to 5 ft., B. & B	9.00	7.50	6.00
5 to 6 ft., B. & B	11.25	9.00	
6 to 8 ft., B. & B	14.00	12.00	
8 to 10 ft., B. & B	20.00	17.00	
-sargenti (green), 11/2 '	S	argent Ju	ıniper
Evergreen. Prostrate habit, grass- A valuable ground cover and roc	green fo	liage.	
9 to 12 in., B. & B		0.5	
12 to 15 in., B. & B.	1.10	.95 1.50	•75
15 to 18 in., B. & B	2.85	2.35	1.25
18 to 24 in., B. & B	3.60	2.85	2.40
			,

	TV-i+ D-	: : 0	
JUNIPERUS—continued	1-4	ice in Qua 5-24	25-249
—smithi, 6'-8'	S	mith Red	lcedar
Choice variety. Compact pyramic	d-brigh	t green f	oliage.
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	3.00	2.50	
3 to 4 ft., B. & B	3 .75	3.00	
communis, 15'-25'	Со	mmon J	uniper
Evergreen. Forms a vase-shaped	plant.		
15 to 18 in., B. & B	1.10	.95	-75
18 to 24 in., B. & B	1.50 2.85	1.25 2.35	1.00
communis aurea, 6'-10'		Golden J	_
Evergreen. Low-spreading habit. larly bright in spring.	Golden :	foliage, p	articu-
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80 2.25	1.50 1.90	1.20
—canadensis, 5'-6'		Canada Ji	
Evergreen. Forms a low vase-sh	aped bus	sh. Leave	s dark
green above, bluish underneath.	1.10	0.5	~ ~
18 to 24 in., B. & B.	1.10 1.65	.95 1.35	.75 1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
—cracovica, 20'-30'		Polish J	uniner
Evergreen. Upright, branching fr			
narrow column.	om Broa	,	.8
4 to 5 ft., B. & B	3.90	3.25	
5 to 6 ft., B. & B	5.25	4.40	
6 to 7 ft., B. & B	7.50	6.25	
-hibernica, 20'-30'		Irish J	uniper
Evergreen. A very narrow pyram	nid. Usef	ul for its	spire-
like effect.	0-	(-	
15 to 18 in., B. & B	.80 1.10	.65 .95	.52 .75
2 to 2½ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B 5 to 6 ft., B. & B	3.90 5.25	3.25 4.40	2.60 3.50
6 to 7 ft., B. & B	6.75	5.50	4.50
7 to 8 ft., B. & B	8.00	6.75	5.50
communis suecica, 20'-30'	S	wedish J	uniper
Quick growing. Narrow, upright	form.		
18 to 24 in., B. & B	1.10	.95	-75
3 to 4 ft., B. & B	2.70	2.25	1.90
4 to 5 ft., B. & B	4.50	3 .75	3.00
——nana, 5'-6'	Owarf S	wedish J	uniper
Evergreen. A narrow, compact c			
Good foundation or rockery plan	it.		
2½ to 3 ft., B. & B	3.50		
3 to 3½ ft., B. & B	4.50 5.50		
4 to 5 ft., B. & B	7.00		
, ,			

JUNIPERUS—continued	Unit P	rice in Qu 5-24	
excelsa stricta, 8'-10'		Greek	
Evergreen. Compact, well-shaped green. Most useful for formal eff	pyram		
12 to 15 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.90	3.25	2.60
3 to 4 ft., B. & B.	5.00	4.10	3.30
4 to 5 ft., B. & B	6.75	5.50	4.50
horizontalis (sabina prostrata), 1			
Evergreen. Branches trail along grownk and ground covering.		Adapted	to rock-
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90 2.35	1.50
			Luniose
—douglasi, 1'-1½' Evergreen. Long branches trailing		ukegan i	
blue foliage. A splendid ground among rocks. Distinct purple hue	d cove	r; also	
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.90	1.50	1.25
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	3.00	2.50	
—glauca, 1'-1½'	Blue	Creeping	Savin
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	3.15	2.60	-
3 to 4 ft., B. & B	4.00	3·3 <i>5</i>	
		eading J	
New, exceedingly hardy, assumes a color in winter. Transplants readi	very a	ttractive,	purple
12 to 15 in., B. & B	1.05	.90	.70
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	4.50 5.60	3.7 <i>5</i> 4.7 <i>5</i>	3.00
hudsonica, 1'-1½'		Iudson J	-
Excellent, trailing plant useful rapid growth.	for ro	ck work.	Fairly
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.35 1.65	1.10	.90
10 to 24 mg bi cc bi	1.05	1.33	
japonica, 6'-8'		panese J	
Evergreen. Low grower, spreading leaves. Adapted to rock planting.	g brand Grows	slowly.	green
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	2.85	2.35	-
2/2 to 3 It., B. & B	3.90	3.25	

	Unit P	rice in Qua	ntities
JUNIPERUS—continued	1-4	5-24	25-249
sabina, 6'-7'		Savin Ju	ıniper
Evergreen. Dense, dark green foli		eading bra	inches,
forming irregular, vase-shaped p			
12 to 15 in., B. & B	1.10	.95	•75
15 to 18 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B.	2.85 3.40	2.35 2.80	1.90 2.25
2½ to 3 ft., B. & B.	4.50	3.75	3.00
3 to 3½ ft., B. & B.	5.60	4.75	3.75
—tamariscifolia, 1½'-2'	Γamarix	Savin J	uniper
Evergreen. A prostrate-growing ty	ype, com	pact and f	foliage
of soft texture.			
9 to 12 in., B. & B	1.10	.95	-75
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.10	1.75	
squamata meyeri, 3'-4'		Meyer J	uniper
A beautiful, deep blue evergree	n of d	warf habit	, very
desirable.			
12 to 15 in., B. & B	1.35	1.10	.90
15 to 18 in., B. & B	2.25	1.90 2.80	1.50
2 to 2½ ft., B. & B.	3.40 4.50	3.75	2.25 3.00
2½ to 3 ft., B. & B	5.60	3·75 4·75	3.75
3 to 3½ ft., B. & B.	6.75	5.50	4.50
virginiana, 35'-50'		Red	lcedar
Our native Redcedar, all nursery	grown.		
Evergreen. Forms a dense column purplish in winter. Useful in plantings.	mn, dee formal	p green f work, or	oliage, mixed
5 to 6 ft., B. & B	3.75	3.00	
6 to 7 ft., B. & B	5.60	4.50	·
7 to 8 ft., B. & B	7.75	6.75	
8 to 10 ft., B. & B	12.00	9.75	
10 to 12 ft., B. & B	15.00	13.50	Section Control Contro
—burki, 10'-12'		Burks J	uniper
Evergreen. Distinct blue, forming		e column.	
2½ to 3 ft., B. & B	1.80	1.50	
3 to 4 ft., B. & B	2.60	2.25	
4 to 5 ft., B. & B	4.50	3 .7 5	
6 TO U TI B. (V B		4 50	
	5.75	4.50	
6 to 7 ft., B. & B	5.75 7.50	6.00	
	5.75	-	=
6 to 7 ft., B. & B	5.75 7.50 10.50 13.50	6.00 8.25	dcedar
6 to 7 ft., B. & B	5.75 7.50 10.50 13.50	6.00 8.25 11.25	
6 to 7 ft., B. & B	5.75 7.50 10.50 13.50 Ca	6.00 8.25 11.25	
6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. —cannarti, 12'-15' Evergreen. Very deep, rich black growing columnar form. An art 3 to 4 ft., B. & B.	5.75 7.50 10.50 13.50 Ca	6.00 8.25 11.25	
6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. —cannarti, 12'-15' Evergreen. Very deep, rich black growing columnar form. An art 3 to 4 ft., B. & B.	5.75 7.50 10.50 13.50 Ca iish-gree	6.00 8.25 11.25 nnart Re	Dense-
6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. —cannarti, 12'-15' Evergreen. Very deep, rich black growing columnar form. An art 3 to 4 ft., B. & B.	5.75 7.50 10.50 13.50 Ca iish-gree istocrat. 4.50	6.00 8.25 11.25 nnart Re in foliage.	Dense- 3.00

JUNIPERUS—continued	Unit I 1-4	Price in Qu 5-24	
-elegantissima, 12'-15'	G	oldtip Re	dcedar
Evergreen. Bright yellow tips to in winter. Pyramidal habit.	branche	s, turning	bronze
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.30	2.75	2.20
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B	6.75	5.50	4.50
—glauca, 15'-20'		Silver Re	dcedar
Evergreen. Distinct, blue-gray for	liage. T	ree develo	ps into
a tall, narrow column.			
2 to 2½ ft., B. & B.	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B	6.00	5.00	
6 to 7 ft., B. & B	9.00	7.50	6.00
Specimens up to 17 ft	2.25	per foot	
—globosa, 3'-4'		Globe Red	lcedar
Dwarf compact form with bright	green	foliage.	
2 to 2½ ft., B. & B	4.50	3.75	
2½ to 3 ft., B. & B	5.50	4.50	
virginiana Kosteriana, 3'-4'		loster Red	
Semi-dwarf type of horizontal gro	wing ha	abit. Bluish	-green
foliage.			
2 to 3 ft., B. & B	4.50		
3 to 4 ft., B. & B	7.50	6.00	
4 to 5 ft., B. & B	8.50	7.00	
5 to 6 ft., B. & B	10.00		
—pendula, 25'-30'		eping Red	
A weeping form of the Redcedar branches.	with sl	ender pen	dulous
6 to 7 ft., B. & B	12.00		
—pyramidalis, 35'-50'		midal Red	cedar
Columnar in outline with dense co	ompact	habit.	
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.70	2.25	1.80
2½ to 3 ft., B. & B	3.75	3.00	1.00
3 to 4 ft., B. & B	4.50	3.75	3.00
—schotti, 12'-15'		chott Red	
Evergreen. Has fresh green fol columnar habit. Good winter colo	iage. Cor, quite	ompact, for hardy.	ormal,
2 to 2½ ft., B. & B	2.85	2.35	1.90
$2\frac{1}{2}$ to 3 ft., B. & B	3.90	3.25	2.60
3 to 4 ft., B. & B	5.60		
4 to 5 ft., B. & B.	7.75	4.75	3.75
5 to 6 ft., B. & B.		6.50	5.25
6 to 7 ft., B. & B	10.15	8.45 9.50	6.75
waukegan (See horizontalis dou		3.50	

1.00

——≪ K >>---

		rice in Qua 5 - 24	
KALMIA angustifolia, 3'-4'		Sheep-	laurel
Rather an open growing bush the flowers June-July.	with pr		
2 to 2½ ft., B. & B	3.75	3.00	
2½ to 3 ft., B. & B	4.50	3.75	
latifolia, 8'-10'		Iountain-	
Evergreen. Most effective in Jun pink flowers open. Good foliage This stock is semi nursery grown.		the clust shade.	ers of
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B.	3.40	2.80	2.25
2½ to 3 ft., B. & B	5.25	4.40	3.50
3 to 3½ ft., B. & B	6.75	5.50	4.50
KERRIA japonica, 4'-5'		Single I	
Golden-yellow flowers. June-Sept			
12 to 18 in		•37	.30
18 to 24 in	-55	-47	-37
-fl. pl., 4'-5' Similar to the preceding variety b	out with	Double H double fl	
12 to 18 in	-55	-47	-37
18 to 24 in	.70	-55	45
KOELREUTERIA paniculata, 25	′-3o′	Varnis	shtree
Has bright yellow flowers in Ju	ly; is a	valuable	small
flowering tree. Also called Gold			
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.10	.95 1,35	.75 1.10
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.50	_	
KOLKWITZIA amabilis, 6'-8'		Beaut	
A beautiful shrub somewhat simi			
any of the Weigelas. Covered in pink flowers.	еагіу м	ay with n	iass or
18 to 24 in	-55	47	-37
2 to 3 ft	·55	.60	.50
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.30	1.05	.85



MERCER HEIGHTS

In this house General Mercer died, January 12, 1777, from wounds received in the Battle of Princeton

——— ↓ L þ>	•		
	Unit I	rice in Qu	antities
	1-4	5-24	
LABURNUM vulgare, 30'		Golde	enchain
Attractive, small tree with yell in long racemes.	ow, pe	a-shaped	flowers,
3 to 4 ft	1.35	1.10	
4 to 5 ft	1.90	1.50	
8 to 10 ft	4.50	3.75	
LARIX europaea (decidua), 50'-6		European	Larch
Especially good for spring effects	; grow	s rapidly.	
4 to 5 ft., B. & B	3.90	3.25	2.60
5 to 6 ft., B. & B	6.00 8.00	5.00 6.75	4.00
8 to 10 ft., B. & B	11.25	9.50	5.25 7.50
10 to 12 ft., B. & B	15.00	12.50	10.50
12 to 14 ft., B. & B	18.00		12.50
leptolepis (kaempferi), 50'-60'		Japanese	Larch
Fast-growing, handsome tree, sim	ilar to	above.	
15 to 18 in., B. & B	1.00	.80	.65
LEIOPHYLLUM buxifolium, 1'-2	2' F	Box Sand	lmyrtle
Interesting low-spreading shrub similar to Boxwood. Flowers are May-June. Prefers peaty soil. 12 to 18 in., B. & B	white	with pink	foliage tips—
12 to 10 m., b. & b	1.25	1.00	
LESPEDEZA bicolor, 8'-10'	Sh	rub Bush	clover
Rose and white flower, July-Au shrub; attractive clover-like folia	gust. S	lender, g	raceful
2 year	-45	-37	.30
3 year	-55	-47	-37
formosa (Desmodium penduliflor	rum), 8	B'-10'	
	Pur	ple Bush	iclover
Rosy, purple flower conspicuous is tive, herbaceous shrub.	n Septe	mber. An	attrac-
1 year	-33	.27	.22
2 year	45	-37	.30
3 year	-55	.47	-37
LEUCOTHOE catesbaei, 3'-4'		oing Leu	
Evergreen. Attractive, white flow lustrous leaves, rich autumn color planting in shade.	wers, I ing. Spl	May. Han lendid for	dsome, under
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.90	3.25	

τ	Unit P 1-4	rice in Qua	
LIBOCEDRUS decurrens, 60'-75'		Incense (
Handsome tall growing tree form head. Bark reddish. Deep green for tree.	ing na liage.	arrow pyra	midal
6 to 7 ft., B. & B	6.25 8.25 0.50 3.50 6.00		
LIGUSTRUM acuminata, 10'-12'		Bigberry l	Privet
Upright spreading habit. Large glos	sy bla	ack berries.	
18 to 24 in	.52	•37 •45	.30
amurense, 14'-15'		Amur 1	Privet
Half evergreen; very hardy.			
18 to 24 in	.09	.07	.06
2 to 3 ft	.15	.12	.10
ibolium, 8'-10'		Ibolium l	
Upright, vigorous grower, similar but much hardier.	to C	alifornia 1	Privet,
12 to 18 in	.08	.06	.05
18 to 24 in	.09	.07	.06
3 to 4 ft	.18	.15	.12
ibota, 9'-10'		Ibota l	Privet
Good dense habit; flowers and froblack berries. Very hardy.	iits fi	eely. Deco	rative,
12 to 18 in	.09	.07	.06
18 to 24 in	.18	.15	.11
3 to 4 ft	·33	.27	.22
4 to 5 ft	-55	-47	-37
-regelianum (cuttings), 5'-6'		Regal I	
Makes a splendid, low, dense hedg bery or evergreen plantings. Very	e; als	o good in	shrub-
12 to 18 in	.27	.22	.18
18 to 24 in	.45	-37	.30
2 to 2½ ft	.55	.47	-37
2½ to 3 ft	.80	.65	.52
-vicary, 8'-10' Striking foliage of clear, even yell		len Ibota l	Privet
12 to 18 in	,22	.20	.15
18 to 24 in	•37	.30	.25
2 to 3 ft	45	-37	.30
japonicum, 8'-10'		Japanese 1	
Handsome evergreen shrub with foliage.	dark	green gl	abrous
15 to 18 in., pots	.55	-47	
18 to 24 in., pots	1.10	.95	

LIGUSTRUM—continued	Unit 1	Price in Qu 5 - 24	antities 25-249
lucidum (macrophyllum), 20'-25'		Glossy	Privet
Evergreen. Very attractive privet Hardy in the North in sheltered Waxleaf Privet.	with r	ich glosen	leaver
15 to 18 in., 5 in. pots	.55	-47	-37
18 to 24 in., 6 in. pots	.80	.65	.52
	1.10	.95	.75
ovalifolium, 12'-15'		California	
Most popular hedge plant. We of stock well worth the price.	fer go	od, bushy	2 year
12 to 18 in	.07	٥٥.	.04
18 to 24 in	.08	.06 .10	.05 .08
3 to 4 ft	.18	.15	.12
4 to 5 ft	-37	.30	.25
ovalifolium aureum, 8'-9'		Golden	Privet
Grows rather slowly.			
12 to 18 in	.27	.22	.18
2 to 3 ft	•33 • 45	.27 •37	.22
3 to 4 ft	.55	-47	-37
4 to 5 ft	.70	-55	.45
5 to 6 ft	.90	-75	.60
vulgare, 10'-12'		European	Privet
Creamy-white flowers. June-July.			0
18 to 24 in	.2 7 .33	.22 .27	.18
3 to 4 ft	·45	·37	.30
4 to 5 ft	-55	-47	•37
*LIQUIDAMBAR styraciflua, 50'-6			etgum
One of the best trees for autumn moist places; has corky bark; raplant.	color	; grows wifficult to	trans-
4 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.90	3.25	2.60
8 to 10 ft 8 to 10 ft., 1½ to 2 in	5.25 6.40	4.40 5.35	3.50
10 to 12 ft., 2 to 2½ in	8.00	6.75	4.30 5.50
10 to 12 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	9.00	7.50	6.00
Larger specimens to 6 in. caliper.			
*LIRIODENDRON tulipifera, 60'-	8o'	Tuli	iptree
A quick grower; the yellow, tulip duced in June.		flowers are	e pro-
4 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.40 3.90	2.80 3.25	2.25
12 to 14 ft., 13/4 to 2 in	5.25	4.40	3.50
12 to 14 ft., 2 to $2\frac{1}{2}$ in 12 to 14 ft., $2\frac{1}{2}$ to 3 in	6.00	5.00	4.00
	7.90 0.15	6.55 8.45	5.25
		13	

	Unit Pri	ice in Qu	antities 25-249
TONICEDA belle elbide 8/ e/ Wi			
LONICERA bella albida, 8'-9' Will Grows vigorously.	nite Belli	e Honey	suckle
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	•37	.30
4 to 5 ft	-55	47	-37
5 to 6 ft	.80	.65	.52
fragrantissima, 6'-8' Fragrant, white flower, April-M		Honey	
	•	_	
18 to 24 in	.22 •33	.20	.15
3 to 4 ft	•35 •45	·37	.30
4 to 5 ft	.70	.55	.45
5 to 6 ft	1.05	.90	.70
heckrotti, 15'-20' Everb	looming	Honey	suckle
Flowers purple outside, yellow is	nside, Ju	ly-Septer	mber.
18 to 24 in	.15	.12	.10
2 to 3 ft	•33	.27	.22
henryi, 15'-20'	Henry	Honey	suckle
Semi evergreen vine; large gloss flowers, black fruit.			
12 to 15 in	.75	.60	
japonica, 15'-20'	Japanese	Honey	suckle
Rapid growing vine, blooming f	_	-	
tember. Almost evergreen and valuable for covering steep ban	will b	e found	d very
1 year	.15	.12	.10
2 year	.22	.20	.15
3 year	-33	.27	.22
-aureoreticulata Yellownet	Japanes	e Honey	vsuckle
Leaves veined with golden-yello	w.		
2 year	·37	.30	.25
3 year	.45	. 37	.30
brachypoda Hardleaf Slower growing; flowers purplis	_		suckle
2 year	.30	.25	.20
2 your	•50	•2)	,20
—chinensis, 15'-20' Purple Good vine for covering steep ban		Honey	suckle
		20	1 7
2 year 3 year	.22 •33	.20 .27	.15
—halliana, 15'-25' Hall	Japanese	Honey	suckle
Grows rampantly. Blooms freely	, deliciou	isly frag	grant.
1 year	.15	.12	.10
2 year	.27	.22	.18
3 year	-33	.27	.22
korolkowi floribunda Broad	Bluelea	f Honey	suckle
18 to 24 in	45	-37	
	13	0.	

	Unit Pri	ce in Qu	antities
LONICERA—continued	1-4	5-24	25-249
maacki, 12'-15'			ysuckle
Vigorous grower. Thrives under spreading. White flowers in May ripening in September.	followed	. Uprig d by re	tht and druit
2 to 3 ft	.45	-37	.30
3 to 4 ft	.70 •95	•55 •75	.60
5 to 6 ft	1.05	.90	.70
—podocarpa, 8'-9'			suckle
Smaller, pinkish flowers, better maacki and holds leaves longer.	fruit tha Vigorous.	in the	variety
2 to 3 ft	45	-37	.30
3 to 4 ft	.70 .90	•55 •75	.60
5 to 6 ft	1.10	•15 •95	.75
morrowi, 7'-8'	Morrow	Honey	suckle
Spreading habit, white, May-June red berries.	; good i	foilage.	Showy
18 to 24 in	.27	.22	.18
2 to 3 ft	•37	.30	.25
	.50	-40	•33
xanthocarpa Yellow fruited			
18 to 24 in	.27	.22	.18
nitida, 3'	-37	.30	.25
• •	Shiny	Honey	suckle
A neat evergreen for the rock gar leaves. Needs protection. 6 to 9 in., 3 in. pots			glossy
15 to 18 in., 5 in. pots	•37 •90	.30 .75	
pileata, 1½'-2'	Privet	Honey	suckle
An evergreen prostrate form with and purple fruits. Suitable for the location.	white fra	agrant	flowers
6 to 9 in., 4 in. pots	45	•37	
9 to 12 in., 5 in. pots	.70	-55	
punicea Moderate-growing vine. Twining flower with orange-red corolla,	by sten	ns. Att	ractive
2 year	.45	-37	.30
3 year	.55	-47	.37
4 year	.70	-55	-45
ruprechtiana, 8'-9' Mand	churian	Honey	suckle
Creamy-white flowers, June. Be orange.	erries re	d, som	etimes
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	-37	.27
5 to 6 ft	-55 -70	-47 -55	•37 •45
	.,,	• > >	43

Visit our nurseries when Azaleas and Rhododendrons are in flower. Azaleas are listed on pages 15, 16, 17, 18 and 19. Rhododendrons are listed on pages 91, 92 and 93.

	Unit Pric	e in Our	ntities
LONICERA—continued	1-4		
syringantha, 4'-5'	Lilac	Honey	suckle
Attractive, but little known, slegrant, pale, rosy-lilac flowers.	ow-growin	g shrul	b. Fra-
18 to 24 in	•45 •55	·37 ·47	
—Wolfi, 4'-5'	Wolf	Honey	suckle
Graceful refined shrub for the la prostrate branches. Bluish-green	wn border leaves. Ca	r, with s rmine f	lender lowers.
18 to 24 in	.60 .75	.50 .60	
tatarica, Pink and White, 9'-10'	Tatarian	Honey	suckle
Flowers and fruit freely produshrub.			
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	-45	-37	.30
4 to 5 ft	.55 .70	.47 .55	-37
—alba virginalis, 10'	Maiden		suckle
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	
-pulcherrima, 9'-10' Bright Red	Tatarian	Honey	suckle
Handsome red-flowered form of	the type.		
18 to 24 in	. 37	.30	.25
2 to 3 ft	45	-37	.30
3 to 4 ft	-55	47	-37
4 to 5 ft	.80	.65	.52
-sibirica, 9'-10' Red	Tatarian	Honey	suckle
3 to 4 ft	-45	-37	
thibetica, 3'-4'	Tibetan	Honey	suckle
Small, gray-green foliage and f Handsome, small shrub for rocke	ragrant, p	urple f	lowers.
18 to 24 in	.80	.65	
2 to 3 ft	1.10	.95	
xylosteum, 8'-10' Europ	pean Fly	Honey	suckle
Flowers yellowish white often ti fruits dark red.	nged red,	May to	June;
2 to 3 ft	•33	.27	.22
3 to 4 ft	.45	•37	.30
4 to 5 ft	•55	-47	-37
LYCIUM chinense, 10'-12' Ch			
Violet flowers in June, followed b	oy bright r ng over re	ed fruit taining	s; use- walls.
18 to 24 in	.22	.20	.15
2 to 3 ft	-33	.27	.22
3 to 4 ft	45	-37	.30
*LYONIA ligustrina, 10'-12'		Huckle	eberry
Has attractive white flowers May			
2 to 3 ft	1.00		
3 to 4 ft	1.25		

——≼ M ≽——

		rice in Qu	antities
MACI IIDA nomifema	1-4	5-24	
MACLURA pomifera, 30'	:	Osage (Orange
Makes a perfect barrier hedge has use as a small ornamental t	ree.	ned year	y. Also
3 to 4 ft	-55	.47	-37
5 to 6 ft	.80 1.05	.65 .90	.52
6 to 8 ft	1.30	1.05	.85
MAGNOLIA acuminata, 70'-80'		Cucum	
Pyramidal habit, vigorous growt greenish-yellow; pink fruit.	h; large	leaves;	flowers
3 to 4 ft	1.75		
4 to 5 ft	2.25		
5 to 6 ft	3.00		
8 to 10 ft., B. & B	7.00 9.00		
conspicua, 25'-30'			Yulan
Tree with spreading branches; la	rge, whi	te, sweet-	
nowers before leaves in April or	May.		
2 to 3 ft., B. & B	3.00	2.50	
3 to 4 ft., B. & B	4.50	3.75	
5 to 6 ft., B. & B	6.7 <i>5</i> 9.00	5.60 7.50	
6 to 8 ft., B. & B	12.00	7.50	
glauca, 15'-20'		Sw	eetbay
Delightfully fragrant, creamy flo	owers in	May. G	aucous
leaves, nearly evergreen. Prefers	moist 1	ocation.	
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft., B. & B	1.65	1.35	1.10
4 to 5 ft., B. & B.	2.85 4.50	2.35 3.75	1.90
5 to 6 ft., B. & B	6.00	5.00	
6 to 8 ft., B. & B	7.50	6.25	
8 to 10 ft., B. & B	9.00	7.50	
grandiflora, 60'-75'		he rn M a	
Handsome evergreen specimen tr shiny, leathery leaves. Flowers cr grant.	ree of the reamy-w	e South. hite—qui	Large, te fra-
2 to 3 ft., B. & B	2.60	2.20	
4 to 5 ft., B. & B	4.50		
5 to 6 ft., B. & B	6.00		
kobus, 20'-30'		bus Ma	
White flowers in April or May be hardiest magnolias.	fore lea	ves; one	of the
2 to 3 ft., B. & B	1.80	1.50	1.20
3 to 4 ft., B. & B	2.85	2.35	1.20
4 to 5 ft., B. & B.	3.90	3.25	2.60
5 to 0 it., B. & B	6.00	5.00	4.00
6 to 8 ft., B. & B 8 to 10 ft., B. & B	7.50	6.25	
10 to 12 ft., B. & B	11.25	10.00	
12 to 14 ft., B. & B	19.00	15.00	

MAGNOLIA—continued	Unit Pr 1-4	ice in Qua 5-24	ntities 25-249
liliflora nigra 15'-18'	Purple	Lily Ma	gnolia
Dark purple flowers. Sometimes of	alled sou	ılangeana	nigra.
18 to 24 in., pots	4.50		
macrophylla, 25'-40'	Bi	gleaf Ma	gnolia
Rapid-growing, medium-sized large, from 1-3' long. Flowers across.	tree. Lea	aves unu ge, being	sually 10-12"
8 to 10 ft., B. & B	12.00 15.00		
soulangeana, 15'-18'		ucer Ma	_
Large, purplish-pink and white transplanted in early spring.	flowers	in May	. Best
12 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B	1.35	1.10	.90
3 to 4 ft., B. & B	2.25 3.90	1.90 3.25	1.50 2.60
4 to 5 ft., B. & B	5.60	4.75	3.75
5 to 6 ft., B. & B	7.90	6.55	5.25
6 to 8 ft., B. & B	10.15	8.45	6.75
8 to 10 ft., B. & B	12.50	10.00	-
soulangeana alba superba, 15'-18		ucer Ma	gnolia
White to light pink flowers; in langeana.	_		
—alexandrina, 15'-18'	Alexa	nder Ma	gnolia
This variety is very similar to sou later and slightly deeper color.	langeana	ı, but a fe	w days
—lennei, 15'-18'	L	enne Ma	gnolia
Rich, deep purple flowers in April			
-rustica, 15'-18'	urple Sa	ucer Ma	gnolia
Hybrid variety of soulangeana. I	lowers 1	ose-red.	
2 to 3 ft., B. & B	3.90	3.25	262
3 to 4 ft., B. & B	6.00	5.00	2.60
4 to 5 ft., B. & B	8.00	670	4.00
stellata, 8'-10'		6.75	
		Star Ma	4.00 5.50 gnolia
Spreading, shrubby habit, fragr flowers appearing long before th	e leaves	Star Ma	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B.	e leaves	Star Ma	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B	2.85 3.90	Star Ma ni-double, 2.35 3.25	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B	2.85 3.90 5.60	Star Ma ni-double, 2.35 3.25 4.75	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B	2.85 3.90 5.60 7.90	Star Ma ni-double, 2.35 3.25 4.75 6.55	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B	2.85 3.90 5.60 7.90 10.50	Star Ma ni-double, 2.35 3.25 4.75	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	2.85 3.90 5.60 7.90	Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	2.85 3.90 5.60 7.90 10.50 12.00	Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00	4.00 5.50 gnolia
flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	2.85 3.90 5.60 7.90 10.50 12.00 15.00 18.00	Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00	4.00 5.50 gnolia white
flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B.	2.85 3.90 5.60 7.90 10.50 12.00 15.00 18.00	Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00 10.00	4.00 5.50 gnolia white
flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	2.85 3.90 5.60 7.90 10.50 12.00 15.00 18.00	Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00 10.00	4.00 5.50 gnolia white

	TT 1. T		
MAGNOLIA—continued	1-4	rice in Qu 5 -2 4	25 - 249
tripetala, 30'-40'	Umb	rella Ma	gnolia
Very large leaves; flowers white,	and see	d pods a	re pink.
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	5.25	4.40	3.50
6 to 8 ft	7.50	6.25	5.00
8 to 10 ft	10.00	8.00	6.50
10 to 12 ft	12.50	10.00	8.25
12 to 14 ft	15.00	12.50	10.00
MAHONIA aquifolium, 4'-5'		on Holl	
Evergreen. Shining, green leaves	turn ri	ch scarlet	ın au-
tumn; striking in May when	yellow	flowers a	ippear;
blue-black fruits. Best in half-sh			
12 to 15 in., B. & B	1.35	1.10	.90
15 to 18 in., B. & B	2.00	1.70	1.35
MALUS aldenhamensis, 25'-40'			
, ,			
A variety popular in Europe. Red Fine tree for the border screen.	dish cas	st to the f	oliage.
2 to 3 ft	.90	-75	
3 to 4 ft	1.10	.95	
6 to 8 ft	3.40	2.80	
arnoldiana, 8'-10'		Arnolo	l Crab
White flowers. Compact habit.			
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.35	1.10	
5 to 6 ft	1.90	1.50	
6 to 8 ft	3.00	2.50	
atrosanguinea, 10'-15'	0.00		C 1
, ,		Carmine	e Crab
Single, red flowers freely borne.			
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft	4.50	3.75	-
baccata, 20'-25'		Siberian	Crab
Very hardy; one of the earliest	to bloc	om. Pure	white
blossoms in great profusion, follow or red fruit.	ved by v	vax-like,	yellow
3 to 4 ft	1.10	.95	7.5
4 to 5 ft	1.50	1,25	•75 1.00
5 to 6 ft	2.00	1.70	1.35
6 to 8 ft	2.85	2.35	1.90
8 to 10 ft	4.50		3.00
10 to 12 ft	6.00	3.75	3.00
		5.00	
—mandshurica, 25'	Ma	nchurian	Crab
5 to 6 ft	2.25		
6 to 8 ft	3.00		

The Autumn foliage of many shrubs and trees make a wonderful color picture. Visit our nurseries during October and November to see the beauty of Autumn color.

DEAT TIO		rice in Qua	
MALUS—continued	1-4	5-24	
coronaria, 15'-20'		ild Swee	
Fragrant, blush-pink flowers in ea			
3 to 4 ft	1.10	.95 1.25	.75 1.00
5 to 6 ft	2.00	1.70	1.35
6 to 8 ft	2.85	2.35	1.90
8 to 10 ft	4.50	3.75	
dolgo, 15'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00		
5 to 6 ft	2.85 4.00		
		·	Cont
		lowering	
Literally covered with single, rearly spring. Yellow fruits.	cose-core	orea now	ers in
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.40	2.80	-
—purpurea, 10'-15'		Purple	Crab
A very attractive, purple-foliaged	type o	of the abo	ove.
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.90 5.60	3.25	2.60
10 to 12 ft	_	4.75	3.75
— —eleyii, 10'-15'		lowering	
A free-blossoming Crab with rec	idish to	oliage. Vi	gorous
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.25	1.90	
6 to 8 ft	3.00	2.50	***************************************
8 to 10 ft	4.00 5.50	3.35 4.75	•
halliana parkmani, 10'-15'		Parkman	Crah
Semi-double pink; flowers on lo			
pact habit, and grows rather slow		ns, good	, com-
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft	4.50 6.00	3.75	
			G .
		lowering	
Bright, rose-red, double flowers inside and out, making this new, tremely attractive.			
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.50	1.25	1.00


The Cotoneasters are among the best of Rockery Plants. Turn to pages 33, 34, 35 and 36 for varieties and prices of pot grown plants.

	Unit D	rice in Qua	neiting
MALUS—continued	1-4	5-24	
ioensis plena, 10'-15'		Bechte	1 Crab
Large, double, pure pink flower	rs with	noticeab	le fra-
grance; vigorous growers—last to	flower	•	
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.65 2.25	1.35 1.90	1.10
5 to 6 ft	3.15	2.60	2.10
ioensis, 20'-25'		Prairi	e Crab
More vigorous than the popular	Bechte		
pink flowers.			. 8
2 to 3 ft	1.00	.80	
3 to 4 ft	1.50	1.25	
5 to 6 ft	2.00	1.70 2.30	
lemoinei, 15'		Lemoin	Crah
6 to 8 ft	2.00	2.50	Clab
8 to 10 ft	3.00 4.50	3.75	
micromalus, 15'	. ,	0.5	
Upright growing tree; deep pink	flower	s: large (lusters
of red fruit.	nower	s, laige (lusters
5 to 6 ft	2.25	1.90	
6 to 8 ft	3.00	2.50	
neidzwetzkyana, 15'-25'		Redveir	
The twigs, flowers and fruits reddish hue. Free-growing type.	of this	variety 1	have a
4 to 5 ft	1.10	.95	•75
5 to 6 ft	1.65	1.35	1.10
8 to 10 ft	2.25 4.05	1.90 3.40	1.50 2.70
Oekonomierat Echtermeyer, 10'-			•
Carmine-rose flowers. Dark brow		fruit. W	eeping
form of Crab.			
3 to 4 ft	1.10		
5 to 6 ft	2.25		
6 to 8 ft	3.50		
pumila pendula, 10'-15'		Weeping	g Crab
Flowering Crab of weeping or dro	poping l	nabit.	
5 to 6 ft., 2 yr. heads	2.00	-	
3 to 4 ft., 3 yr. heads 4 to 5 ft., 4 yr. heads	3.00 4.50		
robusta, 12'-15'		Cherry	y Crab
4 to 5 ft	1.65	1.35	
5 to 6 ft	2.25	1.90	
6 to 8 ft	2.85 3.90	2.35	
sargenti, 6'-8'	3.90	3.25 Sargen	+ Crab
Low growing form with rigid sp	reading	_	
flowering.	J. Caulil	, brancie	s. Fice
2 to 3 ft	1.35	1.10	.90
3 to 4 ft	2.00	1.70	1.35
5 to 6 ft	2.85 3.40	2.35 2.80	1.90 2.25
	0.40		2123

	Unit De	ice in Qua	
MALUS—continued		5-24	
scheideckeri, 10'-15'	Scl	neidecker	Crab
Lasting, double, pink flowers in ha yellow fruits.	indsome	clusters.	Large,
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
8 to 10 ft	2.85 3.90	2.35 3.25	1.90
sieboldi, 12'-15'	0.90	Toringo	Crah
Deep rose fading to white; large y	ellow o	r reddish a	apples.
5 to 6 ft	2.00		
6 to 8 ft	3.00		-
spectabilis, 10'-15'	inese F	lowering	Crab
Beautiful, double pink flowers; s	weet-sco	ented.	
3 to 4 ft	1.10	.95	·75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	1.7 <i>5</i> 3.40	1.65 2.80	1.50 2.25
8 to 10 ft	5.25		
			<i>c</i> .
theifera, 15'-20'			Crab
Sturdy, spreading tree with entire flowers which are white or tinte of the finest.			
3 to 4 ft	1.35	1.10	
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.85	2.35	
6 to 8 ft	3.60	2.85	
8 to 10 ft	4.50	3.75	
zumi, 12'-15' Low spreading tree of dense grov	wth Tie		i Crab
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.50	3.75	
—calocarpa, 12'-15'	4.5	0.5	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.50		
MORUS alba, 35'-50'		hite Mu	
The Mulberry cultivated in China ally thick-topped, rapid-growing a fruits attractive to birds.			
4 to 6 ft	1.10	.95	-75
		eping Mu	
Small "weeping" tree; long slend			
1 yr. heads, 4 to 5 ft. stem 2 yr. heads, 4 to 5 ft. stem	3.90	2.35 3.25	1.90 2.60
MYRICA carolinensis, 4'-5'	Nort	thern Bay	herry
Does well in poor, gravelly soil berries, and glossy, green foliage	l. Has	decorative	, gray
15 to 18 in	.70	.55	45
18 to 24 in	.90	.75	.60

——≪ N >>--

Unit Price in Quantities 1-4 5-24 25-249 NANDINA domestica, 4'-6' Nandina Evergreen. One of the handsomest, broad-leaved evergreens in the South. Foliage is light in effect. Beautiful fall coloring. Has large trusses of red berries. .60 1.10 .95 18 to 24 in., 6 in. pots..... 1.65 1.35 NEILLIA sinensis, 5'-6' Tube Neillia Graceful small shrub producing innumerable small pink flowers on terminal racemes. 2 to 3 ft.80 .65 .52 3 to 4 ft. 1.05 .90 .70 NEMOPANTHUS mucronata, 10' Mountain Holly Deciduous shrub. Handsome glossy foliage and attractive bluish-pink berries during the fall. Prefers moist soil. .50 18 to 24 in.75 2 to 3 ft.90 *NYSSA sylvatica, 40'-60' Sourgum One of our finest, ornamental trees, with handsome foliage, assuming brilliant autumn tints. Will grow in wet places. Also called Tupelo. 2 to 3 ft.90 -75 3 to 4 ft. 1.35 1.10 1.90 1.50 2.25 1.90 6 to 8 ft. 3.50



5.00

THE STONY BROOK BRIDGE

This triple-arched bridge on the Lincoln Highway, just west of the town, was erected in 1792 to replace the bridge built in 1738 and destroyed in the Battle of Princeton

→ (4) (5)

Unit Price in Quantities 1-4 5-24 25-249

OSMANTHUS aquifolium, 3'-4'	Holly Osmanthus				
Evergreen shrub, with holly-like		nd			
glossy. Suitable for protected loca	ations.				

OMDIA . '''		TT 1	1 .
18 to 24 in., pots	3.00	2.50	
15 to 18 in., pots	2.25	1.90	
12 to 15 in., pots	1.75	1.50	

OSTRYA virginiana, 25'-30' Hophornbeam Slender, spreading branches; handsome, beech-like foliage, clear yellow in autumn. Smooth, blue-gray bark, hop-like fruits. Useful for dry locations.

5 to 6 ft	2.85	2.35	1.90
6 to 8 ft	4.50	3.75	3.00
8 to 10 ft	6.35	5.30	4.25
Larger specimens up to 15 ft.			

OXYDENDRUM arboreum, 25'-30' Sourwood

Graceful clusters of white flowers. August. Good leathery foliage. Fine autumn coloring.

2	to	3	ft.,	B.	&	B.							1.10	.95	.75
3	to	4	ft.,	В.	&	B.							1.65	1.35	1.10
4	to	5	ft.,	В.	&	B.							2.25	1.90	1.50
			ft.,										3.90	3.25	2.60
6	to	7	ft.,	B.	&	B.		 		٠.			4.50	3.75	
7	to	8	ft.,	B.	&	B.				٠,		٠	6.00	5.00	
8	to	1	o ft	., I	3.	&	B				٠.		7.50		
10	o to)	12 f	t	B.	&	B						9.00		



CLIO HALL

This building in white marble, one of the twin edifices which used to house the two college literary and debating societies, is now the office of THE DAILY PRINCETONIAN

——≼ P >>>

	Unit Pr	ice in Qua	antities
PACHYSANDRA terminalis, 6"-8	1-4 3″ Ia	5-24	25-249
Evergreen. One of the best bed effect in shady places.	lding pl	ants for	green
2 in. pot grown	.15	.12	.10
PAULOWNIA tomentosa, 30'		Empres	s Tree
Large heart shaped leaves and si gives a bold picturesque effect flowers.	tout spre	eading br	anches
2 to 3 ft	1.50 2.00	1.25	
PHELLODENDRON chinense, 2	25'-30'		
	Chi	inese Co	rktree
A rapid-growing, tropical-appeari		l tree.	
6 to 8 ft	2.85	2.35	
8 to 10 ft	3.75	3.00	
12 to 14 ft	4.50 6.35	3.7 <i>5</i> 5.30	
Larger specimens up to 4 to 5 in.	0.33	3.30	
lavallei, 25'-30'		valle Co	
A tree from eastern Asia with fol nuts. Interesting corky bark.	iage sim	ilar to th	e wal-
5 to 6 ft	1.80	1.50	1.20
6 to 8 ft	2.70	2.25	1.80
8 to 10 ft	3.60	2.85	
PHILADELPHUS coronarius, 9'-		4 3 (- 1 - 1	
White, fragrant flowers profusely	Swee	t Mocko	range
2 to 3 ft	, porne		
3 to 4 ft	.30 •37	.25	.20
4 to 5 ft	.50	.30 .40	.27 .33
-aureus, 4'-5' Go	oldenlea	f Mocko	range
Dwarf, compact form. Yellow leav	ves.		
12 to 15 in	45	. 37	.30
15 to 18 in	-55	.47	-37
18 to 24 in	.70	-55	-45
floribundus, 9'-10'			
Resembles coronarius. Very freslightly fragrant.	ee bloo	ming; f	lowers
2 to 3 ft	.30	.25	.20
3 to 4 ft	40	-	.27
4 to 5 ft	-55	.47	-37
grandiflorus, 7'-8' Big S	centless	Mocko	range
Large flowers lacking fragrance.			
2 to 3 ft	. 33	.27	.22
3 to 4 ft	•37	.30	.27
4 to 5 ft	-55	-47	-37
5 to 6 ft	.80	.65	.52

PHILADELPHUS—continued	Unit Pri	ce in Quar	ntities
lemoine, 7'-8'	Lemoin	e Mockor	
Good, compact habit. Flowers swe			ange
18 to 24 in	-33	.27	.22
2 to 3 ft	40	-33	.27
3 to 4 ft	-55	-47	·37
sericanthus		e Mocko	
Late-flowering variety—large leading ally large.	aves and	nowers u	nusu-
3 to 4 ft	-55	-47	. 37
4 to 5 ft	.72	-57	-47
virginalis, 7'-8'		al Mocko	0
Beautiful, semi-double flowers all summer.	produced	intermit	tently
18 to 24 in	-33	.27	.22
2 to 3 ft	.45 .70	•37 •55	.30 .45
PHILADELPHUS HYBRIDS			.,
albatre, 4'-5' Large single white flowers. Low	hushw are	weth	
18 to 24 in	•33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	-55	-47	·37
atlas, 6'-8'			
Tall variety with enormous flower		27	22
18 to 24 in	•33 •45	.27 •37	.22 .30
3 to 4 ft	.55	.47	-37
avalanche, 4'-5'	Dwa	rf Mocko	range
Graceful, arching habit.			
18 to 24 in	•33 •37	.27 .30	.22
banniere, 7'-8'	•37	•50	,
New, early, semi-double, pure wi	hite.		
18 to 24 in	•33	.27	.22
2 to 3 ft	-37	.30	
3 to 4 ft	•55 •70	•47 •55	.45
bouquet blanc, 4'-5' Whit	te Bouqu	et Mocko	range
Low, dense habit. Blooms freely	. May-Jur	ne.	
18 to 24 in	-37	.30	.27
2 to 3 ft	.50	.40	·33
brachybotrys, 5'-6' Bushy growth; floriferous.			
3 to 4 ft	.55 .70	•47 •55	•37 •45
enchantment, 7'-8'			
Double white flowers in thick palanc.	anicles sir	nilar to B	ouquet
18 to 24 in		.27 .30	

	Unit P	rice in Qu				
PHILADELPHUS HYBRIDS—continued 25-249						
falconeri, 6'-8'						
Graceful arching habit. Star sha	ped flow	ers.				
2 to 3 ft	45	-37	.30			
3 to 4 ft	-55	-47	-37			
girandole, 7'-8' Strikingly handsome variety, pro	-£ :	0				
18 to 24 in	-37	nower.				
2 to 3 ft	•51 •50	.30 .40				
3 to 4 ft	-55	47	-37			
inodorus, 5'-6'						
Profuse bloomer. 18 to 24 in						
2 to 3 ft	•33 •45	.27 .37	.22			
		g Mocko	_			
Similar to Grandiflora in flower. I	Owarf an	Dearance				
2 to 3 ft	.45	-37	.30			
3 to 4 ft	-55	-47	·37			
lewisi, 8'-10'	1.00	.80				
Large single flowers.						
3 to 4 ft	-55	-47	27			
4 to 5 ft	•33 •70	·47 ·55	•37 •45			
maximus, 7'-8'		33	15			
Large-flowered variety.						
2 to 3 ft	-45	·37	.30			
3 to 4 ft	·55 .70	-47	-37			
5 to 6 ft	.85	.55 .70	•45 •55			
nivalis, 10'						
Very floriferous.						
18 to 24 in	-33	.27	.22			
3 to 4 ft	•45 •55	•37 •47	.30			
4 to 5 ft	.70	•55	•37 •45			
pubescens, 8'-10'	Hoary	Mocko	range			
Racemes of 6 to 8 flowers. Each facross.	Hower in	ch and a	half			
18 to 24 in	-33	.27	.22			
2 to 3 ft	·55	-47	-37			
4 to 5 ft	.45 .70	•3 7 •55	.30 .45			
purpurascens, 8'-10'	rolecup	Mockor				
Pure white fragrant flowers with p	ourple ca	lyx.	unge			
3 to 4 ft	-55	47	·37			
4 to 5 ft	.70	-55	-45			
pyramidalis, 8'-10' Narrow upright growth.						
2 to 3 ft	4.5	0.5				
3 to 4 ft	-45 -55	∙37 •47				
4 to 5 ft	.70	.55				
5 to 6 ft	.90	.75				

		ce in Qua	ntities 25-249				
PHILADELPHUS HYBRIDS-	continue	ed					
sericantus, 6'-8' Bushy with arching growth.							
4 to 5 ft	.70	-55					
5 to 6 ft	.90	.75					
verruculosus, 8'-10'							
Small leaves and white flowers.	4.5	07	20				
2 to 3 ft	·45 ·55	-37 -47	.30 .37				
4 to 5 ft 5 to 6 ft	.70 .90	·55	.60				
voie lactee, 7'-8'							
Large, single, white flowers, pure	white.						
2 to 3 ft	-45	-37					
3 to 4 ft	-55	-47					
4 to 5 ft	.70	-55	-				
PHOTINIA subumbellata, 10'		hristma	~				
Slender branched shrub. Simila shrubby in character. Attractive so		iits.	more				
3 to 4 ft	.75 1.20	.62 1.00	.50 .80				
5 to 6 ft	1.65	1.35	1.10				
6 to 8 ft	2.25	1.90	1.50				
8 to 10 ft	2.85	2.35	1.90				
PHYSOCARPUS opulifolius, 9'-10' Ninebark							
			iebark				
Creamy-white, June. Vigorous. C			iebark				
Creamy-white, June. Vigorous. C	ood for	shade.	.18				
Creamy-white, June. Vigorous. C 2 to 3 ft	.27 -33	shade. .22 .27	.18				
Creamy-white, June. Vigorous. C	ood for	shade.	.18				
Creamy-white, June. Vigorous. C 2 to 3 ft	.27 -33 -45 -55 Gold	shade. .22 .27 .37 .47 Illeaf Nin	.18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft	.27 .33 .45 .55 Goldwers in e	shade22 .27 .37 .47 dleaf Nin	.18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft	33 45 55 Gold wers in 6	shade. .22 .27 .37 .47 illeaf Nin arrly Jun	.18 .22 .30 .37 nebark e.				
Creamy-white, June. Vigorous. C 2 to 3 ft	33 45 55 Goldwers in 6	shade. .22 .27 .37 .47 illeaf Nin arrly Jun .22 .27	.18 .22 .30 .37 nebark e.				
Creamy-white, June. Vigorous. C 2 to 3 ft	33 45 55 Gold wers in 6	shade. .22 .27 .37 .47 illeaf Nin arrly Jun	.18 .22 .30 .37 nebark e.				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5'	33 45 55 Gold wers in e	shade. .22 .27 .37 .47 illeaf Nin :arly Jun .22 .27 .37	.18 .22 .30 .37 nebark e. .18 .22 .30 .37				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5' Dwarf variety of the specie.	Good for .27 .33 .45 .55 Gold wers in e .27 .33 .45 .55	shade. .22 .27 .37 .47 dleaf Nin .22 .27 .37 .47 warf Nin	.18 .22 .30 .37 nebark e. .18 .22 .30 .37				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5'	33 45 55 Gold wers in e	shade. .22 .27 .37 .47 dleaf Nin .22 .27 .37 .47	.18 .22 .30 .37 nebark e. .18 .22 .30 .37				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5' Dwarf variety of the specie.	Good for .27 .33 .45 .55 Gold wers in e .27 .33 .45 .55	shade. .22 .27 .37 .47 Illeaf Nin .22 .27 .37 .47 warf Nin	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft	33 45 .55 Goldwers in e .27 .33 45 .55 D	shade22 .27 .37 .47 Illeaf Nin .22 .27 .37 .47 warf Nin .40	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5' Dwarf variety of the specie. 2 to 3 ft. PICEA canadensis (alba), 50'-60' Evergreen. Silvery foliage; deveren of close texture.	33 45 .55 Goldwers in e .27 .33 45 .55 D	shade22 .27 .37 .47 Illeaf Nin .22 .27 .37 .47 warf Nin .40	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5' Dwarf variety of the specie. 2 to 3 ft. PICEA canadensis (alba), 50'-60' Evergreen. Silvery foliage; deveren of close texture. 15 to 18 in., B. & B.	33 45 55 D	shade22 .27 .37 .47 Illeaf Nin .22 .27 .37 .47 warf Nin .40 White S shapely	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5' Dwarf variety of the specie. 2 to 3 ft. PICEA canadensis (alba), 50'-60' Evergreen. Silvery foliage; deveren of close texture. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	Good for .27 .33 .45 .55 .55 .55 .55 .55 .50 .50 .50	shade22 .27 .37 .47 dleaf Nin .22 .27 .37 .47 warf Nin .40 White S shapely .95	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft	33 45 55 D	shade22 .27 .37 .47 dleaf Nin .22 .27 .37 .47 warf Nin .40 White S shapely .95 1.35 2.35 6.25	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				
Creamy-white, June. Vigorous. C 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aureus, 9'-10' Golden-leaved variety; white flo 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —nanus, 5' Dwarf variety of the specie. 2 to 3 ft. PICEA canadensis (alba), 50'-60' Evergreen. Silvery foliage; devermen of close texture. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B.	Good for .27 .33 .45 .55 .55 .55 .50 .50 .50	shade22 .27 .37 .47 dleaf Nin .22 .27 .37 .47 warf Nin .40 White S shapely .95 1.35 2.35	.18 .22 .30 .37 nebark e18 .22 .30 .37 nebark				

PICEA—continued	Unit 1-4	Price in Q 5-24	uantities 25 - 249
canadensis glauca conica, 4'-6'	Dwar	f Alberta	Spruce
Narrow pyramid. Slow of grow branches. Bright green leaves. Us	wth w seful in	ith short, n the rock	twiggy garden.
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	4.50		3.00
2 to 2½ ft., B. & B	6.00		4.00
engelmanni, 75'-100'		igelmann	-
Foliage bluish-green to steel-bl	ue. Ha	indsome s	pecimen
18 to 24 in., B. & B	1.65	1.25	1 10
2 to 3 ft., B. & B.		1.35	1.10
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B	4.10	3.50	
Larger specimens to 10 to 12 ft.	6.00		-
excelsa, 80'-100'		Norway	Spruce
Evergreen. Has dark green foli	age an	d grows	rapidly.
Makes a good windbreak, and a trimmed hedges.	lso lei	nds itself	well to
SPECIAL NOTE—Our Norway Spruce symmetrical plants as they are shaped pare these plants with those grown by	are all	exceptional	lu dense
symmetrical plants as they are shaped	up eve	ry year. Do	not com-
pare these plants with those grown by	the ordi	nary method	ds.
18 to 24 in., B. & B	1.35	1.10	.90
2 to 3 ft., B. & B	1.80	1.50	1.20
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B	6.75	5.50	4.50
6 to 8 ft., B. & B	10.15	8.45	6.75
8 to 10 ft., B. & B	13.50	11.00	9.00
Larger specimens to 12 to 14 ft.	1000		9.00
—inverta, 3'-5'			
Densely-branched pendulous form 6 to 8 ft., B. & B			
8 to 10 ft., B. & B	9.00		
—pyramidalis, 35'-50' Pyram	nidal :	Norway	Spruce
Narrow, pyramid type with bra			
angle.		ascending	on an
6 to 7 ft., B. & B	10.00		
7 to 8 ft., B. & B	12.00		
8 to 10 ft., B. & B.	15.00	-	
koyamai, 40'-50'		Koyamai	
Narrowly pyramidal. Most attracti	tings.	age. Has i	nterest-
15 to 18 in	2.00		
omorika, 40'-50'		Serbian :	
A rapid-growing, narrow, comparduced from Southeastern Europe.	ct pyra Good	amid type accent and	intro- l speci-
men tree. 2 to 3 ft., B. & B	4.00	-	

PICEA—continued	Unit Pr	ice in Qua 5-24	ntities 25 -24 9
orientalis, 75'-100'	C	Priental S	pruce
Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing.			
15 to 18 in., B. & B	1.10	.95	-75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.40	2.80	2.25
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B	6.00	5.00	
5 to 6 ft., B. & B	9.00	7.50	
polita, 60'-75'	Ti	ger-tail S	pruce
Very distinct species. Has rigid le senting a most striking effect.	aves on	stout limb	s, pre-
15 to 18 in., B. & B	1.50	1.25	
18 to 24 in., B. & B	2.25	1.90	
2 to 2½ ft., B. & B	3.00	2.50	
2½ to 3 ft., B. & B	4.00	3.35	
3 to 4 ft., B. & B	5.00	4.10	
pungens, 60'-80'	С	olorado S	Spruce
Evergreen. Branches in distinct	whorls.	forming	hand.
some lawn specimen.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1011111119	114114
18 to 24 in., B. & B	1.35	1.10	.90
2 to 2½ ft., B. & B	1.80	1.50	1.20
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B	6.75	5.50	4.50
6 to 8 ft., B. & B	10.15	8.45	
8 to 10 ft., B. & B	15.00	12.50	
pungens glauca, 60'-80'	Blue C	olorado S	Spruce
Similar to above, but of a plea plants.	sing blu	e color. S	elected
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.40	2.80	2.25
3 to 4 ft., B. & B	5.60	4.75	3.75
4 to 5 ft., B. & B	8.00	6.50	5.25
5 to 6 ft., B. & B	10.00	8.00	6.75
6 to 8 ft., B. & B	13.00	10.00	
8 to 10 ft., B. & B	16.00		-
10 to 12 ft., B. & B	20.00		
—kosteri, 60'-80'	Kos	ter Blue S	Spruce
Our own stock now offered in	limited	quantity	and is
unusually good. It was carefull every plant is well shaped.	y selecte	d for col	or, and
18 to 24 in., B. & B	3.90	3.25	2.60
2 to 2½ ft., B. & B	5.00	4.25	3.40
2½ to 3 ft., B. & B	6.75	5.50	4.50
3 to 4 ft., B. & B	8.25	7.25	5.60
4 to 5 ft., B. & B	10.00	8.25	
5 to 6 ft., B. & B	15.00	12.00	
Larger specimens to 10 ft.			

	Unit	Price in Q	uantities
PICEA—continued	1-4	5-24	25-249
—specki, 60'-80'			
Bluish-white foliage.			
4 to 5 ft., B. & B	8.00		
5 to 6 ft., B. & B.	10.00		
DWARF SPRU	CES		
We have been building up a stock attractive varieties of dwarf spruces rockeries and locations when neat, wanted.	espec	cially ada	oted for
Picea excelsea clanbrasiliana, 6-9 in	n.	Barr	y Sruce
—— conica, 4-6 in., 6-9 in.		rrowhead	Spruce
— echiniformis, 4-6 in.		Iedgehog	
— Gregoryana, 4-6 in., 6-9 in.		Gregory	
—— Maxwell, 4-6 in.		Maxwell	
— microsperma, 4-6 in.	Sn	nall Cane	_
— nidiformis, 4-6 in., 6-9 in., 9-12			_
		Birdnest	*
4 to 6 in., B. & B	.90	·75	.60
9 to 12 in., B. & B	1.35		.90
DIEDVA A II		tain And	
Evergreen. Waxy-white flowers in foliage, best in half-shady place	may. s. Ver	Good, dee	p green
12 to 15 in., B. & B	2.25	1.90	1.50
15 to 18 in., B. & B	3.40	2.80	2.25
18 to 24 in., B. & B	4.50	3.75	3.00
japonica, 5'-6'	Tapai	nese And	romeda
Evergreen. Thick, shiny leaves, ter. Drooping clusters of small,	turnin; white	g bronze flowers	in win-
May. Grows slowly. Best in moist,	partia	ally shade	d place.
12 to 15 in., B. & B	1.65	1.35	
15 to 18 in., B. & B	2.85	2.35	
18 to 24 in., B. & B	3.90	3.25	
2 to 2/2 It., b. or b	5.25	4.40	
mariana, 5'-6'		Stagg	erbush
Waxy-white flowers, May-June.			
12 to 15 in., B. & B	1.50	1.25	
PINUS			
bungeana, 80'-100'		Lacebai	le Dina
An unusually hardy slow growing bark which peels off showing a Very desirable for collections.	tree; light	bushy habi	t. Flakv
6 to 9 in., B. & B	1.10	.95	-75
9 to 12 in., B. & B	1.65	1.35	1.10
cembra, 35'-50'	S	wiss Stor	ne Pine
Very slow growing. Makes a near	t symi	metrical p	vramid
with dense, compact growth. Stand	ls close	e shearing	
18 to 24 in., B. & B	4.50	3.75	
2 to 2½ ft., B. & B	6.00	5.00	
6 to 7 ft., B. & B	15.00		

PINUS—continued	Unit:	Price in Qua 5 - 24	25 - 249
densiflora, 60'-80'	Iar	anese Rec	d Pine
Evergreen. Foliage dark green. A			
2 to 3 ft., B. & B	2.20	1.80	arrety.
3 to 4 ft., B. & B	2.90		
4 to 5 ft., B. & B	3.00	2.50	
5 to 6 ft., B. & B	6.35	5.30	
6 to 7 ft., B. & B	7.50	6.25	-
• •			70.1
		Umbrella	
Odd shape, short, stocky stems, wit			
light green. Handsome and usefu		irt evergre	en.
6 to 7 ft., B. & B	9.00		
excelsa, 30'-60'		Himalayaı	n Pine
Silvery, gray-green needles. Gra white pine. A very handsome vari	etv.	nabit siin	iiai to
2 to 3 ft., B. & B	2.25	1.90	
3 to 4 ft., B. & B	3.60	2.85	
4 to 5 ft., B. & B	5.25	4.50	
5 to 6 ft., B. & B	7.25	6.00	
florities and and		Limbe	n Dina
flexilis, 30'-40'			
Evergreen. Dark, bluish-green fol	iage;	very hardy	•
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 3 ft., B. & B	2.60	2.20	1.75
3 to 4 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B	9.00		
	c .	25	D'
montana, 10'		Mountair	
montana, 10' Similar in habit to Pinus mugho			
montana, 10' Similar in habit to Pinus mugho and more open in form.	o but		
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00		
montana, 10' Similar in habit to Pinus mugho and more open in form.	o but		
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B.	5.00 6.25	of faster g	growth
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4'	5.00 6.25 10.00	of faster a	growth Pine
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp	5.00 6.25 10.00	of faster a	growth Pine
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation we	5.00 6.25 10.00	of faster a	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation we 12 to 15 in., B. & B.	5.00 6.25 10.00 ed clubrk.	Mugho	growth Pine
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo	5.00 6.25 10.00 ed chork.	Mugho ump. Useft	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90	Mugho ump. Useft	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	5.00 6.25 10.00 ed chork.	Mugho ump. Useft 1.90 2.20 3.25 4.40	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25	Mugho ump. Useft	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B.	5.00 6.25 10.00 ed cloork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed chork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25 7.50	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed cloork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25 7.50	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed chork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25 7.50	Pine ul for
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 12.00 15.00 18.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ————————————————————————————————	Pine 1.50
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo l2 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 12.00 15.00 18.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ————————————————————————————————	Pine 1.50
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo late to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. migra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 12.00 15.00 18.00	Mugho ump. Useft 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ————————————————————————————————	Pine 1.50
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo lead to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00	Mugho 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ——————————————————————————————————	2.25 3.50
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. migra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 15.00 18.00	Mugho 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ——————————————————————————————————	2.25 3.50 5.00
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5 ft., B. & B. 5 to 6 ft., B. & B. migra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed cloork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 15.00 18.00 igorou seasho 3.40 5.25 7.50 9.40	Mugho 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ——————————————————————————————————	Pine 1.50 In Pine 2.25 3.50
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 5 to 6 ft., B. & B. ingra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 3 ft., B. & B. 8 to 4 ft., B. & B. 9 to 6 ft., B. & B. 10 to 5 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 15 to 6 ft., B. & B. 15 to 6 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00 igorou seasho 3.40 5.25 7.50 9.40	Mugho ump. Usefor 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ————————————————————————————————	2.25 3.50 5.00
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo late to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 10 to 3 ft., B. & B. 11 to 4 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 7 ft., B. & B. 17 to 3 ft., B. & B. 18 to 4 ft., B. & B. 19 to 4 ft., B. & B. 10 to 5 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 8 ft., B. & B. 17 to 6 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00 igorou seasho 3.40 5.25 7.50 9.40 13.50	Mugho ump. Usefor 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ————————————————————————————————	2.25 3.50 5.00
montana, 10' Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 5 to 6 ft., B. & B. ingra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 3 ft., B. & B. 8 to 4 ft., B. & B. 9 to 6 ft., B. & B. 10 to 5 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 15 to 6 ft., B. & B. 15 to 6 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00 igorou seasho 3.40 5.25 7.50 9.40	Mugho ump. Usefor 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 ————————————————————————————————	2.25 3.50 5.00

PINUS—continued	Unit P	rice in Qu 5-24	antities 25-249
resinosa, 60'-70'		Re	d Pine
Dark green, stiff needles, vigorou	S.	1110	d I IIIc
18 to 24 in., B. & B	1.10	.95	76
2 to 3 ft., B. & B	2.85	2.35	.7 <i>5</i>
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B.	6.00	5.00	4.00
5 to 6 ft., B. & B	9.00	7.50	6.00
8 to 10 ft., B. & B.	13.50 18.00	11.00	9.00
10 to 12 ft., B. & B	24.00	20.00	
12 to 14 ft., B. & B	29.00	24.00	
strobus Pol roal			***
strobus, 80'-100'			e Pine
Evergreen. Probably our most ada Very picturesque when old.	aptable	and usefu	ıl pine.
18 to 24 in., B. & B			
2 to 3 ft., B. & B.	1.65 2.85	1.35	1.10
3 to 4 ft., B. & B	5.25	2.35 4.40	1.90 3.50
Larger specimens to 18 ft. at \$2.2	5 ner fi	4.40	3.30
	J P 02 2		
sylvestris, 25'-30'			1 Pine
Evergreen. A rapid-growing, har	ndsome	tree, esp	ecially
when young. Good for windbreak			
2 to 3 ft., B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B.	3.40 5.60	2.80	2.25
Larger specimens to 14 ft. at \$2.2		4.75	3.75
) per re	•	
thunbergi, 80'-100'	Japane	ese Black	Pine
Evergreen. A large growing tree foliage and long needles; good for	with r	ich, dark	green
18 to 24 in., B. & B	2.25	1.90	LS.
2 to 3 ft., B. & B	3.40	2.80	
3 to 4 ft., B. & B	4.50	3.75	
4 to 5 ft., B. & B	6.35	5.30	
5 to 6 ft., B. & B	7.50	6.25	
PLATANUS occidentalis, 75'-100'			
American Planetree or	· A m o =	C	
8 to 10 ft			imore
8 to 10 ft., 1½ to ½ in	2.25 3.40	1.90 2.80	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	3.75	
10 to 12 ft., 13/4 to 2 in	5.60	4.75	
12 to 14 ft., 2 to 2½ in	6.75	5.50	
orientalis, 70'-80'	Europ	ean Plar	netre e
A good tree for park and street us	se: gros	vs rather	quick-
ly; withstands smoky city conditi	ons.		
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft 8 to 10 ft., 1½ to 1½ in		2.35	1.90
10 to 12 ft., 1½ to 1¾ in	2.85		
10 to 12 ft., 134 to 2 in	3.90	3.25	2.60
12 40 14 64 0 4- 01/ "	3.90 4.50	3.25 3.75	3.00
12 to 14 ft., 2 to 21/4 in	3.90	3.25 3.75 4.75	3.00 3.75
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	3.90 4.50 5.60	3.25 3.75	3.00
12 to 14 ft., 2½ to 2½ in 2½ to 3 in	3.90 4.50 5.60 6.75 7.90 9.00	3.25 3.75 4.75 5.50 6.55 7.50	3.00 3.75 4.50
12 to 14 ft., 2½ to 2½ in 2½ to 3 in 3 to 4 in	3.90 4.50 5.60 6.75 7.90 9.00	3.25 3.75 4.75 5.50 6.55 7.50	3.00 3.75 4.50 5.25
12 to 14 ft., 2½ to 2½ in 2½ to 3 in 3 to 4 in	3.90 4.50 5.60 6.75 7.90 9.00	3.25 3.75 4.75 5.50 6.55 7.50	3.00 3.75 4.50 5.25

P

P

		ce in Qua	
OLYGONUM auberti, 25'	Chi	ina Fleed	cevine
Climbing plant of vigorous gr foamy sprays of white flowers d 2 year medium	uring su	mmer and	great d fall.
OPULUS bolleana, 50'-60'	Во	olleana F	Poplar
Leaves white underneath; simila Lombardy Poplar.	r column	ar charac	cter to
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in.	1.10 1.65 2.25 3.40 4.00	.90 1.35 1.90 2.80 3.50	.75 1.10 1.50 2.25
eugenie, 75'-90'	C	arolina I	Poplar
A rapid grower; succeeds even seashore.	in dry p	olaces and	d near
6 to 8 ft., 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 12 to 14 ft., 1½ to 2 in. 14 to 16 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in.	.70 .90 1.30 1.90 2.25 3.15	.55 .75 1.00 1.50 1.90 2.60	.45 .60 .85
maximowiczii, 80'-100'	Ja	panese I	Poplar
General habit similar to Carolin deeper green and leaves hang or white bark,	a Poplai	but fol	iage is
12 to 14 ft., 2 to 2½ in	3.50 5.00 7.00 9.00	2.80 4.25 5.50 7.50	
nigra italica, 60'-80'	Lo	nbardy l	Poplar
Tall spire-like character; valued screens.	for land	lscape wo	rk and
6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in 14 to 16 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in.	.55 .90 1.35 2.00 2.85 3.90 5.25	.47 .75 1.10 1.70 2.35 3.25 4.40	.37 .60 .90 1.35 1.90 2.60 3.50
simoni, 25'-30'		Simon I	Poplar
Hardy, small, fastigate tree with	good fo	liage.	
6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft.	1.10 1.65 2.25 2.85 3.50	.95 1.35 1.90 2.35	.75 1.10 1.50 1.90
tremuloides, 40'-50'	(Quaking	Aspen
Small tree distinguished by whit 12 to 14 ft	ish gray 5.00 6.00	bark.	

	Unit Pr	ice in Qu 5-24	
POTENTILLA fruticosa, 3'-4'	Shrul	by Cin	quefoil
Blooms profusely, yellow, June- able and useful shrub.			
12 to 18 in	.27 .45	.22 ·37	.18
PRUNUS americana, 10'-12'	A	merican	Plum
Bushy growth and has abundance April-May.			
2 to 3 ft	-33	.27	.22
3 to 4 ft	45 •55	•37 •47	.30
5 to 6 ft	.80	.65	-37
6 to 8 ft	1.00	.80	
8 to 10 ft	1.25	1.00	
besseyi, 10'-12'		Bessy (Cherry
Also called Western Sand Cherr purple fruit.	ry. Very	hardy.	Large
18 to 24 in	-37	.30	.25
2 to 3 ft	.45	-37	.30
cerasifera pissardi, 12'-15'		rpleleaf	
Valued chiefly because of purpli pruned every year for best color	effect.	ge; shou	ald be
4 to 5 ft	1.10	.95	-75
5 to 6 ft	1.65	1.35	1.10
	2.00	1.70	
	iello Pu		
A variety of the above, somewhat larger leaves.	stronge	r growe	r and
3 to 4 ft	.90	.75	.60
5 to 6 ft	1.10	.95 1.35	•75
cistena, 15'-20'	rpleleaf	Sand C	herry
Upright growth. Foliage similar to			
5 to 6 ft	1.25	1.00	
glandulosa, 5'-6'	Flowe	ring Al	mond
Flowers double, May; very show: White varieties.	y; there	are Pin	k and
18 to 24 in	-45	·37	.30
2 to 3 ft	.55 .80	-47	-37
		.65	.52
hortulana, 25'-30'		ortulan	
Tree form, Parent of many orchar dish yellow.			red-
4 to 6 ft	2.00	1.10	
maritima, 9'-10'		Beach 1	Plum
Small white flowers, April. Fruits subject for sandy soils or near sea	are pui		
5 to 6 ft	1.50	1.25	

			-
PRUNUS—continued	Unit Pri	ce in Qı 5 - 24	
padus, 30'-40'	European	Bird	Cherry
Decorative flowering tree; has l white flowers, black fruit.	long droop	ing rac	emes of
3 to 4 ft	.75	.60	.50
4 to 6 ft	1.10	.95	-75
6 to 8 ft	1.50 1.90	1.25	1.00
10 to 12 ft	2.25	1.90	1.25
pennsylvanicum, 10'-12'		Pin	Cherry
Small shrubby tree; very sho			h white
flowers April-May. Grows well	-	_	
8 to 10 ft		1.60 2.35	1.30
12 to 14 ft		2.60	1.90
persica (See Amygdalus Persic			
persica (See Imygaalas I ersic	,		
serrulata, 40'-60'			Cherry
One of the species of wild flo large strong tree with wealth or soms in early spring. Foliage la	f white, ser .rge, deep g	ni-dout green, c	ole blos-
to brilliant shades of yellow and		e fall.	
8 to 10 ft			
10 to 12 ft., 2 to 274 iii	4.75		
—sacchalinensis (sargenti), 40'-6			Cherry
Largest and hardiest of Oriental soms, fading to white. An ideal tree.			
6 to 8 ft	3.00	2.50	
8 to 10 ft., 13/4 to 2 in	4.50	3.75	
10 to 12 ft., 2 to 2½ in	6.00	5.00	
subhirtella, 25'-30']	Higan	Cherry
Small tree with ascending br pink flowers.	anches. Nu	ımerou	s single
6 to 8 ft		3.25	
8 to 10 ft	6.00	5.00	-
-autumnalis, 25'-30' Autumn F			_
Small tree. Semi-double pink bloom or early spring.	ssoms flowe	ring in	October
3 to 4 ft		1.70	
4 to 5 ft		2.05	
-Beni Higan, 25'-30'			
Improved strain of subhirtella.			
3 to 4 ft		1.25	
4 to 5 ft		1.70	
5 to 6 ft	3.00	2.50	

Fragrance and color blend to make the Lilacs ever popular favorites. Visit our nurseries during early May when thousands of plants are in full bloom.

PRUNUS—continued	Unit P 1-4	rice in Qu 5-24	antities 25-249
subhirtella pendula, 12'-15'	Veeping	Japan	Cherry
A most beautiful and graceful blossoms in early spring.	tree, co	vered wi	th pink
5 to 6 ft. stems, 1 yr. heads 5 to 6 ft. stems, 2 yr. heads	3.75	3.00	
4 to 6 ft. stems, 5 yr. heads	5.60	4.75	
2½ to 3 in	10.50		
flore plena, 12'-15' Double	Flo W	Veeping	Cherry
Similar to the above with larger	double	Howers	Chicity
5 to 6 ft. stems, 1 yr. heads		3.75	
tomentosa, 6'-7'	N	Vanking	Charry
Fruits are light red. Flowers whi			
Very showy.	, 5020	C ICAVCB	аррсат.
2 to 3 ft	.70	-55	-45
3 to 4 ft	.90 1.10	•7 <i>5</i> •95	.60
5 to 6 ft	1.35	1.10	•75 •90
triloba plena, 7'-8'	Double	flowering	v Dlum
Double pink flowers, April-May.			
2 to 3 ft	.70	.55	45
3 to 4 ft	.90	.75	.60
TADAMESE CHE	DDIEC		
JAPANESE CHE		34	
All of our cherries are eastern g	rown. I	They are	heavy,
All of our cherries are eastern g well branched, well rooted specime	rown. I	They are to be con	heavy, npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips.	rown. I	They are to be con	heavy, npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25'	rown. I	to be con	heavy, npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips.	rown. I	to be con	heavy, npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. Tens not profus 1.65 2.25	ion. 1.35 1.90	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. Tens not	ion.	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. Tens not profus 1.65 2.25	ion. 1.35 1.90	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. Tens not	ion. 1.35 1.90 2.50	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. 7 ens not 1.65 2.25 3.00	ion. 1.35 1.90 2.50	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. Tens not	ion. 1.35 1.90 2.50	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	rown. 7 ros not 1.65 2.25 3.00	ion. 1.35 1.90 2.50	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	rown. 7 ros not 1.65 2.25 3.00	ion. 1.35 1.90 2.50	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft.	rown. 7 ens not 1.65 2.25 3.00 1.50 2.00	ion. 1.35 1.90 2.50	npared
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	rown. 7 ens not 1.65 2.25 3.00 1.20 1.50 2.00	ion. 1.35 1.90 2.50 1.00 1.25 -95 1.35	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.65 2.25 3.00 1.10 1.65 2.25	ion. 1.35 1.90 2.50 1.00 1.25	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	rown. 7 ens not 1.65 2.25 3.00 1.20 1.50 2.00	ion. 1.35 1.90 2.50 1.00 1.25 -95 1.35	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in.	rown. 7 ens not 1.65 2.25 3.00 1.20 1.50 2.00	ion. 1.35 1.90 2.50 1.00 1.25 -95 1.35	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2¼ in. J. H. Veitch (fugenzo), 30' Flowers double pink.	rown. 7 ens not 1.65 2.25 3.00 1.20 1.50 2.00	ion. 1.35 1.90 2.50 1.00 1.25 -95 1.35	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2¼ in. J. H. Veitch (fugenzo), 30' Flowers double pink. 3 to 4 ft.	1.65 2.25 3.00 1.10 1.65 2.25 7.50 10.00	ion. 1.35 1.90 2.50 1.00 1.25 1.00	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2½ in. 13 to 4 ft. 4 to 5 ft. 5 to 6 ft. J. H. Veitch (fugenzo), 30' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2½ in. 13 to 4 ft. 4 to 5 ft.	rown. 7 ens not 1.65 2.25 3.00 1.20 1.50 2.00 1.10 1.65 2.25 7.50 10.00	ion. 1.35 1.90 2.50 1.00 1.25	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2½ in. 13 to 14 ft., 2 to 2½ in. 14 to 5 ft. 5 to 6 ft. 15 to 6 ft. 16 to 8 ft., 1½ to 1¾ in.	1.65 2.25 3.00 1.10 1.65 2.25 7.50 10.00	ion. 1.35 1.90 2.50 1.00 1.25 1.00	1.10
All of our cherries are eastern g well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Amayodori, 25'-35' Flowers double white. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Ichiyo (hisakura), 25'-35' Flowers double pink. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2½ in. 13 to 14 ft., 2 to 2½ in. 14 to 5 ft. 5 to 6 ft. 15 to 6 ft. 16 to 12 ft., 1½ to 2 in. 17 to 14 ft., 2 to 2½ in. 18 to 14 ft., 2 to 2½ in. 19 to 14 ft., 2 to 5 ft. 5 to 6 ft. 10 to 5 ft. 5 to 6 ft.	rown. 7 ens not 1.65 2.25 3.00 1.20 1.50 2.00 1.10 1.65 2.25 7.50 10.00	ion. 1.35 1.90 2.50 1.00 1.25 1.00 1.25 1.50	1.10

P

		ice in Qua	
RUNUS—Japanese Cherries—co		3 -4	-) -+)
jonioi			
Single white.			
3 to 4 ft	1.65 2.25	1.35	
	2.25	1.90	
Kanzan, 40' One of the best—flowers deep pin	nk and v	erv doub	le.
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.25 3.00	1.90 2.50	
8 to 10 ft., 2 to 2½ in	5.60	4.75	
10 to 12 ft., 2½ to 2½ in	7.50	6.25	
naden			
Semi-double pale pink.			
3 to 4 ft	1.65	1.35	
4 to 5 ft	2.2 <i>5</i> 3.00		
Ojochin, 25'			
Large tree with light pink, semi-	double i	flowers.	
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in			
Paul Wohlert, 25'-30'			
Double, deep pink flowers-semi-	dwarf f	orm.	
8 to 10 ft	6.00		
10 to 12 ft	7.50		-
Rosea superba, 30'			
Flowers double rose.			
3 to 4 ft	1.65 6.00	1.35	
serrulata sekizan			
Double pink.			
5 to 6 ft	2.85	2.35	1.90
6 to 8 ft	3.30	2.75	2.25
Shirofugen, 25'-35'			
Light pink buds opening to white	-doubl	e.	
3 to 4 ft	1.35	1.10	.90
5 to 6 ft	1.65 2.25	1.35	1.50
6 to 8 ft., 11/4 to 11/2 in	2.85	2.35	
8 to 10 ft., 1½ to 2 in	5.25 7.50	4.40 6.25	
takinioi	7.0-	0.25	
Single white.			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.65	1.35	
Watereri, 30'			
Showy, double pink flowers.			
4 to 5 ft	1.90		
5 to 6 ft	6.00		

		Price in Qu	
	1-4	5-24	25-249
PRUNUS—Japanese Cherries—co	ntinue	ed	
Yedoensis (yoshino cherry), 35' Single, pale pink.			
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 2½ to 2½ in. 10 to 12 ft., 2½ to 3 in.	1.65 2.25 2.60 3.45 6.00 7.50	1.35 1.90 2.20 2.80	1.10 1.50 1.75 2.25
PSEUDOTSUGA douglasi, 70'-80	,	Dou	glas-fir
Evergreen. Very hardy; dark blui			
fers well drained situation.			0. 4
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.65 2.25 3.90 5.60	.90 1.35 1.90 3.25	.75 1.10 1.50 2.60
5 to 6 ft., B. & B	7.90 15.00 22.50 30.00	4.75 6.55 12.50 19.00	3.75 5.25 10.00 15.00
PTELEA trifoliata, 10'-12'		н	optree
Has clusters of fruit that look and	d amal		•
2 to 3 ft	.50	.40	
3 to 4 ft	.70	.55	.32 .45
	·	TZ 1	
PUERARIA thunbergiana, 60' One of the fastest growing vines i purple flowers.	n culti		u-bean ragrant
1 year, strong	.22	.20 .22	.15
PYRACANTHA coccinea lalandi,	La	aland Fire	
Evergreen. A beautiful broad-leave clusters of orange berries in the fa the North.			
2 to 3 ft., 5 in. pots	4.50 6.75	3.7 <i>5</i> 5.50	3.00 4.50



NURSERY GROWN OAKS

Our Specialty

The following list of Oaks is (we are told) one of the finest lots grown in America. For years we have been painstakingly building up a select lot of shade trees and have been convinced that Oaks would be finally recognized as one of the best shade tree groups. The increased popularity and demand have justified our conviction.

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best.

They are especially adapted to highway and park planting and are available in quantity. We have over 100,000 including all sizes.

We handle our trees carefully, avoid exposure and take every precaution to insure safe transplanting.

0

	Unit P	rice in Qua	ntities
	1-4		25-249
UERCUS alba, 100'	•		e Oak
Best planted in spring. The most		oak of all	l, slow
in growth but makes magnificent	tree.		
6 to 8 ft	1.65	1.35	1.10
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft., 11/4 to 11/2 in	3.40	2.80	2.25
9 to 11 ft., 1½ to 1¾ in	5.25	4.40	3.50
10 to 12 ft., 1 ³ / ₄ to 2 in	6.7 <i>5</i> 9.00	5.50 7.50	4.50 6.00
12 to 14 ft., 2½ to 2½ in	11.00	9.50	7.50
12 to 14 ft., $2\frac{1}{2}$ to 3 in	13.50	11.00	9.00
14 to 16 ft., 3 to $3^{1/2}$ in	15.00	12.50	10.00
, , , , , , , , , , , , , , , , , , , ,			
bicolor, 50'-60'	Swa	amp Whit	e Oak
Large tree with round, somewhat bark.	open	head. Gray	, scaly
10 to 12 ft., 1½ to 1¾ in	5.50	0	
10 to 12 ft., 13/4 to 2 in	7.00		
12 to 14 ft., 2 to 2½ in	10.00		
12 to 14 ft., 2½ to 3 in	15.00		
coccinea, 75'-90'		Scarle	t Oak
Most striking autumn colors; tall cut leaves.	l, statel	y grower,	deeply
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft	5.25	4.40	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	6.00	5.00	
10 to 12 ft., 1½ to 1¾ in	7.90	6.55	
10 to 12 ft., 13/4 to 2 in	9.00	7.50	
12 to 14 ft., 2 to 2 ¹ / ₄ in	11.00	9.50	
12 to 14 ft., 21/4 to 21/2 in	13.50	11.00	
14 to 16 ft., 2½ to 3 in	15.75	13.15	
14 to 16 ft., 3 to 3½ in	18.00	15.00	
macrocarpa, 75'-80'		Mossycu	_
Vigorous grower of picturesque corky branches.	appeara	ance owing	to its
6 to 8 ft	2.85	2.35	1.90
8 to 10 ft	4.50	3.75	3.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.60	4.75	3.75
10 to 12 ft., 1½ to 1¾ in	6.75	5.50	4.50
10 to 12 ft., 13/4 to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2½ in	11.25	9.00	7.50
12 to 14 ft., 2½ to 3 in	13.50	11.25	
14 to 16 ft., 3 to 3 ¹ / ₂ in	18.00	15.00	
14 to 16 ft., 3½ to 4 in	22.50		

	Tinia D.		
QUERCUS—continued	1-4	ice in Qu 5-24	25 - 249
palustris, 75'-90'		Pi	n Oak
Takes most kindly to cultivation	; prefer	s moist s	oil but
good autumn effects.	fitting a	s a stree	t tree;
4 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in	3.40	2.80	2.25
10 to 12 ft., 13/4 to 2 in	4.50 6.00	3.75	3.00
12 to 14 ft., 2 to 2½ in	8.00	5.00 6.50	4.00 5.25
12 to 14 ft., $2\frac{1}{2}$ to 3 in	10.25	8.25	6.75
14 to 16 ft., 3 to 3½ in	13.00	10.50	8.50
14 to 16 ft., $3\frac{1}{2}$ to 4 in	15.00	12.50	
Also larger sizes. Prices on applic	ation.		
phellos, 50'-60'		Willow	v Oak
Narrow willow-like leaves; distin	nct from		
or oak.			
6 to 8 ft	2.85	2.35	1.90
8 to 10 ft., 1½ to 1½ in	4.50 6.00	3.75	3.00
10 to 12 ft., 1½ to 1¾ in	6.75	5.00	4.00
10 to 12 ft., 13/4 to 2 in	7.50		
12 to 14 ft. 2 to 21/4 in	9.00		
prinus, 75'-80'		Chestnu	t Oak
		Chestnu	t Oak
prinus, 75'-80' Rugged picturesque habit. 6 to 8 ft	4.50	Chestnu 4.00	t Oak
Rugged picturesque habit. 6 to 8 ft	4.50	4.00	
Rugged picturesque habit. 6 to 8 ft	4.50		
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit.		4.00	
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in.	10.00	4.00	
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in.	10.00 13.00	4.00	
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in.	10.00 13.00 17.00	4.00 English	Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' P3	10.00 13.00 17.00 vramidal	4.00 English	Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in	10.00 13.00 17.00 vramidal	4.00 English	Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependence when used as an accent in ment or for heavy formal effects.	10.00 13.00 17.00 vramidal	4.00 English	Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' P3 Narrowly columnar. Makes a dependence when used as an accent in ment or for heavy formal effects.	10.00 13.00 17.00 vramidal endable l intimat	4.00 English English ong lived	Oak Oak tree.
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B.	10.00 13.00 17.00 vramidal endable l intimat	4.00 English English ong lived	Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a depe Effective when used as an accent is ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds.	10.00 13.00 17.00 vramidal endable l intimat	4.00 English English ong lived	Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft.	10.00 13.00 17.00 vramidal endable l intimat	4.00 English English ong lived	Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent is ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft.	ramidal radable la intimat	4.00 English English ong lived e garden mon Red	Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in.	10.00 13.00 17.00 vramidal endable la intimat 13.50 Commentation	4.00 English English ong lived e garden mon Red n colorin	Oak treet. Coak do Oak treat. Loak ng in
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a dependent of the service of th	10.00 13.00 17.00 vramidal endable la intimat 13.50 Commentation 2.85 3.90 5.25 6.75	English English ong lived e garden mon Red n colorin 2.35 3.25 4.40 5.50	Oak I Oak I tree. treat- Oak 1.90 2.60 3.50 4.50
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in.	10.00 13.00 17.00 ramidal endable l intimat 13.50 Common 2.85 3.90 5.25 6.75 7.90	English English ong lived e garden mon Red an colorin 2.35 3.25 4.40 5.50 6.55	Oak Coak I Coak Coak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' P3 Narrowly columnar. Makes a depe Effective when used as an accent is ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	10.00 13.00 17.00 27 amidal 27 amidal 28 and able 1 21 intimat 2.85 3.90 5.25 6.75 7.90 10.15	4.00 English ong lived e garden colorin 2.35 3.25 4.40 5.50 6.55 8.45	Oak l tree. treat- l Oak 2.60 3.50 4.50 5.25 6.75
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in.	10.00 13.00 17.00 ramidal endable l intimat 13.50 Common 2.85 3.90 5.25 6.75 7.90	English English ong lived e garden mon Red an colorin 2.35 3.25 4.40 5.50 6.55	Oak Coak I Coak Coak

OHEDCHStime-1		ice in Qua	
QUERCUS—continued	1-4		25-249
velutina, 75'-90'			k Oak
Inhabits poor soils of dry and a green foliage turning yellowish autumn.	gravelly or re	uplands. ddish-brov	Deep wn in
10 to 12 ft., 1½ to 1¾ in	6.75	5.25	
13/4 to 2 in	8.00	6.75	
2 to 2½ in	10.15	8.45	
2/2 to 3 m	13.15	10.95	
—— R №	***************************************		
RETINOSPORA (See CHAMAI	ECYPA	RIS)	
RHAMNUS caroliniana, 30'	Carol	lina Buck	thorn
Has red fruit, turning black who			
6 to 8 ft	2.25		
8 to 10 ft	3.00		
cathartica, 9'-10'	Comn	non Buck	thorn
Dark green leaves, black berrie			
shrub.			
2 to 3 ft	45	-37	.30
4 to 5 ft	.55 .80	.47 .65	•37 •52
5 to 6 ft	1.00	.80	.65
6 to 7 ft	2.00	1.65	
frangula, 8'-9'	Glo	ssy Bucl	cthorn
Berries red, changing to black.			
2 to 3 ft	45	-37	.30
3 to 4 ft	-55	.47	•37
4 to 5 ft	.90	.75	
5 to 6 ft	1.10	.95 1.10	
	1.35	1.10	
RHODODENDRON carolinanum		Rhodode	ndron
These plants are nursery grown They are all well budded and so	hushv	that the b	y mie.
and height are about equal. This			
flowers in May or June and is or	ne of the	e best for	plant.
ing in open places.	0.		
12 to 15 in., B. & B	2.85	2.35	1.90
15 to 18 in., B. & B	3.90 5.25	3.25 4.40	2.60 3.50
2 to 2½ ft., B. & B.	6.00	5.00	4.00
		Rhodode	•
White blooming variety of the a		Temodode	
15 to 18 in., B. & B	3.00		
18 to 24 in., B. & B	4.00		
2 to 3 ft	5.00		-
,		Rhodod	
Nursery grown stock, perfectly	shaped	, and all	broad
bushy specimens. This variety flowers in May or June and pre	has la fers hal	rge rosy	-purple
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B	4.50 5.60	3.75 4.75	3.00
2½ to 3 ft., B. & B	7.50	6.25	3.75
J to 3/2 1th Di W Di 1111111111111111111111111111111	1.50	J	

RHODODENDRON—continued	Unit P	rice in Qua 5-24	antities 25 - 249
maximum, 8'-12' R Nursery Grown. Raised from seed	osebay	Rhodode	endron
Evergreen. Beautiful light pink in May-June. Large, handsome for masses.	flowers	freely promost effect	oduced tive in
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	2.25 3.40 4.50 6.00 7.50	1.90 2.80 3.75 5.00 6.25	1.50 2.25 3.00 4.00 5.00
Violet-pink flowers very early.	Korean H <mark>andso</mark> r	Rhodode ne scarlet	ndron tinted
leaves in fall. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. HYBRID RHODODENDRONS, Strong growing varieties.	2.25 3.00 3.75 5.60 3'-8'	1.90 2.50 3.00 4.75	
-Album elegans-Blush-pink.			
-Candidissima-White.		3-4	l', 4-5'
—Catawbiense alba—Clear white.		2½-3′, 3-4	
—Catawbiense grandiflora—Rosy-p 12-15", 15-18", 18-24", —Everestianum—Rosy-lilac.	urple.	$2^{1}/_{2}$ -3', 3-4 $2^{1}/_{2}$ -3', 3-4	
-Roseum elegans-Rich pink.	$2-2\frac{1}{2}'$,	$2^{1/2}$ -3', 3-4	,
12-15", 15-18", 18-24",	2-21/2',	2½-3′, 3-4	', 4 - 5'
-Roseum superbum-Clear, soft co	oral-ros 2 -3 '	se. 3 - 4	', 4'
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	2.25 3.00 4.50 6.00 7.75 10.15	1.90 2.50 3.75 5.00 6.50 8.45	1.50 2.00 3.00 4.00 5.25 6.75 8.00
Medium growing varieties.			
-Amphion-Rose pink.		3-4', 4-5	.,
-Charles Bagley-Bright red.	24", 2 - 3		
-Charles Dickens-Red.			
—Caractacus—Red.	2-3		
—Delicatissimum—Blush white.	24", 2-3		
-Dr. Dresselhuis-Bright red.	2-3		
	2-3	, 3 - 4′	

Unit Price in Quantities 1-4 5-24 25-249

	^ "7	3 -4	25-249
HYBRID RHODODENDRON-	-contin	ıed	
E. S. Rand—Rich scarlet.	2-	3'	
—General Grant—Rosy-scarlet.		3', 3 - 4'	
-Ignatius Sargent-Deep pink.			
-Mrs. C. S. Sargent-Rich crimson		3', 3-4'	
	2-	3', 3 - 4'	
—Purpureum grandiflorum—Large	e flower	ed purple	Late. 5-6'
18 to 24 in., B. & B	6.00		-
2 to 3 ft., B. & B	9.00		
3 to 4 ft., B. & B	12.50		
4 to 5 ft., B. & B	16.00		
Compact or Dwarf varieties.	20.00		
compact of Dwarf varieties.			
Boule de Neige-White.			
15 to 18 in., B. & B	4.10	3.50	2.75
18 to 24 in., B. & B	6.00	5.00	4.00
2 to 2½ ft., B. & B	7.90	6.55	5.25
2½ to 3 ft., B. & B	9.40	7.80	6.25
RHODORA canadensis, 3' Also called Rhododendron canade	ense	R	hodora
15 to 18 in., B. & B	2.00	1.70	
18 to 24 in., B. & B	2.50	1.70 2.00	
RHODOTYPOS kerrioides, 4'-5'		White	
Fresh green foliage, pure white	flowers,	May-June	e. Shin-
Fresh green foliage, pure white ing, black, bead-like berries all bead.	flowers, winter.	May-June	e. Shin-
Fresh green foliage, pure white ing, black, bead-like berries all	flowers, winter. .45 .60	May-June	e. Shin-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60	May-June Also call	e. Shin- ed Jet- .30
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60	May-June Also call 37 .50 ragrant	e. Shin- ed Jet- .30 .40 Sumac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-M	May-June Also call 37 .50 ragrant lay. Most	e. shin- ed Jet- .30 .40 Sumac attrac-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-M	May-June Also call 37 .50 ragrant lay. Most	e. shin- ed Jet- .30 .40 Sumac attrac-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-M coral-r	May-Jund Also call 37 .50 ragrant Iay. Most ed fruits.	e. Shin- ed Jet- .30 .40 Sumac attrac- . With-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft.	.45 .60 -5' F April-M coral-r	May-June Also call 37 .50 ragrant lay. Most ed fruits.	e. Shin- ed Jet- .30 .40 Sumac attrac- . With- .30 .45
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 .60 -5' F April-M coral-r .45 .70	May-June Also call 37 .50 ragrant Iay. Most ed fruits. .37 .55 .75	Sumac attrac- . With-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 .60 -5' F April-M coral-r .45 .70 .90	May-June Also call 37 .50 ragrant Iay. Most ed fruits. .37 .55 .75 .95	sumac attrac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13'	45 .60 F-5' F April-M coral-r .45 .70 .90 1.10	May-June Also call 37 .50 ragrant lay. Most ed fruits. 37 .55 .75 .95 Shining	s. Shin-ed Jet- 30 .40 Sumac attrac- With- 30 .45 .60 .75 Sumac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	45 .60 .65 F April-M coral-r .45 .70 .90 1.10	May-June Also call 37 .50 ragrant lay. Most ed fruits. 37 .55 .75 .95 Shining coloring.	s. Shin-ed Jet- 30 .40 Sumac attrac- With- 30 .45 .60 .75 Sumac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in.	45 .60 .65 F April-M coral-r .45 .70 .90 1.10	May-June Also call 37 .50 ragrant lay. Most ed fruits. 37 .55 .75 .95 Shining coloring.	s. Shin-ed Jet- 30 .40 Sumac attrac- With- 30 .45 .60 .75 Sumac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 2 to 3 ft.	45 .60 F April-M coral-r45 .90 1.10 utumn .45 .70	May-June Also call 37 .50 ragrant Iay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing. 37 .55	s. Shin-ed Jet- 30 40 Sumac attrac- with- 30 45 .60 .75 Sumac Makes
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in.	45 .60 FApril-M coral-r .45 .70 .90 1.10 utumn .45	May-June Also call 37 .50 ragrant lay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing.	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 60 75 Sumac Makes
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 2 to 3 ft.	45 .60 FApril-M coral-r .45 .70 .90 1.10 utumn .45 .70 .90	May-June Also call 37 .50 ragrant Iay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing. 37 .55	sumac attracture. With- 30 45 60 75 Sumac Makes 30 45 60 60 60
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	45 .60 FApril-M coral-r .45 .70 .90 1.10 utumn .45 .70 .90	May-June Also call 37 .50 ragrant Iay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing. 37 .55 .75	sumac attracture. With- 30 45 60 75 Sumac Makes 30 45 60 60 60
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. *cotinus, 10'-12'	45 .60 FApril-M coral-r .45 .70 .90 1.10 utumn .45 .70 .90	May-June Also call 37 .50 ragrant Iay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing. 37 .55 .75	sumac attracture. With- 30 45 60 75 Sumac Makes 30 45 60 60 60
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. *cotinus, 10'-12' Also called Purple Fringe. 2 to 3 ft. 3 to 4 ft.	45 .60 .5′ F April-M coral-r45 .70 .90 1.10 .90 Comm .90 1.35	May-June Also call 37 .50 ragrant lay. Most ed fruits. 37 .55 .75 .95 Shining coloring. hassing. 37 .55 .75 .75 hon Smo	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes 30 45 .60 ketree
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. *cotinus, 10'-12' Also called Purple Fringe. 2 to 3 ft.	45 .60 .60 .90 .90 .90 .90 .90	May-June Also call 37 .50 ragrant Iay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing. 37 .55 .75 .75 non Smo	sumac attrac- With- 30 45 60 August

	Unit P	rice in Qu	antities
RHUS—continued	1-4		25-249
-purpurea, 10'-12' Purple leaved form of the type.	Pu	irple Smo	ketree
5 to 6 ft	4.00		
6 to 8 ft.	4.00 5.00		
glabra, 10'-12'		Smooth S	Sumac
Crimson fruits in bunches; rich au in poor soils.	itumn	coloring;	thrives
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	45	.37	.30
typhina, 15'-18'	S	taghorn !	
Picturesque habit; brilliant autum	n effec	t.	
2 to 3 ft	•33	.27	.22
3 to 4 ft	.45	•37	.30
4 to 5 ft	-55	-47	-37
5 to 6 ft	.80	.65	.52
6 to 8 ft	1.00	.90	
typhina laciniata, 14'-15'	S	hredded S	Sumac
Leaves are finely cut, giving feather	ery app	earance.	
18 to 24 in	•33	.27	.22
2 to 3 ft	.45	·37	.30
3 to 4 ft	-55	47	
4 to 5 ft 5 to 6 ft	.80	.65	
,	1.05	.90	
ROBINIA hispida, 5'-6'		Rose-	acacia
Rosy pink, attractive flowers, Ma	y-June		
18 to 24 in	45	•37	.30
pseudoacacia, 60'-80'	Co	ommon I	ocust
Has fragrant white flowers in May			
3 to 4 ft	.45	·37	.30
ROSA blanda, 4'-5'		Meadow	Rose
Pink, May. Almost thornless; redo	lish br		1030
12 to 18 in	-33	.27	.22
18 to 24 in	.45	-37	.30
2 to 3 ft	.70	-55	45
hugonis, 5'-6'	olden	Rose of	China
A very desirable border rose with			
18 to 24 in	-55	-47	-37
2 to 3 ft	.80	.65	.52
humilia at at		D .	D
humilis, 2'-3'		Pasture	Rose
The common wild rose of the pastu	res.		
12 to 18 in	45	-37	
lucida, 5'-6'			D
aucida, j -0		Virginia	Kose
Useful for the shrub border or n	aturali	Virginia	Rose
Useful for the shrub border or n	aturali s in Ju	zing in m	Rose asses.
Useful for the shrub border or n Thrives under neglect. Pink flower: 12 to 15 in	aturali s in Jui	zing in m	asses.
Useful for the shrub border or n Thrives under neglect. Pink flower: 12 to 15 in	in Ju	zing in m	Rose lasses.
Useful for the shrub border or n Thrives under neglect. Pink flower: 12 to 15 in	.22	zing in m ne-July.	asses.

ROSA—continued	Unit Pri 1-4	ce in Quan 5-24 2	
multiflora, 9'-10'	J	apanese	Rose
White, June. Vigorous, free-flower	ring and	fragrant.	
18 to 24 in	.27	.22	.18
2 to 3 ft	•33	.27	.22
3 to 4 ft	45	·37	.30
nitida, 3'-4'		Bristly	Rose
Deep pink, June. Good for hold		ks and ge	neral
mass planting; good autumn colo			
12 to 18 in	.45 .55	•37 •47	.30 .37
·	•33		
palustris (carolina), 6'-8'		Swamp	Rose
Prefers moist situation. Pink flow	ers June	-August.	
12 to 18 in	•33	.27	.22
18 to 24 in	-45	-37	.30
rubiginosa, 5'-6'		Sweet	brier
Bright pink flowers, June. Good	l foliage	with aro	matic
odor.			
18 to 24 in	45	-37	.30
2 to 3 ft	•55	-47	·37
3 to 4 ft	.70 .80	•55 •65	.45 .52
, ,	,,,,		
rubrifolia (ferruginea), 5'-6'		Redleaf	Rose
Has distinct purplish-red leaves subject.	and bar	k; good v	vinter
12 to 18 in	-33	.27	.22
18 to 24 in	.45	•37	.30
2 to 3 ft	-55	47	-37
3 to 4 ft	.70	-55	-45
rugosa, 4'-5'		Rugosa	
Handsome shrub, large pink f			
Rich green foliage and large red shrubbery border or as hedge.	iruits;	userul in	either
18 to 24 in	45	-37	.30
2 to 3 ft	•55	47	•37
alba at at	W/5:+	e Rugosa	Pose
—alba, 4'-5'	VV III C	e Rugosa	Kose
White flowers. May-September.	70	~ ~	
18 to 24 in	.70 .75	.55 .60	
	-43	- ·	~
setigera, 5'-6'		Prairie	Rose
Deep rose flower, June-July. Vig			
2 to 3 ft	45	-37	.30
3 to 4 ft	.52 .70	-45 -55	•35 •45
	,,-		
spinossissima, 4'		Scotch	
Dwarf spreading rose, with smal	I leaves a	and showy	white
to pinkish flowers.	4.5	27	20
12 to 18 in	.45 .55	∙37 •47	.30 .37
2 to 3 ft	·75	.65	.50

ROSA—continued Unit Price in Quantities 1-4 5-24 25-249

wichuraiana, white, 10'-12' Wichurian Rose

.45

-37

.30

CLIMBING ROSES or RAMBLERS

Albertine. Semi-double, pale pink.

2 year

American Beauty Climbing. Red.

Aviateur Bleriot. Yellow.

Christine Wright. Wild rose-pink.

Dr. Van Fleet. Shell-pink.

Emily Gray. Semi-double, golden-buff.

Max Graf. Trailing sort with glossy foliage and attractive pink flowers.

Mary Wallace. Semi-double, clear rose-pink.

Pauls Scarlet. Vivid scarlet.

Silver Moon. Yellowish-white.


Dorothy Perkins. White.

Excelsa. Red.

Tausendschon. Soft pink.

RUBUS odoratus, 6' Flowering Raspberry

Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September.



SALISBURIA adiantifolia (See GINKGO)

SALIX babylonica, 50'-60' Babylon Weeping Willow Particularly appropriate for waterside planting with its long pendulous branches.

				Unit Price in Quantities		
				1-4	5-24	25-249
4	to	6 ft.	************	.90	-75	.60
6	to	8 ft.	• • • • • • • • • • • • • • • • • • • •	1.35	1.10	.90
8	to	10 ft.		2.00	1.70	-

SALIX—continued			uantities 25-249
			Willow
Similar to the above but less pascending branches and pendulous	endulo s brancl	us. A t	ree with
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	1.65	1.35	1.10
10 to 12 ft	2.25	1.90	1.50
blanda, 40'-50' Wiscon Spreading branches pendulous at		Veeping	Willow
4 to 6 ft	1.05	.90	.70
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	2.00	1.70	
caprea (bush form), 15'-20'	Go	at or E Pussy	uropean Willow
Very desirable for spring effects. well as wet places.	will d	o well o	n dry as
3 to 4 ft	-45	-37	.30
4 to 5 ft	.70	.55	.45
5 to 6 ft	.90	•35	.60
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.35	1.10	.90
discolor, 20' An Similar to the above.	легісап	Pussy	Willow
2 to 3 ft	70	.40	
3 to 4 ft	.50 .75	.60	
4 to 5 ft	1.00	.80	
4 10) 11	1.00	.00	
elegantissima, 40'-50' Thur	low W	/eeping	Willow
Hardier and more vigorous the Willow.	nan Ba	bylon	Weeping
4 to 6 ft	.90	-75	.60
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	2.00	1.70	1.35
10 to 12 ft	2.75	2.30	1.85
12 to 14 ft	3.75	3.00	
fragilis, 40'-50'		Brittle	Willow
Very adaptable tree of upright ha	abit.		
4 to 6 ft	1.20	1.00	.80
6 to 8 ft	1.45	1.20	
incana (rosmarinifolia), 8'-10'		semary	
An attractive, slow-growing Wille	ow with	h silvery	leaves,
greatly resembling Sagebrush or I	Russian-	-olive in	appear-
ance.			
18 to 24 in	-33	.27	.22
2 to 3 ft	-45	-37	.30
		D1 1	337-11
nigra, 30'-40'			Willow
Small dense tree with narrow foli	age and	d dark b	ark.
3 to 4 ft	-55	.47	-37
4 to 6 ft	.90	-75	.60
niobe, 40'-50' Ni	obe W	eeping	Willow
Weeping form with golden bark.			
4 to 6 ft	1.20	1.00	
.,			

SALIX—continued		rice in Qu	
pentandra, 20'-30'	1-4		25-249
Shining, rich, dark green leaves background; valuable for seash	ore plan	Laurel \ his a wort ting.	Willow hwhile
4 to 6 ft. 6 to 8 ft. 8 to 10 ft.	100	.75 1.10 1.50	.60 .90 1.20
purpurea, 15'-20'	0. 11	Purple	Osier
Vigorous shrub producing long used for tying or basketing mal 2 to 4 ft.	king.		
*. ***	_	40 Golden V	.32 V:11
Weeping to semi-weeping tree.	Branches	Colden v	villow
4 to 0 it	.90	·75	.60
0 to 8 ft,	1.35	1.10	.90
8 to 10 ft	1.80	1.50	1.20
-britzensis, 20'-25'	Bronze	Golden V	Villow
Particularly good when used wi	th the fo	llowing v	ariety.
4 to 5 ft	.90	•75	.60
5 to 6 ft	1.35	1.10	.90
—nova, 30'-'40 Bright golden yellow bark.	New	Golden V	Villow
4 to 6 ft	.90	.75	.60
6 to 8 ft	1.35	1.10	.90
-pendula, 25'-30' W	eeping (Golden W	/illow
Weeping tree similar to Salix bal branches.	oylonica	but with g	golden
4 to 6 ft	.90	. 75	.60
8 to 10 ft	1.35 1.80	1.10	.90 1.20
SAMBUCUS canadensis, 8'-9'		merican	
Useful for swampy places; fragr	ant flows	re Iune I	1
18 to 24 in	.22	.20	
2 to 3 ft	.30	.25	.15
3 to 4 ft. 4 to 5 ft.	45	-37	.30
5 to 6 ft	•55 •75	.62	-37
		merican]	.50
Deeply cut and fern-like foliage g effect. Has same general character	ives exce	llent land	Iscana
2 to 3 ft	-33	.27	.22
3 to 4 it	-45	-37	.30
4 to 5 ft. 5 to 6 ft.	•55 •75	.47 .62	•37 •50
	olden Ar	nerican I	Elder
Has conspicuous yellow foliage.			
18 to 24 in	.22	.20	.15
2 to 3 ft	·33	.27	.22
4 to 5 ft	45	-37	.30
	-55	-47	-37

	Unit D	rice in Qua	ntition
SAMBUCUS—continued		5-24	
pubens, 10'-12' Attractive scarlet fruit.	Amer	ican Red	Elder
3 to 4 ft	.50	-	
racemosa, 8'-10' Yellowish white flowers, scarlet f.		pean Red	Elder
*	·75	.60	
SASSAFRAS variifolium, 30'-60'	Con	ımon Sas	safras
Beautiful orange foliage in fall. green with fragrant leaves.	Young	branches	bright
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.70	
8 to 10 ft	3.00 4.50	2.50 3.75	
SCHIZOPHRAGMA hydrangeoid		- 30' Iydrangea	a-Vine
Beautiful climbing sort. More at Hydrangea petiolaris but less vig			r than
3 in. pots	1.00		
SCIADOPITYS verticillata, 50'-75	,	Umbrell	a Pine
Distinctive ornamental evergree habit. Slow growing. Shining g specimen tree. Useful for heavy f	green f	oliage—an	amidal ideal
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.75 5.25	3.00 4.40	2.50 3.50
SOPHORA japonica, 30'-40'		ese Scho	lartree
White flowers in late summer; r winter. Also called Pagoda Tree.	noticeab	le green b	oark in
2 to 3 ft	1.65	1.35	1,10
3 to 4 ft	2.25 3.00	1.90	1.50
SORBARIA aitchisoni, 4'-5'	Kashn	nir False-	spirea
Graceful, compound foliage; flow September.			
2 to 3 ft	45	·37	.30
3 to 4 ft	•55	-47	·37
5 to 6 ft	.70 .90	•55 •75	•4 <i>5</i> •60
sorbifolia, 4'-5'		al False	spirea
Fluffy heads of white flowers, J		gust.	
18 to 24 in	.60	•37 •50	
SORBUS americana, 30' A	merica	n Mounta	in-ash
Attractive small tree with brig			
3 to 4 ft	1.35	1.10	.90
4 to 5 ft 5 to 6 ft	1.80 2.25	1.50 1.90	1.20
6 to 8 ft	3.40	2.80	2.25

SORBUS—continued	Unit P	rice in Qua 5-24	ntities 25-249
aucuparia, 25'-30'	ropean	Mounta	in-ash
A valuable tree on a small lawn quite striking.	; the so	arlet berr	ies are
4 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
10 to 12 ft	3.60	2.85	
SPIRAEA alba, 4'-6']	Meadow S	Spirea
Panicles of white flowers in July.			
2 to 3 ft	-37	.30	.25
3 to 4 ft	45	•37	.30
4 to 5 ft	-55	47	-37
albiflora, 3'	J:	apanese S	Spirea
A good dwarf shrub. White flower	s in July	7.	
15 to 18 in	.27	.22	.18
18 to 24 in	•33	.27	.22
arguta, 5'-6'	(Garland S	Spirea
Very free flowering. Somewhat si more vigorous.			
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.32	.27
3 to 4 ft	.50	40	•33
billiardi, 5'-6'	1	D:11: 1 G	
		Billiard S	
Bright pink, fluffy flower spikes, for dry places.			
for dry places. 2 to 3 ft			
for dry places. 2 to 3 ft	July-Oc	tober. Val	uable
for dry places. 2 to 3 ft	July-Oc	tober. Val	uable
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3'	July-Oc .30 .45 .52	.25 .37 .45 umalda S	.20 .30 .35
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub.	July-Oc .30 .45 .52	.25 .37 .45 umalda S	.20 .30 .35
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in.	July-Oc .30 .45 .52	.25 .37 .45 umalda S	.20 .30 .35
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in.	30 45 .52 B ber. A	.25 .37 .45 umalda S good, d	uable .20 .30 .35 pirea warf,
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in.	30 -45 -52 B ber. A	.25 .37 .45 umalda S good, d	.20 .30 .35 pirea warf,
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	30 45 .52 B ber. A	.25 .37 .45 umalda S good, d	.20 .30 .35 pirea warf, .18 .25
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	30 45 .52 B ber. A .27 .37 .45	.25 .37 .45 umalda S good, d .22 .30 .37	.20 .30 .35 pirea warf, .18 .25 .30
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding; summer. 12 to 15 in.	30 45 .52 B ber. A .27 .37 .45	.25 .37 .45 umalda S good, d .22 .30 .37	.20 .30 .35 pirea warf, .18 .25 .30
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in.	30 45 .52 B-ber. A .27 .37 .45	.25 .37 .45 umalda S good, d .22 .30 .37	.20 .30 .35 pirea warf, .18 .25 .30
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Anthe Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in. 15 to 18 in. 18 to 24 in.	July-Oc .30 .45 .52 B·ber. A .27 .37 .45 nony W very free .22 .33 .37	.25 .37 .45 umalda S good, d .22 .30 .37 Vaterer Spee-flowerin	.20 .30 .35 pirea warf, .18 .25 .30 pirea
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in.	July-Oc .30 .45 .52 B ber. A .27 .37 .45 nony W very free .22 .33	.25 .37 .45 umalda S good, d .22 .30 .37 Vaterer Spee-flowerin	.20 .30 .35 pirea warf, .18 .25 .30 pirea
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —froebeli, 4'-5'	30 45 .52 B-ber. A .27 .37 .45 nony W very free .22 .33 .37 .50	umalda S good, d .22 .30 .37 Vaterer Spee-flowerin .20 .27 .30 .40	.20 .30 .35 pirea warf, .18 .25 .30 pirea g all .15 .22 .27 .33
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Anthe Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in. 15 to 18 in. 18 to 24 in.	30 45 .52 B-ber. A .27 .37 .45 nony W very free .22 .33 .37 .50	umalda S good, d .22 .30 .37 Vaterer Spee-flowerin .20 .27 .30 .40	.20 .30 .35 pirea warf, .18 .25 .30 pirea g all .15 .22 .27 .33
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Anth Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in. 16 to 24 in. 2 to 2½ ft. —froebeli, 4'-5' Tall and more vigorous than above flowers.	July-Oc .30 .45 .52 .52 .8 ber. A .27 .37 .45 .45 .45 .33 .37 .50 .50 re with	25 37 45 umalda S good, d .22 .30 .37 Vaterer Spec-flowerin .20 .27 .30 .40 Frobel Spright cri	.20 .30 .35 pirea warf, .18 .25 .30 pirea g all .15 .22 .27 .33
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 2 to 2½ ft. —anthony waterer, 3' Anthe Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in. 16 to 24 in. 2 to 2½ ft. —froebeli, 4'-5' Tall and more vigorous than above flowers. 18 to 24 in. 18 to 24 in. 18 to 24 in.	July-Oc .30 .45 .52 .52 .8 ber. A .27 .37 .45 .45 .33 .37 .50 .50 e with .27	25 37 45 umalda S good, d .22 .30 .37 Vaterer Spee-flowerin .20 .27 .30 .40 Frobel Spright cri	uable .20 .30 .35 pirea warf, .18 .25 .30 pirea g all .15 .22 .27 .33 pirea mson .18
for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. bumalda, 3' Light pink flower, July-Septem "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Anth Deeper rose pink than preceding; summer. 12 to 15 in. 15 to 18 in. 16 to 24 in. 2 to 2½ ft. —froebeli, 4'-5' Tall and more vigorous than above flowers.	July-Oc .30 .45 .52 .52 .8 ber. A .27 .37 .45 .45 .45 .33 .37 .50 .50 re with	25 37 45 umalda S good, d .22 .30 .37 Vaterer Spec-flowerin .20 .27 .30 .40 Frobel Spright cri	.20 .30 .35 pirea warf, .18 .25 .30 pirea g all .15 .22 .27 .33

SPIRAEA—continued		ce in Qua	
	1-4		25-249
latifolia (salicifolia), 4'-5'	N	Ieadow S	pirea
White or pink flowers.			0
18 to 24 in	.27 .37	.22	.18
3 to 4 ft	·37 ·45	.37	.30
4 to 5 ft	-55	-47	-37
margaritae, 4'-5'		rgarita S	pirea
Very handsome shrub with bright	t pink flo	wers.	
18 to 24 in	-33	.27	.22
2 to 3 ft	45	·37	.30
multiflora, 4'-5'		Snow Ga	rland
Showy clusters of white flowers in habit.	n May. G	raceful a	ching
18 to 24 in	-37	.30	.25
2 to 3 ft	. 45	-37	.30
nipponica rotundifolia, 6'-7'	Big I	Nippon S	pirea
Vigorous shrub with white flower	ers in Ju	ly. Dark	green
foliage until late fall.			
2 to 3 ft	45	-37	.30
3 to 4 tt	.70	•55	-45
opulifolia (See PHYSOCARPU	S opulif	olia)	
prunifolia, 7'-8'		Bridalw	reath
White, May. Free-flowering; hand ing foliage, turning orange in a		ark green,	shin-
18 to 24 in	45	-37	.30
2 to 3 ft	-55	47	-37
3 to 4 ft	.80	.65	.52
reevesiana, 7'-8'		Reeves S	pirea
Pure white, May-June. Graceful, leaves until late. Single or doubl	arching varieti	habit; r	etains
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.27
3 to 4 ft	45	-37	.30
4 to 5 ft	·5 5	47	-37
—fl. pl., 7'-8'		Reeves S	_
Arching shrub similar in characto to Spirea vanhouttei.	ter and	flowering	habit
18 to 24 in	-33	.27	.22
2 to 3 ft	45	•37	.30
3 to 4 ft	-55	-47	•37
salicifolia, 4'-6'	Wil	lowleaf S	Spirea
Upright habit, showy light pink f panicles.	lowers in	dense ter	minal
18 to 24 in	.18	.15	.12
2 to 3 ft	.27	.22	.18
3 to 4 ft	-33	.27	.22
4 to 3 it	45	-37	.30
- Lif-1:- /C. CODDADIA			

sorbifolia (See SORBARIA sorbifolia)

SPIRAEA—continued	Unit:	Price in Qu 5 - 24	
thunbergi, 4'-5'		Thunberg	, ,,
Slender, arching branches clothed ers, April-May. Small, feathery, li- able for seaside planting.	with	pure-whit	te flow-
12 to 18 in	.22	.20	.15
18 to 24 in	-37	.30	.25
tomentosa, 3'-4'			rdhack
Woolly, rose-pink flowers, July-Sej ish underside. Good in masses for	ptemb low g	round.	brown-
18 to 24 in	.27	,22	.18
2 to 3 ft			
2 to 3 to	•33	.27	.22
3 to 4 ft	-45	-37	.30
trichocarpa, 5'-6'		Korean	Spirea
White flowers in June. 18 to 24 in			
2 + 2 - 6 +	-33	.27	.22
2 to 3 ft	45	·37	.30
3 to 4 ft	-55	-47	-37
vanhouttei, 8'-9'		anhoutte	
White, May-June. Graceful habit. ing and very adaptable.	Extre	mely free-	flower-
18 to 24 in	.0		
2 to 2 ft	.18	.15	.12
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
4 to 5 ft	45	-37	.30
veitchi, 10'-12'		Veitch	
Tallest growing Spirea. Useful pla of the shrub border. Flowers heav	nt for	r the backs	ground
2 to 3 ft	-37	.30	
3 to 4 ft	.50	.40	
4 to 5 ft	_		
	.70	-55	
STAPHYLEA colchica, 10'-12'		chis Blad	
Flowers white, May-June. Fragrant		rative seed	d pods.
2 to 3 ft	.90	.7 5	
3 to 4 ft	1.20	1.00	
5 to 6 ft	1.50		
trifoliata, 10'-15'	A1	ner. Blade	dernut
Dense shrub with numerous stout base. Decorative seed pods.	uprigl	nt branche	s from
3 to 4 ft	.60	.50	.40
4 to 5 ft	-75	.60	.50
5 to 6 ft	1.00	.80	
6 to 8 ft			.65
	1.25	1.00	.82
STEPHANANDRA flexuosa, 5'-6'	111100	f Ctanta	
Graceful, compact habit; handsome	e folia	f Stephan	andra
18 to 24 in	.30		20
2 to 3 ft		.25	.20
3 to 4 ft	·45	-37	.30
4 to 5 ft	-55	47	-37
+ 35 3 40	.70	-55	45

	Hnie I	Price in Qua	ntities
STEPHANANDRA—continued		5-24	
tanakae, 6'	Yedo	lo Stephar	nandra
More vigorous than the variety fle and flower clusters.	xu osa.	Has larger	leaves
3 to 4 ft	-55	-47	-37
4 to 5 ft	.70	•55 •75	.45 .60
STEWARTIA pentagyna, 6'-15' Handsome shrubs with large show		ıntain Ste	
and orange red anthers.	y mow	crs, willees	tainens
2 to 3 ft	1.50	-	
3 to 4 ft	2.50		
4 to 5 ft	4.00		
pseudocamellia, 20'-25'		anese Ste	wartia
Larger in every way than former.		2.05	
4 to 5 ft	2.50 3.50	2.80	
6 to 7 ft	5.00	4.15	
STRANVAESIA davidiana, 12'-15'	,		
Evergreen shrub. Attractive red fr			
12 to 18 in., pot grown	1.10	.95	-75
undulata, 12'-15'			
Tender woody evergreen shrub foliage and attractive red fruits.	with	handsome	shiny
12 to 18 in., pot grown	1.25	1.00	.85
		5	
STVPAY innonica ro' rr'	To	anaca Sn	owbell
STYRAX japonica, 12'-15' White, bell-shaped, pendant flow handsome specimen.		panese Sno ne-July. M	
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft			
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10	.55 .95	.45 .75
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40	.55 .95 2.80	1akes a
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10	.55 .95	.45 .75
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40 6.00	.55 .95 2.80 5.00	.45 .75
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40 6.00 7.90 10.00	.55 .95 2.80 5.00 6.55 8.00	.45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti,	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher	.55 .95 2.80 5.00 6.55 8.00	.45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher	.55 .95 2.80 5.00 6.55 8.00	.45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat	.20	45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in. 2 to 3 ft.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat	.55 .95 2.80 5.00 6.55 8.00 ault Snov ing at the	45 .75 2.25 vberry Arnold
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, for the second of the second o	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat	.55 .95 2.80 5.00 6.55 8.00 nault Snov ing at the	45 .75 2.25 vberry Arnold .15 .20 .30
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, for the second of the second o	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea	.20 .25 .37 .35 .95 .2.80 5.00 6.55 8.00 .25 .37 ding Snow	45 -75 2.25 vberry Arnold -15 -20 -30 vberry
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, for the second of the second o	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat .22 .30 .45 Sprea	.20 .25 .37 .37 .38 .37 .37 .37	45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer a mosus. 18 to 24 in.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea	.55 .95 2.80 5.00 6.55 8.00 ault Snoving at the .20 .25 .37 ding Snov	45 -75 2.25 vberry Arnold -15 -20 -30 vberry
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, for the second of the second o	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat .22 .30 .45 Sprea	.20 .25 .37 .37 .38 .37 .37 .37	45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer a mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. racemosus, 5'-6'	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea and su .22 .33 .45	.20 .25 .37 .37 .20 .27 .37 .20	45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer a mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 3 to 4 ft.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Spreaaand su .22 .33 .45		45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer a mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. racemosus, 5'-6' Conspicuous, white berries, attract able, but best in half-shady, moist 18 to 24 in.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea and su .22 .33 .45	.20 .25 .37 ding Snow perior to S	### Arnold 15
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid of Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer a mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. racemosus, 5'-6' Conspicuous, white berries, attract able, but best in half-shady, moist	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea and su .22 .33 .45		45 -75 2.25

SYMPHORICARPOS—continued	Unit P 1 1-4	rice in Qu 5-24	
vulgaris, 4'-5'		Cor	alberry
Coral-red berries persisting thr	onghor		
for shade, and bank planting.	Alen k	nown as	Indian
Currant.	Also E	nown as	mulan
18 to 24 in	22		
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
	.45	-37	-30
SYMPLOCUS paniculata, 25'-40'		Sw	eetleaf
Deciduous shrub with slender spre	ading 1	branches.	Hardy:
white fragrant flowers.	Ü		,
18 to 24 in	-55	-47	-37
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.20	1.80	
SYRINGA chinensis (rothomager	o (nin)	1 01	
(Tothomage)	1515), 0	Chines	a Tiloo
Slender branches, graceful habit.	Triolog	A	e Lilac
Free-flowering.	Alorer	nowers 1	n May.
18 to 24 in	2.2		
2 to 3 ft	•33	.27	.22
3 to 4 ft	•55 •80	47	-37
	.00	.65	-52
chinensis saugeana, 8'-9'	Purp1	e Chines	e Lilac
Deep purple flowers.	_		
18 to 24 in	22	27	22
2 to 3 ft	•33 •52	.27 .47	.22
3 to 4 ft	.80	.65	-37
			.52
japonica, 18'-20'	Japai	nese Tre	e Lilac
Loose bunches creamy-white flow	vers, J	une-July.	Hand-
some foliage; grows into well-sha	iped sp	ecimen.	
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 9 ft	2.85	2.35	1.90
josikaea, 9'-10'	TH	ungariar	Tiloc
Violet flowers. June. Good, shining			
18 to 24 in	-33	.27	.22
2 to 3 ft	.52	.45	-35
louvain, 12'-15'			
Large light purple flowers. Distin	ict.		
18 to 24 in	.80	.65	.52
2 to 3 ft	1.05	00	.70
3 to 4 ft	1.30	1.05	.85
microphylla		Littleleaf	Lilac
18 to 24 in	1.25		
2 to 3 ft	1.65		
montesquieu, 12'-15'			
Very floriferous with large panie	les of	single a	renlink
lilac flowers.	.108 01	single pi	urpush
18 to 24 in	.80	6.0	
2 to 3 ft		.65	.52
3 to 4 ft	1.05	.90	.70
U T	1.30	1.05	.85

	LICILIS		
SYRINGA—continued		rice in Qua	
	1-4	5-24	25-249
persica, 9'-10'		Persian	Lilac
Blooms freely, lilac, May-June.			
18 to 24 in	.45	-37	.30
2 to 3 ft	.70	-55	-45
—alba, 5'-6'	Whit	e Persian	Lilac
Fragrant white flowers in May or	June.		
18 to 24 in	.52	47	-37
2 to 3 ft	.80	.65	.52
—laciniata, 5'-6'	Cutlea	f Persian	Lilac
18 to 24 in	.52	47	
2 to 3 ft	.80		
villosa, 7'-8'		Late	Lilac
Pale pinkish-lilac, June. Fragrant	: bushy		
2 to 3 ft	.45	-37	.30
3 to 4 ft	.70	-55	45
4 to 5 ft	.90	-75	.60
5 to 6 ft	1.10	.95	-75
vulgaris, 12'-15'	Commo	n Purple	Lilac
Blooms in early May.			
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	-55	·47	•37
4 to 5 ft	.80 1.00	.65 .90	.52
·			.70
—alba, 12'-15'		on White	Lilac
White form of the common lilac			
18 to 24 in	.45	-37	.30
2 to 3 ft	.70	-55	45
1 in the second second			
	115	, ,	
	T. J.	11/	
THE TOTAL PROPERTY OF THE PARTY		1 PSE:	•
	111		
	TO THE	1VB	Ş
		Twi /	
		-	
	三百万多	在北京大	
(1) 到了一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	出国维教		
The want of the state of the st	The Man William		سماد اشت
THE RESIDENCE OF THE PARTY OF T	Milke 1 & de will	former of body of	li li
The second of th	The state of	4	
	-		
22 - 2	_		
	•		
/ Same and a second			

DRUMTHWACKET LODGE

From the front porch of this cottage, on what is now Stockton Street, Washington reviewed his troops on their march to Trenton in December 1776

SYRINGA-continued

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

These are all grown from cuttings and are on their OWN ROOTS, which is the best method of propagation. The resulting plant is more permanent than the grafted stock commonly offered. We specialize in named Lilacs and are able to offer these superior grown plants at prices that compare favorably with inferior grafted stock. These named Lilacs generally grow from 6 to 12 ft. in height, depending on the variety and locality.

WE CAN OFFER THE FOLLOWING VARIETIES IN QUANTITY AT EXCEPTIONALLY ATTRACTIVE PRICES.

Name and Color Sizes available PD Adelaide Dunbar-Double. Violet red. 12-18, 18-24, 2-3 BD Alphonse Lavalle-Double. Deep lilac blue. 12-18 Charles Joly-Double. Light red purple. 12-18, 18-24 PS Charles Tenth-Single. Dull red purple. 12-18, 18-24, 2-3 WS Florent Stepman-Single. White large flower. 12-18, 18-24, 2-3, 3-4 BS Hugo Koster-Single. Lilac blue. 12-18, 18-24, 2-3 PS John deMessmaker-Single. Light red purple. 12-18, 18-24, 2-3 BD Kath. Havemeyer-Double. Lilac v. purple. 12-18, 18-24, 2-3 PS Ludwig Spaeth-Single. Purple v. red. 12-18, 18-24, 2-3 DW Mme. Cas. Perrer—Double. Creamy white. 12-18, 18-24, 2-3 BS Mme. F. Morel-Single. Deep pink-lilac. 12-18, 18-24, 2-3, 3-4 WD Mme. Lemoine-Double. White. 12-18, 18-24, 2-3, 3-4 WS Marie LeGraye-Single. White. 12-18, 18-24, 2-3 BD Michel Buchner-Double. Pinkish lilac. 12-18, 18-24 BD Olivier de Serres-Double. Light pink-lilac. 18-24, 2-3, 3-4 RD Paul Hariot-Double. Red mauve. 12-18, 18-24, 2-3 BD Pres. Grevy-Double. Light pink-lilac. 12-18, 18-24, 2-3 RS Pres. Poincare-Double. Clear red-purple. 12-18, 18-24, 2-3 PS Reaumur-Single. Clear purple-red. 12-18, 18-24, 2-3, 3' BS Rubra de Marly-Single. Pale lilac red. 12-18, 18-24, 2-3, 3-4 WS Vestale-Single. White large flower.

PD Wm. Robinson-Double. Red v.-purple.

12-18, 18-24, 2-3

12-18, 18-24, 2-3

	Unit D	rice in Oi	antities
SYRINGA—continued	1-4	5-24	25-249
		2 -4	2) 249
12 to 18 in	-55	-47	-37
18 to 24 in	.80	.65	.52
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.05	.85
———			
TAMARIX gallica, 8'-9'	F	rench T	amarix
Light pink, May-June, blue-green	foliage	e.	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	-37	.30
4 to 5 ft	•55	47	•37
4 3	-55		
odessana, 5'-6'	0	dessa T	amarix
Characteristic bluish-green foliage	re with	nink flo	wers in
August.	50 WICH	pink no	WCIS III
12 to 18 in	2 4	20	
12 to 10 iii	.25	.20	
: G//	Α.	future of	·
parviflora, 12'-14'		frican T	
Reddish brown bark. Large ter	minal p	panicles	of pink
flowers.			
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	.50	.40	•33
4 to 5 ft	.70	-55	.45
pentandra	Fivest	tamen T	amarix
Slender and spreading growth.	Pink flo	wers in	August.
Likes very dry or sandy soils.			
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	.50	.40	•33
4 to 5 ft	.70	-55	.45
•			
TAXODIUM distichum, 75'-100'	Commo	on Bald	cypress
Tall, pyramidal, symmetrical deci	duous ti	ree with	featherv
foliage. Distinct in appearance.			
6 to 8 ft., B. & B	9.00	7.50	6.00
8 to 10 ft., B. & B	12.00	10.00	7.50
10 to 12 ft., B. & B	13.50	11.00	9.00
10 to 12 it., b. c. b	13.50	11.00	9.00
TAXUS baccata, 15'-20'		Fnoli	sh Yew
Broad-based, pyramidal tree w	ah Jant		
	ith dari	k green	foliage,
brown fruits.			
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.65	1.35	1.10
	/		
—compacta (adpressa erecta), 12'-	Shortle	. F E1:	ah Varr
Upright			
Slow growth and of neat compac	t habit.	Short de	ep green
leaves.			
2½ to 3 ft., B. & B	4.50	3.75	3.00
3 to 4 ft., B. & B	6.75	5.50	4.50
4 to 5 ft., B. & B	7.50	6.75	

TAXUS—continued	Unit I	Price in Qu 5-24	
-erecta aurea, 12'-15' Golden Upris	rh+ She	ortland En	~ Vam
Bushy form with slender upright slightly golden.	branche	es. Tips of	foliage
2 to 2½ ft., B. & B	6.75		
—fastigiata (hibernica), 10' Columnar form with dense comp	anat an	Iris	h Yew
12 to 15 in., B. & B	_		
15 to 18 in., B. & B	1.65 2.50	1.35	1.10
-repandens, 18"-24" S	preadir	ng Englis	h Yew
Evergreen. Spreading, horizonta green leaves. Valuable for low pl	l brandanting.	ches, darl	s blue-
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	3.90	3.25	
2½ to 3 ft., B. & B	5.25 6.75	4.25	
3 to 4 ft., B. & B	8.50	5.50 7.00	
4 to 5 ft., B. & B	11.00		
—tardiva, 15'	Shortle	af Englis	h Yew
Low tree of irregular habit with l Distinct form.	ong spi	eading br	anches.
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.40 4.50	2.80 3.75	2.25
	4.30	3.13	3.00
-Washingtoni, 4'-5'	W	ashingto	n Yew
A form of wide spreading habit wi	th gold	en yellow	leaves.
18 to 24 in., B. & B	3.00		
2 to 2½ ft., B. & B	4.00		
canadensis, 2'-2½'			a Yew
Evergreen. Spreading habit. Bro shade; good for underplanting.	nzy in	winter.	Prefers
18 to 24 in., B. & B	2.80	2.25	
2 to 2½ ft., B. & B.	3.50		
2½ to 3 ft., B. & B.	4.25		
cuspidata, 10'-15' Spr	eading	Japanese	e Yew
Evergreen. Rich, deep green les habit. Valuable in foundation p hardy.	lves. Si lanting	preading, s. Excepti	bushy
12 to 15 in., B. & B	1.10	.95	75
15 to 18 in., B. & B	2.25	1.90	.7 <i>5</i>
18 to 24 in., B. & B.	3.40	2.80	2.25
2 to 2½ ft., B. & B	5.25	4.40	3.40
3 to 3½ ft., B. & B.	6.7 <i>5</i>	5.50	4.50
3½ to 4 ft., B. & B	7.90 10.15	6.50 8.45	5.25 6.75
4 to 5 ft., B. & B	13.50	11.00	9.00
5 to 6 ft., B. & B	18.00	15.00	
browni, 10'-12'			
More compact than cuspidata.			
15 to 18 in	3.40	2.80	

	Unit Pı	ice in Qu	antities
TAXUS—continued	1-4	5-24	25-249
—capitata, 25'-40'	Upright	Japanes	e Yew
Evergreen. The upright type of	Taxus cu	spidata.	
12 to 15 in., B. & B	1.10	-95	. 75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.85 3.40	2.35 2.80	1.90 2.25
2½ to 3 ft., B. & B.	4.50	3.75	3.00
3 to 3½ ft., B. & B	6.75	5.50	4.50
3½ to 4 ft., B. & B	9.00	7.50	6.00
4 to 5 ft., B. & B	11.00	9.50	7.50
5 to 6 ft., B. & B	15.00	13.50	
—columnaris, 20'-25'			
Narrow columnar form.			
18 to 24 in	3.00	2.50	
-hatfieldi, 15'-18'		Hatfield	1 Vew
Columnar type similar to Hicks'	Yew hut		
12 to 15 in	1.10	.90	.75
15 to 18 in	1.65	1.35	1.10
18 to 24 in	2.85	2.35	1.90
2 to 2½ ft	3.90	3.25	2.60
2½ to 3 ft	5.60	4.75 6.25	3.75 5.00
3 to 4 tt	7.50	0.23	3.00
hicksi, 20'-25'		Hicks	Yew
Distinctly columnar form with u	pright b	anches.	
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	3.00	2.50	2.00
2 to 2½ ft., B. & B	4.50	3.75	3.00
2½ to 3 ft., B. & B	6.00 7.90	5.00 6.55	4.00 5.25
4 to 5 ft	10.00	8.00	
	-	_	
cuspidata nana (brevifolia), 2'-3'			
Evergreen. Broad, thick leaves, bla ing and irregular, spreading hab			
9 to 12 in., B. & B			
12 to 15 in., B. & B	1.10 2.25	.95 1.90	.75 1.50
15 to 18 in., B. & B	3.40	2.80	2.25
18 to 24 in., B. & B	5.60	4.75	3.75
2 to 2½ ft., B. & B	8.00		
heavimadia			
—brevimedia Hardy broad upright form.			
15 to 18 in	225	1.00	1.00
18 to 24 in	2.25 3.00	1.90 2.50	1.50 2.00
	0.00		
—thayeri, 6'-8'		Thayers	Yew
Low, wide spreading form distinct			
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90 2.80	1.50
2 to 2½ ft., B. & B	3.40 5.00	4.30	2.25 3.40
2½ to 3 ft., B. & B	6.75	5.50	4.50
, 2 0 , 2	,	5.5-	

TAXUS—continued	Unit 1	Price in Qu 5-24	antities 25-249
intermedia, 12'-15'	- 4		id Yew
Hybrid between Taxus baccata an	d Taxi	is cuspidat	a I Ew
O to 12 in P & P			a.
9 to 12 in., B. & B	1.10	-95	.75
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	3.90	3.25	2.60
2 to 2½ ft., B. & B	5.25		
, , , , , , , , , , , , , , , , , , , ,	ر شه ر	4.40	3.50
THUJA occidentalis, 15'-30'	Amer	ican Arbo	orvitae
Evergreen. Slender pyramid wit	h bro	ad base.	Bronzy
winter coloring. Good accent plan	t or ic	or a hedge	•
2 to 3 ft., B. & B	1.65	1,35	1.10
3 to 4 ft., B. & B	2.25	1.90	
4 to 5 ft., B. & B	_	~	1.50
5 to 6 ft., B. & B.	3.40	2.80	2.25
5 to 0 ft., B. & B	4.50	3 .75	3.00
6 to 8 ft., B. & B	6.75	5.50	4.50
8 to 10 ft., B. & B	10.20	8.50	6.75
10 to 12 ft., B. & B	13.50	11.00	9.00
	20.50	11.00	9.00
—compacta, 2½'-4'	Pars	ons Arbo	rvitae
Evergreen. Almost globe-shaped. I formal or foundation planting.	Bright	green. Use	ful in
12 to 15 in., B. & B	.90	~ ~	60
15 to 18 in., B. & B.		.75	.60
18 to 24 in D & D	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B.	2.75	2.30	
3 to 3½ ft., B. & B	3.50	2.80	
3½ to 4 ft., B. & B			
4 to 4½ ft., B. & B	4.50	3.75	
4 10 4/2 It., B. & B	6.00	5.00	
-douglasi aurea, 10'-15' Dougla	s Gold	den Arbo	rvitae
A broad pyramid with golden-gree	n rona	ge. Vigoro	us.
5 to 6 ft., B. & B	4.50		
6 to 8 ft., B. & B	6.00	-	
8 to 10 ft., B. & B	9.00		
10 to 10 ft D P- D	12.00		
20, 20 00 20,	12.00		
occidentalis elegantissima, 10'-15'			
		- A A .1	٠.
Gold	ientipį	ed Arbon	rvitae
Evergreen. Branches tipped with green.	yellow	. Rich, lu	strous
6 to 8 ft., B. & B	0		
g to 10 ft n c n	8.00	6.50	
8 to 10 ft., B. & B	1.00	9.50	
10 to 12 to D V- D	4.00	12.00	
ellwangeriana, 4'-6'	n Thu	mb Arbor	vitae
Evergreen. Has heather-like leave			
close texture Francisci leave	s; der	ise nabit;	soft,
close texture. Forms low, broad, purple winter coloring.	blunt	pyramid.	Rich
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
21/ 40 0 f4 D 8- D	3.00	2.50	
		2.50	

THUJA—continued	Unit I	Price in Qua 5-24	25-249
—globosa, 3'-4'	G	lobe Arbo	rvitae
Evergreen. Useful in formal v			
12 to 15 in., B. & B	1.00	.90	.70
15 to 18 in., B. & B.	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.20	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 3½ ft., B. & B	3.75	3.00	
—hoveyi, 3'-4'	Н	ovey Arbo	rvitae
Evergreen. Oval in shape, nea Bright green foliage.	rl y a s	broad as	high.
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 3½ ft., B. & B	3.50	2.80	
3½ to 4 ft., B. & B	4.50	3.75	
-Little Gem, 1½' to 2' Dwarf dark green form, broader t		Gem Arbo	rvitae
18 to 24 in., B. & B		2.50	
		oody Arbo	
Evergreen. Conspicuous, golden-		form. Col	umnar
2 to 2½ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B	5.60	4.75	3.75
6 to 7 ft., B. & B	7.90	6.55 8.00	5.25
8 to 10 ft., B. & B	10.00	10.00	
occidentalis plicata, 10'-12'	_	Aoss Arbo	rvitàe
Evergreen. Rich, deep blue-green			
branchlets give pleasing effect in pyramid.			
5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 7 ft., B. & B	7.90	6.55	5.25
7 to 8 ft., B. & B	10.75	8.95	
8 to 10 ft., B. & B	13.50	11.00	
10 to 12 ft., B. & B	16.50	13.50	
	ъ.	*1 1 4	*4
—pyramidalis, 15'-30'	-	nidal Arbo	
Evergreen. Retains bright green coter. Narrow columnar shape; so formal planting.			
	1.05	1.10	00
18 to 24 in., B. & B	1.35	1.10	.90
3 to 4 ft., B. & B	2.25 3.40	1.90 2.80	1.50 2.25
4 to 5 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 7 ft., B. & B	7.90	6.55	5.25
7 to 8 ft., B. & B	10.75	8.95	7.15
8 to 10 ft., B. & B	13.50	11.00	9.00
10 to 12 ft., B. & B	17.00	15.00	12.00

THUJA—continued	Unit Pr 1-4	rice in Qua 5-24	antities 25 - 249
-rosenthali, 6'-10'	Rosent	hal Arbo	rvitae
Evergreen. Dense, rugged, colun	nnar forr	n. Slow g	grower.
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	2.85	2.35	
3 to 4 ft., B. & B	3.90	3.25	
4 to 5 ft., B. & B	5.60	4.75	
5 to 6 ft., B. & B	6.75	5.50	
6 to 7 ft., B. & B	9.00	7.50	
—umbraculifera, 2'-3'	Umbre	lla Arbo	rvitae
Particularly good, low, mushroon	m-shaped	form wi	th rich
green foliage. Very hardy.			
15 to 18 in., B. & B	1.10	.95	-75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
-vervaeneana, 8'-12'	Vervae	ne Arbo	rvitae
Evergreen. Variegated with			
bronzy in winter. Broadly pyran		,	
18 to 24 in., B. & B	1.10	.90	-75
2 to 2½ ft., B. & B	1.50	1.25	1.00
2½ to 3 ft., B. & B	2.00	1.70	1.35
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B	3.40	2.80	2.25
5 to 6 ft., B. & B	5.60	4.75	3.75
6 to 8 ft., B. & B	7.50	6.25	
——aurea, 8'-12' Golden Golden leaved form of the type.	Vervae	ene Arbo	rvitae
18 to 24 in., B. & B	1.10	.90	.75
2 to 3 ft., B. & B	1.75	1.50	1.20
3 to 4 ft., B. & B	2.70	2.25	
4 to 5 ft., B. & B	3.60	3.00	
5 to 6 ft., B. & B	5.50	4.50	
occidentalis wareana, 12'-15'	Siberi	ian Arbo	rvitae
Evergreen. Light green, fleshy i			
idal, rugged in appearance.		oronar, p	, ,
18 to 24 in., B. & B	1.35	1.10	.90
2 to 2½ ft., B. & B	1.80	1.50	1.20
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	5.60	4.75	3.75
orientalis (biota), 20'-25'	Orien	tal Arbo	rvitae
Evergreen. Rather stiff, column			
foliage, bronze in winter; a good	accent p	lant.	
2 to 3 ft., B. & B	1.65	1.35	1.10
3 to 4 ft., B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B	3.40	2.80	2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
-aurea conspicua (biota), 7'-8'		ire Arbo	
Golden-yellow in spring, bronze tinctive.	-yellow	in winter	r. Dis-
3 to 4 ft., B. & B	3.10	3.75	
4 to 5 ft., B. & B	5.75	4.50	
5 to 6 ft., B. & B	6.50		
6 to 7 ft., B. & B	7.50		

	Unit P	rice in Qu	antities
THUJA—continued		5-24	25-249
——nana (biota), 2½'-3' Berckma			
A gem for dwarf planting; con warm golden-yellow foliage. Espo work and edging.	npact, ecially	roundish good for	shape; formal
9 to 12 in., B. & B	1.10	.95	.75
12 to 15 in., B. & B	1.65 2.25	1.35	1.10
—compacta (biota), 3'-4'		oold Arbo	
Forms a compact oval-shaped spe fresh green color, with beautiful	winter		sistent,
4 to 5 ft., B. & B	6.00		
5 to 6 ft., B. & B	7.50		
orientalis elegantissima (biota),	7′-8′		
Yellov	w Co1u	ımn Arbe	orvitae
Assumes a rich, deep golden-brone pact, columnar.	ze colo	r in winte	r. Com-
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.40 4.50	2.80 3.75	3.00
4 to 5 ft., B. & B	6.00	5.00	4.00
5 to 6 ft., B. & B.	7.50	6.25	
plicata atrovirens (lobbi), 100'	G	iant Arb	orvitae
Rich, shining, deep green, fleshy		iant Arb	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B.		6.25	orvitae —
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B 8 to 10 ft., B. & B	1eaves. 7.50 9.00	6.25 7.50	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B 8 to 10 ft., B. & B	leaves. 7.50 9.00 10.50	6.25 7.50 9.00	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B 8 to 10 ft., B. & B	1eaves. 7.50 9.00	6.25 7.50	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B 8 to 10 ft., B. & B	1eaves. 7.50 9.00 10.50 12.00	6.25 7.50 9.00	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram	7.50 9.00 10.50 12.00	6.25 7.50 9.00 10.50 dish Arb	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B.	1eaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65	6.25 7.50 9.00 10.50 dish Arbo bit.	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1eaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25	6.25 7.50 9.00 10.50 dish Arbo bit.	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	16aves. 7.50 9.00 10.50 12.00 Stand idal ha 1.65 2.25 2.70	6.25 7.50 9.00 10.50 dish Arbo bit. 1.35 1.90 2.25	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1eaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25	6.25 7.50 9.00 10.50 dish Arbo bit.	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1eaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25 2.70 3.75	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B.	leaves. 7.50 9.00 10.50 12.00 Stand idal ha 1.65 2.25 2.70 3.75 4.25 6.50	6.25 7.50 9.00 10.50 dish Arbi bit. 1.35 1.90 2.25 3.00 3.75	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. **Standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	leaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25 2.70 3.75 4.25 6.50	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. TILIA americana, 75'-90' Grows rather quickly, forming a grant yellow flowers.	leaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25 2.70 3.75 4.25 6.50	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00	orvitae
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. TILIA americana, 75'-90' Grows rather quickly, forming a grant yellow flowers. 6 to 8 ft.	leaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25 2.70 3.75 4.25 6.50 A an oper	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican	orvitae Linden (as fra-
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. 12 to 14 ft., B. & B. Standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. TILIA americana, 75'-90' Grows rather quickly, forming a grant yellow flowers. 6 to 8 ft. 8 to 10 ft.	leaves. 7.50 9.00 10.50 12.00 Standidal ha 1.65 2.25 2.70 3.75 4.25 6.50 A an oper	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican 1 h head. H	orvitae Linden (as fra-
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 112 to 14 ft., B. & B. 12 to 14 ft., B. & B. 12 to 14 ft., B. & B. Standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. TILIA americana, 75'-90' Grows rather quickly, forming a grant yellow flowers. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.	leaves. 7.50 9.00 10.50 12.00 Stand idal ha 1.65 2.25 2.70 3.75 4.25 6.50 A an oper	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican in head. H	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 12 to 14 ft., B. & B. Standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. TILIA americana, 75'-90' Grows rather quickly, forming a grant yellow flowers. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	leaves. 7.50 9.00 10.50 12.00 Stand idal ha 1.65 2.25 2.70 3.75 4.25 6.50 A an oper 1.10 1.80 2.25 3.00	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican 1 1 head. H	orvitae Linden (as fra-
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 112 to 14 ft., B. & B. 12 to 14 ft., B. & B. 12 to 14 ft., B. & B. Standishi, 25'-40' Hardy evergreen of broad pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. TILIA americana, 75'-90' Grows rather quickly, forming a grant yellow flowers. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.	leaves. 7.50 9.00 10.50 12.00 Stand idal ha 1.65 2.25 2.70 3.75 4.25 6.50 A an oper	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican in head. H	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 12 to 14 ft., B. & B. 13 to 14 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 7 ft., B. & B. 17 to 14 ft., B. & B. 18 to 10 ft. 19 to 12 ft., 1½ to 1½ in. 19 to 12 ft., 1½ to 2½ in. 11 to 14 ft., 2 to 2½ in.	leaves. 7.50 9.00 10.50 12.00 Stand idal ha 1.65 2.25 2.70 3.75 4.25 6.50 An oper 1.10 1.80 2.25 3.00 3.75 4.50 5.60	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican 1 head. H	
Rich, shining, deep green, fleshy 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 12 to 14 ft., B. & B. 13 to 14 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 7 ft., B. & B. 17 to 14 ft., B. & B. 18 to 10 ft. 19 to 12 ft., 11/2 to 11/2 in. 19 to 12 ft., 11/4 to 2 in. 11 to 14 ft., 2 to 21/4 in.	leaves. 7.50 9.00 10.50 12.00 Stand 1.65 2.25 2.70 3.75 4.25 6.50 An oper 1.10 1.80 2.25 3.00 3.75 4.50	6.25 7.50 9.00 10.50 dish Arbibit. 1.35 1.90 2.25 3.00 3.75 6.00 merican 1 1.50 1.50 1.90 2.50 3.00 3.75	

TILIA—continued	Unit P:	rice in Qu 5-24	
cordata, 70' Little	eleaf Eı	ropean l	Linden
Very small leaves and desirable h	abit of	growth	
6 to 8 ft	2.25	1.90	1.70
8 to 10 ft	2.85	2.35	1.50
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.40	2.80	1.90 2.25
8 to 10 ft., 1½ to 1¾ in	3.90	3.25	2.60
10 to 12 ft., 13/4 to 2 in	4.50	3.75	3.00
10 to 12 ft., 2 to 2 ¹ / ₄ in	5.25	4.40	3.50
10 to 12 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	6.00	5.00	4.00
12 to 14 ft., $2\frac{1}{2}$ to 3 in	7.90	6.55	5.25
12 to 14 ft., 3 to 3½ in	10.15	8.45	6.75
euchlora, 70'-80'	C	rimean I	Linden
Fair size tree; yellow branchlets foliage.	s and sl	niny dark	green
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.90	3.25	
neglecta, 60'-75'			11
	1 . 1	Gray I	_inden
Similar to the American Linden foliage.	but ha	s grayish	green
10 to 11 ft., 2 to 2 ¹ / ₄ in	6.00	5.00	
10 to 12 ft., 2½ to 2½ in	7.00	5.60	
12 to 14 ft., 2½ to 3 in	8.00	6.75	
12 to 14 ft., 3 to 3½ in	9.00	7.50	
14 to 16 ft., 3½ to 4 in	10.50	8.50	
14 to 16 ft., 4 to 5 in	12.00	10.50	
petiolaris, 40'-60'	W	eeping I	inden
Large tree with dense growth, silving branchlets.	very fol	iage and	droop-
6 to 8 ft	2.40	3.00	
8 to 10 ft	4.50	3.75	
8 to 10 ft., 1½ to 1½ in	5.30	4.50	
10 to 11 ft., 1½ to 1¾ in	6.75	5.50	
A A A A	eaf Eur	opean L	inden
Large leaved European Linden—fi	rst one	to bloom	Swm-
metrical tree. Excellent lawn specie	men. Sa	tisfactory	street
6 to 8 ft	224	1.00	
8 to 10 ft., 11/4 to 11/2 in.	2.25	1.90	1.50
8 to 10 ft., 1½ to 1¾ in	2.85 3.40	2.35 2.80	1.90
8 to 10 ft., 13/4 to 2 in	3.90	3.25	2.25
10 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	3.75	3.00
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.60	4.75	3.75
12 to 14 ft., $2\frac{1}{2}$ to 3 in	6.75	5.50	4.50
12 to 14 ft., 3 to 3½ in	7.90	6.55	5.25
—pyramidalis, 70'	renmida		
Ascending branches forming a dist	inct pyr	l Eur. L amidal tr	ee.
5 to 6 ft	2.40	2.00	
-rubra, 70' Redbranch	red Fur	onean T	indon
With same characteristics as the tyr	pe—diffe	ering only	with
red branchiets.			
6 to 8 ft., 1 to 1½ in	3.50		
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.00		
8 to 10 ft., 1½ to 1¾ in	5.00		
10 to 12 ft., 13/4 to 2 in 10 to 12 ft., 2 to 21/2 in	6.00		
12 to 14 ft., $2\frac{1}{2}$ to 3 in	7.50		
	9.00		

TILIA—continued	Unit Pr	rice in Qua	25-249
tomentosa (argentea), 40'-60'		Silver I	Linden
Handsome, dense-headed tree the and drought. Leaves green above			d heat
9 to 10 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 11 ft., 13/4 to 2 in	5.60	4.75	3.75
10 to 12 ft., 2 to 2½ in	6.75	5.50	4.50
10 to 12 ft., 2½ to 2½ in	9.00	7.50	6.00
12 to 14 ft., 3 to 3½ in	13.50	9.50	7.50
vulgaris, 70'-90'	Eu	ropean I	inden
In late June the fragrant flowers symmetrical and compact.	s are no	oticeable;	grows
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
11 to 12 ft., 13/4 to 2 in	5.25	4.40	3.50
11 to 13 ft., 2 to 2 ½ in	6.00 7.75	5.00 6.50	4.00 5.25
13 to 14 ft., 2½ to 3 in	9.00	7.50	3.43
, ,	9.00	7.50	
*TRIPTERYGIUM regeli, 3'-4'			
Low growing shrub with angled branches and greenish white flowed fruit.	l, warty ers, foll	reddishowed by	brown winged
2 to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B	1.75	1.50	
TSUGA canadensis, 75'-90'		ınada He	
Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf	rive sha	dow effect	
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	5.60	4.75	3.75
5 to 6 ft., B. & B	6.35	5.30	5.25
6 to 7 ft., B. & B	10.25	8.25	6.75
7 to 8 ft., B. & B	13.00 16.50	10.50 14.25	
10 to 12 ft., B. & B	22.50	14.2)	
12 to 14 ft., B. & B.	36.00		
-microphylla (gracilis), 40'-50'			
Small-leave	ed Can	adian He	mlock
Slow growing form with very sma	ll leaves	3.	
2 to 2½ ft., B. & B	4.50		
2½ to 3 ft., B. & B	5.50		
3 to 4 ft., B. & B	6.00		
4 to 5 ft., B. & B	8.00	-	
5 to 6 ft., B. & B	10.00		
•		eping He	
—pendula, 7'-8' Sargen Dwarf flat-topped weeping form v			
•			

	Ilnie D	rice in Qu	
TSUGA—continued	1-4	5-24	
caroliniana, 50'-60'	Car	olina H	
Evergreen. One of our choicest n			
in growth than above.	ative ev	ergreens;	stower
18 to 24 in., B. & B	1.65	1,35	1.10
2 to 2½ ft., B. & B.	2.85	2,35	1.90
2½ to 3 ft., B. & B	4.50	3.75	3.00
3 to 4 ft., B. & B	6.75	5.50	4.50
4 to 5 ft., B. & B	9.00	7.50	6.00
5 to 6 ft., B. & B	11.00	9.50	7.50
6 to 8 ft., B. & B	13.50	11.00	
diversifolia, 30'-40'	Jap	anese He	emlock
Slow compact growth with short	dark gr	een needl	es.
15 to 18 in., B. & B	1.65	1,35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.75	3.00	2.50
sieboldi, 40'-50'	Sie	ebold He	mlock
Similar to above but of faster gre	owth.		
15 to 18 in., B. & B	1.65	1.05	1.10
18 to 24 in., B. & B.	2.25	1.35	1.10
2 to 3 ft., B. & B	3.45	2.80	2.25
3 to 4 ft., B. & B	4.50	3.75	2.43
	7.7	3.73	



ALEXANDER HALL, PRINCETON THEOLOGICAL SEMINARY
The Seminary, which has no corporate relation with the University, is the oldest and largest theological seminary in the
country

Unit Price in Quantities 1-4 5-24 25-249

ULMUS americana, 80'-100'

American Elm

Stateliness and dignity are here exemplified. Fairly rapid in growth, this typical American tree soon assumes regal proportions and commands respect of all who look upon it.

6 to 8 ft	1.10	.95	-75
8 to 10 ft	1.35	1.10	.90
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.50	1.25	1.00
9 to 11 ft., 1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
11 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	3.75	3.00
12 to 14 ft., 2½ to 2½ in	5.60	4.75	3.75
12 to 14 ft., 2½ to 3 in	7.75	6.50	5.25
14 to 16 ft., 3 to $3\frac{1}{2}$ in	10.00	8.00	6.75
14 to 16 ft., $3\frac{1}{2}$ to 4 in	12.50	10.50	
16 to 18 ft., 4 to 4½ in	15.00	13.50	
18 to 20 ft., $4\frac{1}{2}$ to 5 in	21.00	18.00	

-Moline, 80'-100'

Moline Elm

A remarkable new variety of extremely strong growth and large, handsome, deeply grained foliage. Very desirable.

6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.90	3.25	2.60
10 to 12 ft., 13/4 to 2 in	5.00	4.30	3.40
11 to 12 ft., 2 to 2 ¹ / ₄ in	7.50	6.00	
11 to 13 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	9.00	7.50	
13 to 14 ft., $2\frac{1}{2}$ to 3 in	11.25	9.00	

-"Princeton", 80'-100'

Princeton Elm

A selected strain of American Elm (all budded stock). In the young stage, a type similar to the Moline Elm but with a slightly more spreading top.

6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.75	3.00	2.50
12 to 14 ft., 13/4 to 2 in	4.50	3.75	3.00
12 to 14 ft., 2 to 21/4 in	5.60	4.75	3.75

-Vase shape, 60'-75'

Vase Shaped American Elm

This is the typical spreading elm which has been selected for its splendid characteristics: large foliage, straight, clean stem, quick growth and uniformity of shape.

10 to 12 ft., 1½ to 1¾ in	2.80	2.50	
10 to 12 ft., 13/4 to 2 in	3.60	2.85	
11 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	3.75	-
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	7.00	6.00	
12 to 14 ft., 2½ to 3 in	9.00	7.50	
14 to 16 ft., 3 in	12.00	9.75	

ULMUS—continued	Unit Pri 1-4	ce in Q 5 -2 4	uantities 25 - 249
campestris, 80'-100'		Engli	sh Elm
Smooth barked tree with somew	hat dull		
6 to 8 ft	2.00	1.70	
8 to 10 ft	2.75	2.30	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.30	2.75	
9 to 11 ft., 1½ to 1¾ in	4.00 4.75	3.3 <i>5</i> 4.00	
11 to 13 ft., 2 to 2½ in	5.50	4.75	
pumila, 50'-75'			se Elm
Forms symmetrical head. Has sma	ll glabro		
gularly free from disease. Acclim	ates itsel	f well	to con-
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.25		
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00		-
10 to 12 ft., 13/4 to 2 in	4.50		
11 to 13 ft., 2 to 2½ in	6.00		
*VACCINIUM corymbosum, 5'-6'	Highbu	sh Bl	ıeberry
One of the best native shrubs. Flow	ers and f	ruit be	
Wonderful autumn coloration. Pre	fers acid	soil.	
18 to 24 in., B. & B	1.50	1.25	
2 to 3 ft., B. & B	2.00	1.70	
4 to 5 ft., B. & B	3.50	3.00	
VIBURNUM acerifolium, 4'-5' M	apleleafe	ed Vil	ournum
VIBURNUM acerifolium, 4'-5' M White, May-June. Black fruits, ma			
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland.	ple-like	leaves	turning
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ple-like	leaves	turning
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ple-like hady plac .45 .55	leaves ces and ·37 ·47	turning
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ple-like i hady plac	leaves ces and -37	turning
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ple-like hady plac .45 .55 .70	.37 .47 .55	turning under-
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ople-like hady place 45 .55 .70	·37 ·47 ·55	turning under-
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ople-like hady place 45 .55 .70	·37 ·47 ·55	turning under-
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in	ple-like hady place 45 .55 .70 erican Crounches,	·37 ·47 ·55 ranber persist	turning under-
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large b winter. 18 to 24 in. 2 to 3 ft.	ople-like hady place 45 .55 .70	·37 ·47 ·55	turning under-
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	ople-like hady place 45 .55 .70 erican Crounches, .45 .55 .70	•37 •47 •55 ranber persist	rybush ing all
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large b winter. 18 to 24 in. 2 to 3 ft.	.45 .55 .70 erican Counches,	•37 •47 •55 ranber persist	rybush ing all
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. Americanum (oxycoccos), 8'-9' Americanum (oxycoccos), 8'	.45 .55 .70 erican Counches, .45 .55 .70 Fragra	·37 ·47 ·55 ranber persist ·37 ·47 ·55 nt Vib	rybush ing all
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree	.45 .55 .70 erican Crounches, .45 .55 .70 Fragra	·37 ·47 ·55 ranber persist ·37 ·47 ·55 nt Vib wering	rybush ing all
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. Americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree 12 to 15 in., pot gr.	.45 .55 .70 erican Crounches, .45 .55 .70 Fragra	·37 ·47 ·55 ranber persist ·37 ·47 ·55 nt Vib	rybush ing all
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. Americanum (oxycoccos), 8'-9' Oxidented (oxycoccos), 8'-9' Americanum (oxycoccos), 8'-9' Oxidented (oxycoccos), 8'-9' Oxid	ople-like hady place 45 .55 .70 erican Crounches, .45 .55 .70 Fragra warf, florer cluster75	.37 .47 .55 ranber persist .37 .47 .55 nt Vib wering ers of	rybush ing all 30 37 45 urnum shrubs white
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. Americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree 12 to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink ch	ople-like hady place 145 .55 .70 erican Crounches, .45 .55 .70 Fragra warf, florer cluster75	.37 .47 .55 ranber persist .37 .47 .55 nt Vib wering ers of .60 Witto dar	rybush ing all .30 .37 .45 urnum shrubs white
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. Americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree 12 to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink ch Rich autumn coloring; splendid water.	ople-like hady place 145 .55 .70 erican Crounches, .45 .55 .70 Fragra warf, florer cluster75	.37 .47 .55 ranber persist .37 .47 .55 nt Vib wering ers of .60 Witto dar	rybush ing all .30 .37 .45 urnum shrubs white
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dewith wonderfully fragrant flow shaded with pink. Foliage nice greet to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink che Rich autumn coloring; splendid water.	ople-like hady place 145 55 70 erican Crounches, 145 55 70 Fragra warf, florer cluster. 175 erican ging for mass 33	.37 .47 .55 ranber persist .37 .47 .55 nt Vib wering ers of .60 Witto dar- ting an	rybush ing all .30 .37 .45 ournum shrubs white che-rod k blue. d near
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice greet to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink che Rich autumn coloring; splendid water. 12 to 18 in. 18 to 24 in.	ople-like hady place of the ha	-37 -47 -55 ranber persist -37 -47 -55 nt Vib wering ers of -60 Wit to dar- ing an	rybush ing all .30 .37 .45 ournum shrubs white .the-rod k blue. d near .22 .37
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree 12 to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink che Rich autumn coloring; splendid water. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	ople-like hady place 145 55 70 erican Crounches, 145 55 70 Fragra warf, flower cluster. 175 erican ging for mass 33	-37 -47 -55 ranber persist -37 -47 -55 nt Vib wering ers of -60 Wit to dar- ing an	rybush ing all .30 .37 .45 ournum shrubs white .he-rod k blue. d near
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree 12 to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink che Rich autumn coloring; splendid water. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	ople-like hady place of the ha	-37 -47 -55 ranber persist -37 -47 -55 nt Vib wering ers of -60 Wit to dar- ing an	rybush ing all .30 .37 .45 ournum shrubs white .the-rod k blue. d near .22 .37
White, May-June. Black fruits, ma purple in autumn; good for dry sl planting in woodland. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. americanum (oxycoccos), 8'-9' Ame Bright scarlet berries in large be winter. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. carlesi, 4'-6' One of the most desirable, semi-dwith wonderfully fragrant flow shaded with pink. Foliage nice gree 12 to 15 in., pot gr. cassinoides, 5'-6' White, June-July. Berries pink che Rich autumn coloring; splendid water. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	ple-like hady place hady place hady place hady place had	.27	rybush ing all .30 .37 .45 ournum shrubs white .he-rod k blue. d near

VIBURNUM—continued	Unit F	rice in Q 5-24	uantities 25-249
dentatum, 10'-12'		Arro	boowwood
White, May-June. Berries blue-b	olack,	autumn	coloring
purple and red; thrives in wet so			
18 to 24 in	-33	.27	.22
2 to 3 ft	-45	-37	.30
3 to 4 ft	-55	47	-37
4 to 5 ft	.80	.65	.52
5 to 6 ft	1.00	.90	.70
dilatatum, 8'-9'		nden Vi	
White, May-June. Scarlet showy be some and valuable.	erries	persisting	g. Hand-
18 to 24 in	-33	.27	.22
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.00	.90	.70
4 to 5 ft	1.30	1.05	.85
5 to 6 ft	1.65 2.00	1.35	1.10
lantana, 15'-18'		Wayfar	ing-tree
White, May-June. Handsome, dark	green	wrinkle	d leaves.
Berries red, changing to black.	8	,	
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	-55	-47	-37
4 to 5 ft	.80	.65	.52
5 to 6 ft	1.00	.90	.70
lentago, 18'-20'		Nan	nyberry
White, May-June. Handsome, shi		eaves. Bl	ue-black
fruits. Splendid shrub for massin	ıg.		
18 to 24 in	-55	-47	-37
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.35	1.10	.90
6 to 7 ft	2.00	1.70	
7 to 8 ft	2.50	2.05	
8 to 10 ft	3.00	2.50	
molle, 10'-12'	Kent	ucky Vi	burnum
Larger, darker green leaves, bu		_	
"dentatum."			
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	.55	-45
4 to 5 ft	.90	-75	.60
5 to 6 ft	1.10	.90	.75
6 to 7 ft	1.35	1.10	.90
opulus, 9'-10' Eur	opean	Cranbe	rrybush
Very similar in habit of growth as			
Cranberrybush.			
12 to 18 in	-33	.27	.22
18 to 24 in	45	-37	.30
2 to 3 ft	-55	.47	•37
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.30	1.00	.85

	Unit D	ice in Qua	neitian
VIBURNUM—continued	1-4	5-24	
opulus nanum, 18"-24"	Dwarf	Cranberr	ybush
Useful for edging or facing shru compact.	bs. Rare	ly flowers	s. Very
4 to 6 in	•33	.27	.22
6 to 9 in	-55	-47	-37
9 to 12 in	.80	.65	.52
-sterile, 9'-10'		mon Sno	
Has showy, round head of white	flowers,	May-June	e.
12 to 18 in	-33	.27	.22
18 to 24 in	-45	-37	.30
3 to 4 ft	•55 •70	-47 -55	•37 •45
prunifolium, 10'-12'	., -		
			ckhaw
Pure white flowers, April-June. B	ub.	k, glaucou	is ber-
18 to 24 in	.90	-75	.60
2½ to 3 ft	1.10	.90 1.10	.75
3 to 4 ft	1.65	1.25	.90
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00		
		eaf Vibu	
Evergreen. Large, oblong leaves, beneath; a bold, handsome shrub.	deep gr	een above	, gray
12 to 15 in., B. & B	-55	-47	-37
15 to 18 in., B. & B.	1.10	.90	.75
18 to 24 in., B. & B	1.65	1.35	1.10
sieboldi (japonicum), 9'-10'	Sieb	old Vibu	rnum
White, May-June. Berries pink, ch some, large, dark green leaves. Vi	anging s	to black.	Hand-
18 to 24 in	45	-37	.30
2 to 3 ft	-55	-47	-37
3 to 4 ft	.80 1.05	.65	.52
		.90	.70
tomentosum, 7'-8'	Double	file Vibu	rnum
Flat heads of white flowers, June Good foliage.	e. Berrie	s red to	black.
18 to 24 in	•37	.30	.27
3 to 4 ft	-4 <i>5</i>	-37	.30
4 to 5 ft	.70 .90	·55 ·75	.60
—plicatum, 7'-8'		iese Snov	
Showy white flowers in balls, Ju with purple autumn coloring.	ine. Har	dsome fo	oliage
18 to 24 in	45	-37	.30
2 to 3 ft	.70	.55	45
3 to 4 ft	.90	.75	.60
venosum, 8'-10'	Vei	ny Vibur	num
Resembles dentatum. Somewhat sn	naller ar	d bushier	r.
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60

	Unit Pr	ice in Qua	ntities
VIBURNUM—continued	1-4	5-24	25-249
wrighti, 7'-8'	Wri	ght Vibu	rnum
A native of Japan. Very upright scarlet fruits produced abundantl		icter. Attr	active
18 to 24 in	.45	-37	.30
2 to 3 ft	.70	-55	.45
3 to 4 ft	.90	. 75	.60
4 to 5 ft	1.35	1.10	
5 to 6 ft	1.65	1.35	
6 to 8 ft	2.25	1.90	
VINCA minor, 6"-8"		nkle or N	~
A trailing evergreen plant. Glos	sy foliag	ge, blue f	lowers
in spring. Excellent ground cov shade.	ver in fi	ull sunsh	ine or
	22	20	
3 in. pots	.22	.20	.15
VITEX agnus-castus, 4'-5'	Lil	lac Chast	e-tree
Dainty shrub, lilac flowers. Aug	ust to Se	entember.	Grav-
green, star-shaped leaves; prefe	ers sun.		0,
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
-alba, 4'-5'	Wh	ite Chast	e-tree
White flowered form of the above		ite Chasi	
18 to 24 in		27	
2 to 3 ft	.45 .55	·37 •47	
	•33	*47	
agnus macrophylla, 3'-4'	1 7 11	- C1	
Large lea			
A great improvement on the type attractive.	; fine bli	ne flowers	; very
12 to 18 in	.22	.20	1.7
18 to 24 in	·33	.27	.15
2 to 3 ft	•33 •45	·37	.30
3 to 4 ft	.52	45	35
			Cana
VITIS aestivalis, 25'-35'		Summer	•
Strong growing ornamental vine;			
2 yr. transplants	.30	.25	.20
cordifolia, 30'-40'		Frost	Grape
Roundish leaves; small glaucou covering and trelliswork.	s fruit;	good for	r bank
2 yr. transplants	.30	.25	.20
labrusca, 25'-35'		Fox	Grape
Strong growing vine, self clinging	g: large		*
		.25	.20
2 yr. transplants	.30	.45	.20

——≼ W ≽——

		rice in Qu	
WEIGELA amabilis, 7'-8'	1-4		25-249
Light Pink.		Rose V	Veigela
3 to 4 ft	4.5	0.7	
4 to 5 ft	.45 .52	-37 -45	.30 .35
5 to 6 ft	.70	• 4 5	.45
candida, 7'-8'		3371-14 31	
Large, pure white flowers.		White V	veigeia
3 to 4 ft	4.7	0.77	
4 to 5 ft	.52	·37 ·45	.30 .35
5 to 6 ft	.70	.55	45
Eva Rathke, 4'-5'	Doddo		7-:1-
Carmine, June-August. Most florife		wered V	eigeia
12 to 18 in			
18 to 24 in	.22 •33	.20	.15
2 to 3 ft	·45	·37	.30
Feerie, rose colored flowers. 18 to 24 in			
2 to 3 ft	.33 .45	.25 •37	.30
3 to 4 ft	•55	47	-37
4 to 5 ft	.70	-55	45
floribunda, 8'	Cr	imson W	Teignela
Upright growing shrub with crims			cigcia
18 to 24 in	·33	.27	.22
2 to 3 ft	.45	-37	.30
3 to 4 ft	.50	40	-33
4 to 5 ft	.70	-55	-45
nana variegata, 6'-8' Vari	iegated	Leaf W	eigela
Pale pink flowers; variegated le	aves;	dwarf, co	ompact
growth.			
2 to 3 ft	45	-37	.30
3 to 4 ft	.52 .70	·45 ·55	•35 •45
4 00 y 100 100 100 100 100 100 100 100 100 10	.,0	•))	43
rosea, 7'-8'		Pink W	
Showy, pink flowers freely proc	duced.	June. Vi	gorous
grower. 18 to 24 in	22	20	
2 to 3 ft	.22 .33	.20 .27	.15
3 to 4 ft	45	-37	.30
WEIGELA HYBRIDS			
conquerant, red			
desboisi, rose			
girondin, red			
Gustav Mallot, rose red			
profusion, reddish pink			
richesse, deep pink			
18 to 24 in	. 33	.25	
2 to 3 ft	.45	·37	
3 to 4 ft	-55	-47	

	Unit P	rice in Quai	ntities
	1-4	5-24	25-249
WISTERIA multijuga, 35'-50'	Longo	luster Wis	steria
Has long drooping racemes of pu	irple flo	wers. Unus	ually
fine to cover a trellis or pergola.			
12 to 18 in	45	·37	.30
18 to 24 in., grafts	.60	.55	.40
2 to 3 ft., grafts	-75	.60	.50
5 to 6 ft., grafts	1.90	1.50	1.25
—alba, 35'-50' Wh	nite We	eping Wis	steria
12 to 18 in	.70	-55	-45
18 to 24 in		.60	.50
5 to 6 ft., grafts	1.90		
The second secon	377	. 337*	
		eping Wis	teria
12 to 18 in			-35
18 to 24 in	-7.5	.60	.50
sinensis, blue, 35'-50' (grafted)	Cl	ninese Wie	steria
This is by far the best stock to cause they will really bloom.	plant	in wisteria	is be-
12 to 18 in	.52	.45	-35
18 to 24 in			.50
alle and not	11 11 C1	. 337.	
, 00 0	hite Ci	ninese Wis	teria
12 to 18 in	.45	·37	.30
18 to 24 in	.52	* * *	
2 to 3 ft., 2 yr. grafts	.70	22	
3 to 4 ft., 3 yr. grafts	.90	•75	.60
4 to 5 ft., 2 vr. grafts	1.35	1.10	.00



MORVEN

The home of Richard Stockton, a signer of the Declaration of Independence. Here many notables were entertained in Revolutionary days

— ≺ Y - Z >

Unit Price in Quantities 1-4 5-24 25-249

ZANTHORHIZA apiifolia, 2'-3'

Yellowroot

Good ground cover. Will succeed on dry, sandy soil, banks, etc. Small purplish flowers, May-June.

1 yr., 6 to 9 in	.20 .17	.14
2 yr., 9 to 12 in	.27 .22	.18
3 yr., 12 to 15 in	.33 .27	

FRUITING APPLE TREES

Cortland-4-6 ft., 6-8 ft., 8-10 ft.

Grimes Golden-4-6 ft., 6-8 ft.

McIntosh-4-6 ft., 6-8 ft.

Petrel-4-6 ft., 6-8 ft., 8-10 ft.

Red Delicious-4-6 ft., 6-8 ft.

Red Rome-4-6 ft., 6-8 ft.

Rome Beauty-4-6 ft., 6-8 ft.

Starr-4-6 ft., 6-8 ft.

Stayman Winesap-4-6 ft.

Twenty Ounce Pippin-6-8 ft.

Wealthy-4-6 ft., 6-8 ft., 8-10 ft.

Yellow Delicious-4-6 ft., 6-8 ft.

Yellow Transparent-4-6 ft., 6-8 ft., 8-10 ft.

Prices of Above Varieties

4 to 6 ft	-75	.50	40
0 to 8 ft	1.00	.80	.65
8 to 10 ft	2.00	1.70	1.35

The Flowering Crabs described on pages 68 to 71 make beautiful lawn specimens. Fragrant flowers in Spring followed by yellow, orange or red fruits make them attractive both Summer and Winter.

What Shall I Plant?

FOR A QUICK-GROWING SCREEN

TREES

Acer negundo Chamaecyparis pisifera and Pinus sylvestris varieties Larix decidua Morus alba Picea excelsa Pinus strobus

Pinus resinosa Populus in variety Pseudotsuga douglasi Salix in variety Thuja occidentalis Tsuga canadensis

SHRUBS

Eleagnus angustifolia Euonymus bungeanus Ligustrum ovalifolium Ligustrum ibota Lonicera fragrantissima Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

FOR A FORMAL CLIPPED HEDGE

TREES

Acer campestre Acer ginnale Carpinus carolinianum Crataegus oxycantha Crataegus crus-galli Juniperus virginiana and varieties

Fagus sylvatica Picea excelsa Pinus strobus Taxus in variety Thuja occidentalis and varieties

Tilia cordata Tsuga canadensis

SHRUBS

Berberis thunbergi Ilex crenata bullata

Ilex crenata microphylla

Ligustrum ibolium Ligustrum ovalifolium Euonymus radicans vegetus Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

FOR AN INFORMAL, FLOWERING OR FRUITING HEDGE

Berberis in variety Deutzia gracilis Deutzia lemoinei Euonymus patens Forsythia Hibiscus syriacus Juniperus pfitzeriana Kalmia latifolia Kerria japonica Lonicera (bush forms) Mahonia aquifolia Philadelphus coronarius Philadelphus lemoinei Pinus montana mughus

Rhodotypos kerriodes Rosa hugonis Rosa rubiginosa Rosa rugosa Spirea arguta Spirea bumalda Spirea Van Houttei Sorbaria aitchisoni Syringa-The Lilacs Taxus cuspidata nana Taxus intermedia Viburnum tomentosum Viburnum lantana

FOR A WET LOCATION

TREES

Evergreen

Thuja occidentalis and varieties Tsuga canadensis

Deciduous Acer negundo Acer saccharum Acer rubrum Alnus glutinosa Amelanchier canadensis Betula lutea

Betula nigra

Carpinus caroliniana Liquidambar styraciflua Magnolia glauca Nyssa sylvatica Platanus orientalis Populus in variety Quercus bicolor Quercus palustris Quercus phellos Salix in variety Tilia americana Taxodium distichum

SHRUBS

Alnus rugosa Aronia arbutifolia Azalea vaseyi Azalea viscosa Benzoin aestivale Cephalanthus occidentalis Chionanthus virginica Clethra alnifolia Cornus alba Cornus stolonifera Cornus amomum Dirca palustris Enkianthus campanulatus Hypericum densiflorum

Ilex glabra Ilex verticillata Itea virginica Potentilla fruiticosa Rosa palustris Salix in variety Sambucus canadensis Spirea tomentosa Vaccinium corymbosum Viburnum americanum Viburnum cassinoides Viburnum dentatum Virburnum opulus Viburnum lentago

FOR A DRY LOCATION

TREES

Acer campestre Acer ginnala Ailanthus glandulosa Betula populifolia Juniperus chinensis Juniperus virginiana Picea canadensis Picea excelsa

Pinus banksiana Pinus montana Pinus strobus Pinus sylvestris Prunus pennsylvanicum Prunus serotina Ptelea trifoliata Ouercus coccinea

SHRUBS

Amorpha fruiticosa Baccharis halimifolia Ceanothus americanus Caragana arborescens Colutea arborescens Comptonia asplenifolia Cytisus scoparius Eleagnus angustifolia Eleagnus longipes Genista tinctoria Juniperus communis and varieties

Juniperus horizontalis Lespedeza formosa Ligustrum in variety Lycium chinense Potentilla fruticosa Prunus maritima Rhamnus frangula Rhus in variety Robinia hispida Rosa nitida Rosa rugosa Rosa spinossissima Tamarix gallica Juniperus chinensis sargenti Tamarix parviflora

BERRY-BEARING TREES AND SHRUBS

RED BERRIES

Aronia arubtifolia Benzoin aestivale Berberis thunbergi Cornus florida Cornus kousa Cornus mas Cotoneaster apiculata Cotoneaster dammeri Cotoneaster dielsiana Cotoneaster divaricata Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster horizon, perpusilla Cotoneaster hupehensis Cotoneaster lemoinei Cotoneaster rotundifolia Cotoneaster racem, soong, Cotoneaster salici floccosa Cotoneaster simonsi Crataegus coccinea Crataegus cordata Crataegus crus-galli Elaeagnus longipes Elaeagnus pungens Elaeagnus umbellata Euonymus alatus

Euonymus europaeus Euonymus radicans vegetus Ilex cornuta Ilex opaca Ilex verticillata Lonicera korolk, florib, Lonicera maacki Lonicera minutiflora Lonicera morrowi Lonicera syringantha wolfi Lonicera tartarica Malus floribunda Malus sargenti Nyssa sylvatica Photinia villosa Pyracantha cocc, lalandi Rhus canadensis Rosa blanda Rosa rubiginosa Rosa rugosa Sorbus aucuparia Symphoricarpos chenaulti Symphoricarpos vulgaris Viburnum americanum Viburnum dilatatum Viburnum opulus Viburnum wrighti

BLACK BERRIES

Amelanchier canadensis Aronia melanocarpa Berberis verruculosa Cotoneaster acutifolia Ilex crenata convexa Ilex crenata microphylla Ilex glabra Ligustrum acuminata Ligustrum ibota Ligustrum regelianum Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus alba sibirica Cornus paniculata Cornus stolonifera Myrica carlon. (gray) Pachysandra terminalis Symphoricarpos racem.

DEEP BLUE-BLACK BERRIES

Berberis gagnepaini Berberis julianae Berberis tricanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Symplocos paniculata Viburnum cassinoides Viburnum dentatum Viburnum lentago

SMALL OR DWARF PLANTS FOR THE ROCK GARDEN AND BORDER

Abelia grandiflora Acer palmatum and var. Azalea amoena Azalea hinodegiri Berberis triacanthophora Berberis verruculosa Berberis thunbergi minor Buxus Calluna in variety Caryopteris incana Ceanothus americanus Chamaecyparis obtusa gracilis nana Chamaecyparis obtusa lycopodioides Chamaecyparis plumosa lutescens Chamaecyparis squarrosa Cotoneaster hor, perpusilla Spirea bumalda anthony Cotoneaster microphylla Daphne cneorum Daphne mezereum Deutzia gracilis Deutzia lemoinei Diervilla sessilifolia Diervilla trifida Euonymus radicans and var. Viburnum opulus nana Hypericum moserianum Ilex convexa (bullata)

Ilex crenata microphylla Itea virginica Juniperus (spreading types) Leucothoe catesbaei Lonicera nitida Lonicera pileata Lonicera syringantha Mahonia aquifolium Nandina domestica Pachysandra terminalis Picea canadensis glauca conica Picea excelsa (dwarf forms) Pieris floribunda Pieris japonica Pinus montana mughus Prunus glandulosa Rhododendron carolinianum Rosa nitida Rosa spinossissima waterer Spirea thunbergi Stephanandra flexuosa Symphoricarpos (various) Taxus canadensis Taxus cuspidata nana Thuja (globe and dwarf forms) Yucca filamentosa Zanthorhiza apiifolia

FOR A SMOKY, DUSTY, CITY SITUATION

TREES

Ailanthus glandulosa Carpinus betulus Crataegus crus-galli Ginkgo biloba Ilex opaca

Picea pungens Pinus nigra austriaca Pinus sylvestris Platanus orientalis Populus in variety

SHRUBS

Acanthopanax pentaphyllum Ligustrum in variety Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla

Lonicera fragrantissima Physocarpus opulifolius Rhodotypos kerrioides Spiraea van houttei Symphoricarpos in variety Syringa vulgaris Viburnum cassinoides

FOR PARTIALLY SHADED LOCATIONS

TREES

Acer pennsylvanicum Acer spicatum Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera

Ilex opaca (Evergreen) Magnolia glauca Oxydendrum arboreum Tsuga canadensis (Evergreen) Tsuga caroliniana (Evergreen)

FOR PARTIALLY SHADED LOCATIONS (continued)

SHRUBS (* tolerates dense shade)

Acanthopanax pentaphyllum Aronia Azalea aborescens *Azalea nudiflora Azalea vaseyi Azalea viscosa *Benzoin aestivale Calycanthus floridus

Cephalanthus occidentalis Cercis canadensis Cornus alternifolia Cornus amomum Cornus mas

Diervilla trifida
*Dirca palustris
*Hamamelis

Hydrangea arborescens grandiflora Hydrangea quercifolia

Hypericum aureum Ilex crenata microphylla

*Ilex glabra
Ilex verticillata
*Kalmia

*Kerria japonica

*Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Ligustrum vulgare Lonicera fragrantissima Lonicera morrowi Lonicera tatarica

*Mahonia aquifolia *Pachysandra terminalis Pachistima canbyi *Pieris floribunda

*Pieris japonica
Potentilla fruticosa

Pyracantha coccinea lalandi *Rhododendron

Rhodotypos kerriodes *Rubus odoratus Sorbaria sorbifolia Stephanandra flexuosa

*Symphoricarpos
Taxus baccata repandens

*Taxus canadensis
Taxus cuspidata
Taxus nana (brevifolia)
Vaccinium corymbosum

*Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium

*Vinca Minor

*Zanthorhiza apiifolia

TREES FOR AVENUES AND STREETS

Habit—Tall, formal and heavy.

Acer platanoides Acer pseudoplatanus Liriodendron tulipifera Platanus orientalis Ouercus rubra Quercus velutina Tilia americana Tilia cordata Tilia platyphyllos Tilia vulgaris

Habit—Tall, irregular or light textured.

Acer dasycarpum Acer rubrum Ailanthus glandulosa Fraxinus americana Ginkgo biloba Gleditsia triacanthos Quercus coccinea Quercus palustris Ulmus americanum Ulmus pumila

Habit—Medium height for narrow, residential street.

Acer saccharum
Aesculus hippocastanum
Catalpa speciosa
Celtis occidentalis
Cercidiphyllum japonicum
Liquidambar styraciflua
Phellodendrom chinense
Populus bolleana

Populus nigra italica
Populus simoni
Quercus phellos
Quercus robur fastigiata
Sophora japonica
Tilia petiolaris
Tilia tomentosa
Ulmus pumila

GENERAL INDEX OF COMMON NAMES

	PAGE		PAGE
A		Dovetree	39
Abelia, Glossy	7	Dutchman's-pipe	15
Actinidia, Bower	12		
Akebia, Fiveleaf	13	E	
Alder	13		
Almond, Flowering	84 49	Elder	98-99
Ampelopsis	14	Elaeagnus	41
Andromeda	80	Elsholtzia	41
Apples	124	Empress Tree	74
Aralia	8, 14	Engelmann Creeper	14
Arrowwood	110-113	Enkianthus	41
Ash	45-46	Euonymus	42-43
Atlas Cedar	25	_	
Azalea	15–19	\mathbf{F}	
70		False-spirea	99
В		Filbert, Purple	33
Baldcypress	107	Fir	7-8, 88
Barberry	20-21	Firethorn	88
Bayberry	71	Fleecevine	83
Bearberry	15	Forsythia Fothergrilla	44-45 45
Beautybush	24 59	Franklinia (Gordonia)	45
Beautybush	44	(1000)	
Beech Plum	84	0	
Benzoin	19	G	
Birch	21-22	Glorybower, Harlequin	30
Black Haw	26 120	Goldenchain	60
Bladder-senna	31	Goldenrain-tree	60
Bladdernut	102	Goldflower	50
Blueberry	118	GordoniaGrape, ornamental	45 121
Boston Ivy	14	Groundselbush	19
Boxelder Boxwood	9		
Bridal Wreath	23 101	**	
Broom	38	H	
Buckeye	12	Hackberry	26
Buckthorn	91	Hardhack	102
Burningbush	42	Hawthorn	36-38
Bushclover Butterflybush	60 22	Hazelnut	33
Butternut	53	HeatherHe-Huckleberry	24 65
Buttonbush	26	Hemlock	115-116
		Hercules-club	14
С		Holly	51-52
Catalna	25	Holly Grape	68
Catalpa 25, 26	25 55–58	Honeysuckle40 Hophornbeam	73
Cedar of Lebanon	26	Hoptree	88
Chaste-tree	121	Hornbeam	24, 25
Cherry, Flowering	85-88	Horsechestnut	12
Chokeberry	15	Hydrangea Wine	49-50
Christmasberry Cinquefoil	77 84	Hydrangea Vine Hypericum	99 50
Clematis	30		50
Climbing Hydrangea	50	_	
Coffee-tree	47	I	
Coraberry	104	Incense Cedar	61
Cornelian-cherry	74 32	Indigo	52
Cotoneaster	33-36	Indigobush	13
Crabapple, Flowering	68-71	Inkberry	51
Cranberrybush	118	Ivy }	14, 48
Cryptomeria	38		
Creeping Savin	27–30 56	Ј	
Cucumbertree	66		
		Japanese Beautybush	24 86–88
D		Japanese Holly	51
_		Japanese Hydrangea Vine	99
Daphne	39	Japanese Hydrangea Vine . Japanese Maple	9-10
Deodar Deutzia	25 39-40	Japanese Spurge	74
Devil's Walking Stick	39-40	Jasmine Lerseytes	53
Dogwood	31-33	Jerseytea	25 27
Douglas Fir	88	Juniper	53-58

	DACE		
K	PAGE	Dasas	PAGE
		Roses	94–96 95
Katsura-tree	26		73
Kentucky Coffeetree Kerria	47 59	S	
Koster Blue Spruce	79	Sandmyrtle	60
Kudzu-bean	88	Sassafras	99
		Scholartree	99
L		Shadblow	13
		Silverbell	48
Larch	60 59	Smoketree	41 93
Leadplant	13	Snowball	120
Leatherleaf	30	Snowbell	103
Leatherwood	40	Snowberry	
Leucothoe	104 107	Snowhill Hydrangea	49 99
Lilac	113-115	Sourgum	72
Locust	47, 94	Sourgum Sourwood	73
		Spicebush	19
M		Spirea25, Spruce	77-80
111		Staggerbush	80
Magnolia	66-68	Stephanandra	
Maidenhair-tree	46 8–12	Stewartia	103
Matrimony Vine	65	St. Johnswort Stranvaesia	50 103
Mockorange	74-77	Sumac	93-94
Monkshood Vine	13	Summersweet	31
Mountain Ash Mountain Holly	99–100 72	Sweetbay	66
Mulberry	71	Sweetbrier	95 31
Myrtle	121	Sweetgum	62
		Sweetleaf	104
N		Sweetshrub	24
	***	Sweetspire	52 82
Nandina Nanking Cherry	72 86	Sycamore	02
Nannyberry	119	т	
Neillia	72		
Ninebark	77	Tamarix	107
		Thorn	36–38 12
0		Tripterygium	115
Oak	89-91	Trumpetcreeper	23
Olive (Russian)	41	Tuliptree	62
Osage Orange	66	77	
Osmanthus	73	Ŭ	
		Umbrella Pine	99
P			
Deach Flowering	1.4	V	
Peach, Flowering	14 43	Varnishtree	59
Peatree	24	Viburnum	
Periwinkle	121	Virgin Bower	30
Photinia	77 80–82	Virginia Creeper	14
PinePinxterbloom	18	377	
Plane tree	82	W	
Plum	83	Walnut	53
Poplar Privet	61 63	Wayfaring-tree	119
Privet	61–62	Weigela White Fringetree	122 30
		White Kerria	93
Q		Willow	98
Quince	38	Winterberry	52
		Wintercreeper Wisteria	43 123
R		Witch-hazel	48
		Withe-rod	118
Raspberry, Flowering	96	Woadwaxen	46
Red Cedar	27 57–58	77	
Retinospora	28–30	Y	
Rhododendron	91-93	Yellowroot	124
Rockspray Rose-acacia	35	Yellowwood	30
Rose-acacia Rose Panicle	94 39	Yew Yulan	107–110
acode a different minimum.	0)	i uidii	00

PRINTED AT

THE PRINCETON UNIVERSITY PRESS
PRINCETON, NEW JERSEY

